



McGEE COMPANY

SINCE 1951

Albuquerque • Atlanta
Dallas • Denver • Salt Lake

1-800-525-8888

www.McGeeCompany.com

Automotive Service Equipment
Tire Service Supplies
Retreading Equipment & Supplies
Passenger/Truck/OTR

EXPIRES 10/1/26

All prices are F.O.B. our warehouse unless otherwise specified.
Lease figures are approximate and subject to change.



PRICES SUBJECT TO RAPID CHANGE
DUE TO IMPACT OF TARIFFS
VISA AND MASTERCARD ACCEPTED
3% Service fee on all credit cards



5-Gallon Bead Seater

- 5-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Made in Taiwan



RPG05GAL
473-01500
5-Gallon
Bead Seater

\$174.99

A2312 - 1/2" Drive Super Duty Air Impact Wrench \$139.99

- 2" extended anvil
- Powered by the durable and high performing twin hammer mechanism
- A full teasing trigger to provide precise control
- Made in Taiwan
- Free speed: 8,000 RPM
- Maximum torque: 600 ft./lb.
- Proven design and the most popular configuration in the tire service industry



Free sockets while supplies last!



302-05603 - Ascot 3-Ton Aluminum Floor Jack \$479.99

- Hybrid Construction - Aluminum & Steel, only 64 lbs
- Aluminum gives lighter weight and key components from Steel for extra strength
- Dual pumps for faster lifting under no load
- 3-1/8" low and 19-7/8" maximum lift heights
- Grab handles both at front and back for easy positioning and carrying the jack.
- Built-in pressure release valve protects the hydraulic system from over pumping damage
- Meets or exceeds ASME PASE-2019 Standard



HJ5707

Commercial TPMS is here!

- McGee Company has options from Autel, Dill, Schrader and Walker!
- Metal or Fabric band options available with Autel ITS600CV and CVSA01 433Mhz sensors
- Want stems for existing systems? See page 9.



FTC28 - Light Up Traffic Cone \$26.99/ea

- Polyester fabric & PP base
- Light up weighted base
- Replaceable battery with snap lock feature
- Reflective silver fabric rings
- 12"x12.6"x2.5" collapsed
- 29" when fully erect
- Requires 2 AAA batteries (not included)



*Detachable light sold separately

FTCLight - Detachable Universal Cone Topper Light

- Strobe or solid function
- Universal cone topper light
- Requires 2 AAA batteries (not included)



See it in action!

Full Autel CV setup



MCGBB - McGee Bead Butter OTR Tire Mount and Rust Inhibitor \$119.99

- Premium formulation for OTR and all other tires
- Non-petroleum, 100% water soluble, Non-hazardous
- Formulated to provide ease of mounting and dismounting large OTR tires
- Will not stain clothing or aluminum
- Can store between 122°F and -4°F
- Working temperature of 10°F
- Won't rust the wheel or wheel parts
- Compared to tire cream



25 lb bucket

Ear Plugs - Triple 39627521

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates a better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- Rounded flanges, tapered shape fits better in the ear canal



39627521 \$2.92

Gemstone Protective Eyewear

- Clear

Y19CFC - \$2.98 pr.

Tinted Available
(SG2Smoke)



Ear Plugs - Corded LL30

- Metal-detectable earplugs fit into the ear canal like standard earplugs
- Metal bearing embedded in the earplug for easy detection by a metal detector
- Made with disposable soft roll-down polyurethane foam
- Ear plugs meet ANSI S3.19-1074 standards
- Case of 8 boxes (each box contains 100 ear plug pairs)
- Noise Reduction Rating of 31dB



LL30 100/bx \$64.99

KneePro Ultra Flex Hi Knee Pads

- Soft elastic, extra-wide woven straps with reinforced sewn ends are placed well above and below the knee
- Pads weigh only 9 oz each
- Built with strong, flexible hard plastic outer shells that extend well above, below, and to the inside/outside of the knee for added knee and leg protection
- Metal rivet hinge ensures long-lasting protection while kneeling or walking
- Replaceable parts
- Interior pads offer a long-lasting 5/8" closed-cell foam pad for maximum comfort and protection



S96110 \$34.99

Safety tear-way Vest HI-VIZ

- Tricot polyester interlock
- CSA Z96-22 Class 2 Level 2
- ANSI/ISEA 107-2020 Class 2 Type P and R
- StarTech® reflective tape
- ID pocket
- 5-point tear-away
- 4 sealed pockets
- Radiophone clip strap
- D ring access slot



SVOLXL - Orange
SVYIXL - Yellow \$13.99

Cooling Safety Vest

- Designed to prevent heat exhaustion and fatigue, these vests provide safe and effective cooling comfort while keeping you visible on the job site.
- Thermostat™ evaporative cooling polymer provides fast and effective cooling
- Simply submerge in water and wring out excess for hours of cooling comfort
- Cooling material holds snug to your body for fast and effective relief



CSVL-L \$42.95

Cooling Neck Shade Blue

- Elastic binding fits most hard hats and bump caps
- PVA material provides UV protection for neck and ears
- Super absorbent material provides cooling effect
- Simply soak in cool water and wring out excess to activate



273UPVA \$8.99

Hwy Warning Triangle & Storage Case

- Set of 3 includes carrying case
- High visibility during daytime and nighttime
 - Reinforced cross base
 - Large 17" x 17" triangle



1014509
\$44.99

Hard Hat Full Brim ADV Series Vented 20820

The Jackson Safety Advantage vented Full Brim Hard Hat features a rapid dial 4-point ratchet suspension and can easily be changed to wear in reverse. It has slotted adapters on the sides that can be used with Jackson Safety, Sellstrom, or Surewex hard hat accessories. This hard hat meets ANSI Z89.1 Type 1 Class C.



- Vent holes
- Wrap-around brim further protects the worker from elements such as sun and rain.
- Lightweight design is made from high-density polyethylene (HDPE).
- 4 pt easy-dial ratchet suspension fits head sizes 6-1/2 to 8

20820 \$39.99

Hard Hat Full Brim ADV Series Vented CHH

- Optimized comfort with 2 height adjustments available
- Ideal for at-height and scaffolding work, confined space applications and construction sites
- Lightweight design is molded from high-quality ABS materials
- Specially designed sliding vent holes allow easy opening and closing depending on weather conditions
- Fits head sizes 6-1/2 to 8
- Four external clips to securely fasten elastic straps found on LED lighting systems
- Slotted adapters allow use with multiple Jackson hard hat accessories including face shield earmuffs, and Safe 2 System
- Meets ANSI Z89.1, Type 1, Class C



CHH \$29.99

292U-Hi-Vis Mesh Cooling Hard Hat orange sunshade (Yellow avail)

- 2-tone reflective striping enhances visibility
- Elastic binding is suitable for all cap style hard hats
- Extra fabric can easily be tucked inside shirt collar



292U \$4.99

263U-Hi-Vis Foldable Mesh Cooling Hard Hat Brim Sunshade

- Made with ultra-cool and breathable polyester tricot material
- Wraparound design provides 360° protection from the sun and damaging UV rays
- Contrasting trim with reflective tape provides increased visibility
- Fits all full brim style hard hats



263U \$8.99

PORTACOOL



	Portacool Apex 500	Portacool Apex 700	Portacool Apex 1200	Portacool Apex 2000	Portacool Apex 4000
MODEL NUMBER	PACA05001A1	PACA07001A1	PACA12001A1	PACA20001A1	PACA40001A1
OPTIMAL COOLING (SQ.FT)	UP TO 500	UP TO 700	UP TO 1200	UP TO 2000	UP TO 4000
VELOCITY	40	37	25	28	25
AIR FLOW REACH	55FT	60FT	40FT	60FT	40FT
NOISE (DB)	53	53	51	58	62
WATER RESERVOIR (GALLONS)	13	22	40	45	55
PRODUCT WEIGHT (WITHOUT WATER)	70	80	134	191	220
CFM's	800	1400	4000	6700	13250
DIMENSIONS (Inches)	46"x19.5"x22"	52"x24"x27"	58"x26"x42"	68"x30"x54"	90"x39"x78"

Why MAHLE?

- MAHLE was first to market with connected equipment that is wifi enabled for remote support
- First to offer Remote Tech Support
- Bluetooth application for Cell Phone mirroring - First and Only in the AC Market!
- All ArcticPRO units come with an industry leading 2 year parts and 1 year labor warranty along with a competitive Service Center Network
- Free Software Updates (do not confuse with vehicle database)
- 2 CFM / 2 Stage Vacuum Pump in All NextGen A/C units beats the competition
- 200LB Extended Life Filter - standard on the 80 series and optional on the 50 series
- Vehicle Database - standard on the 80 series and optional on the 50 series
- Best in Class Serviceability – Ergonomic hinged cabinet door simplifies service.

ACX2280 - 1234YF

- Fully Automatic
- Best in Class Serviceability w/Remote Diagnostics
- 2-year parts and 1 year Labor
- 7" Capacitive Color Touch Screen
- 2.0 CFM Dual Stage Vacuum Pump
- 30lb DOT Refrigerant Tank
- Hybrid Capable
- Integrated Refrigerant Identifier
- WIFI & Bluetooth
- Remote diagnostics
- Customer report
- Capacities Database
- Extended Life Filter



ACX2180H - R134A

- Fully Automatic
- Best in Class Serviceability w/ remote diagnostics
- 2-year parts and 1 year Labor
- 7" Capacitive Color Touch Screen
- 2.0CFM High-Performance Vacuum Pump
- 30lb DOT Refrigerant Tank
- Automatic 2 Oil & 1 UV Die inject on (ACX-2180 ONLY)
- Hybrid Capable on ACX-2180H
- WIFI & Bluetooth
- Customer report
- Wireless Updates
- Capacities Database
- Extended Life Filter

ROB18480 ROBINAIR (ROB) R134A OIL INJECTOR PAG LABELED



ROB18465 ROBINAIR (ROB) R1234YF OIL INJECTOR-PAG LABELED



	ACX2180H	ACX2280
Services Hybrids	Yes	Yes
Services non hybrid	Yes	
Large and Small shops	Yes	Yes
Compare R134A	34788NIH&34988NI&-9	Compare to AC1234-9
R1234YF	Yes	Yes
Warranty	2 years parts 1 year labor	
Wireless Printing	Yes	Yes
Phone app for Mirroring iOS & Android	Yes	Yes

3608326900 OEM Vin Printer Upgrade

- The thermal printer field installation kit allows for the integration of a printer into the front panel of an AC machine for all ACX2XXX series machines that do not have factory-installed printer.



Accessories



MCGEE NUMBER	BRAND	DESCRIPTION	PRICE
3608325400	MAHLE	Replacement High Capacity Combo Filter. Fits Mahle 134a and 1234yf machines	
3608213300	MAHLE	Filter Maintenance Kit for RHS 980	
13119	ROBINAIR	Vacuum Pump Oil Premium Robinair 16 oz.	\$8.90
13172	ROBINAIR	QC Filter/Drier for R12/R134a and Pump Oil (For Newer Models)	\$84.62
18465	ROBINAIR	R-1234YF PAG Oil Labeled Syringe-Type Injector AC1234-4	\$219.99
34724	ROBINAIR	Filter Drier Spin on Robinair	\$99.99

*ONE QC FILTER-DRIER TO BE USED ON BOTH R-12 AND R-134A STATION, AND (1) 16 OZ. BOTTLE OF HIGH VACUUM PUMP OIL

Double Diaphragm Calcium Chloride Pump

- No lubrication required
- Self-priming, non-stalling, low noise level
- Diaphragms have no stress points and less flex for longer life
- No gradual loss of pump performance due to wear
- Can run dry indefinitely
- Protected by an air filter/regulator
- 35 gallon per minute free flow
- Parts & accessories also available from AME



47515103
Double Diaphragm
Calcium Chloride
Pump



47530281
Replacement
Handle




47530280
Replacement
4-Way Valve

McGee No.	Description	Price
47515103	Double Diaphragm Calcium Chloride Pump	\$1295.99
47530280	Replacement 4-Way Valve for Calcium Chloride Pump	
47530281	Replacement Handle for Calcium Chloride Pump 4-Way Valve	

15301- Rubber Chock 47-86" tires

- Suitable for Heavy Duty and Small OTR applications
- Steel Handle for convenient carrying and lanyard mounting



15355 - Solid Urethane Chock 65-95" Chock

- Suitable for Heavy Duty and Small OTR applications
- Built in Handle for convenient carrying



Ask us about our AG/OTR de/inflator kit 24855!



TJ110 - 11-Ton Lifting Jack for Farm Equipment

- Min Height: 19", Max: 50"
- The extending piston increases lifting range without the need for blocks
- The large saddle minimizes slippage while the large base increases stability
- TJ110W is version with wheels



\$2,699.99

20436 - MEGABITE BEAD WEDGE 4CM & 1CM or 20437 - 4CM & 3CM

- Designed to hold the tire bead down while breaking the bead in other locations of the wheel, ensuring a safe and efficient process. Compatible with single and 3-piece bead breakers, they prevent the bead from reseating, reducing stress on both the tire and the bead breaker tool.



\$79.99





COLOR-CODED WORKING LOAD LIMIT LANYARDS

Cribbing Selection Guide or call 1-800-525-8888



CRIB BLOCK STACKING CONFIGURATION



Note: Mechanically lock load and prevent damage to crib blocks caused by point-loading with AME Jack Plates

Dual Agricultural 300 TIRE BEAD BREAKER

- Lightweight and easy to handle
- Requires only 4 1/2" (11.5 cm) operating space
- Designed for all agricultural applications
- 5 tons of pushing force
- Opens to 12" (30.5 cm) wide
- Weight: 20 lbs (9 kg)



11065
\$2,200.00



N1091
\$11.99 ea.

11065 in use

F310 Valve Adapter Gun

Has a 1/2" female pipe thread and will attach to any calcium tire filling pump. It will extract the valve core from a standard bore valve or the core housing from a tractor valve. It will securely hold the valve core or core housing up in the gun body during tire filling or evacuation of liquid from tire. Due to its design it will permit faster evacuation of liquid from a tire than with other adapter guns. Replaces Deming #1010



F310

464-00310 #F310 \$89.99

High Flow Couplers from Esco

- FASTER, SIMPLE WAY TO SEAT DIFFICULT TIRES: Achieve efficient tire seating with ease.
- 50% FASTER THAN TRADITIONAL AIR CHUCKS: Reduces time and effort in tire seating.
- Doubles your air volume (CFM) with larger unrestricted passages for optimal performance.
- Best used with certified bead seater tanks like Cyclone or Hurricane for enhanced results.
- Suitable for all demountable tubeless pneumatic wheel assemblies.



INCREASED AIR FLOW

NEW



Specifications	10978 - \$12.99	10988 - \$8.27
Style	Industrial Type G	Industrial Type M (Automotive)
Bore Size	Large Bore	Large Bore
Coupler Size	1/2 in.	1/4 in.
Coupler Style	Male	Male
SCFM	90 psi 6.032 m3/min	90 psi 6.032m3/min
Maximum Temperature	From -4 to 122 F - 20 to 50 C	From -4 to 122 F - 20 to 50 C
Maximum Air Inlet	120 psi 8.3 BAR	120 psi 8.3 BAR



Kit No.	15239 Primo — Solid Block 6in x 7in x 24in	14468LT Locking Jack Plate 24in x 24in x 2in	14503 Bottom Locking Jack Plate 27in x 24in x 2in
#15266		1	
Comm Tire / Small AG / OTR. Tires up to 295/25	#15252PLB	1	1
Medium AG / OTR. Tires up to 45"	#15269	12	2
	#15266PLB	12	1

Individual blocks available.



Single Bend Swivel Valves



465-00650

- Any other lengths may be ordered
- All valves equipped with core and hex cap
- On lengths over 6", 2 lock nuts are furnished
- Large bore swivel valves can be used with 1441 spud

Ascot No.	McGee No.	TR No.	Bend Angle	Length	Height	Price
465-01418	N1418	-	74°	1-3/4"	1-5/64"	\$28.99
465-00650	WH300J650	J-650	80°	3-1/8"	1-5/64"	\$17.44
465-00653	WH300J653	J-653	80°	2-1/2"	1-5/64"	\$26.4
465-00454	WH454	-	90°	4"	1-5/64"	\$26.42
465-40002	WH45412	J-4000-4-1/2	90°	4-1/2"	1-5/64"	\$18.86
465-00456	WH456	J4000-6	90°	6"	1-5/64"	\$18.99

Turret Valve for Planetary Gear Wheels



465-00690

465-00691

Ascot No.	McGee No.	TR No.	Angle Bend	Offset Inches	Length	Price
465-00690	WH330J690	J-690	2 Bends	9/16"	4-11/16"	\$22.45
465-06911	WH330J691B	J-691	18°	-	8-1/2"	\$47.38
465-00693	WH330J693	J-693	60°	1"	5"	\$28.14
465-00694	WH330J694	J-694	28°	-	3-1/2"	\$47.47

Large Bore Air Chucks



377

H4660A

Ascot No.	McGee No.	Description	Price
478-00377	377	Long Lock-On Air Chuck.	\$25.49
478-00322	322	Large Bore Dual Foot Air Chuck. 45° Chuck For Easy Access To Valve. 1/4" NPT Female Thread.	\$37.99
478-04660	H4660A	L/B Clip-on Air Chuck 1/4" NPT	\$29.99

Core Housing

- Complete with core and cap
- Designated at tire and rim as the CH-8
- Integral part of the system as the CH-8 is removed from the valve assembly with the IN-80A adapter to utilize the larger opening and the fullest flow of the 6185 check valve.



466-00918

Ascot No.	McGee No.	TR No.	Description	Price
466-00918	R520	TR-CH-8	Core Housing	\$13.99

5260 - Valve Tool Kit L/B 6 Piece

- 4-way tool
- L/B Hex Head Valve Cap Tool
- Refacer for valve cap seat
- Seating tool
- Valve Core Screwdriver
- Valve Core Easy-Out tool




Ascot No.	McGee No.	TR No.	Description	Price
	5260		Valve Tool Kit L/B 7 Piece	\$139.99



Air-Liquid Core Housing and Accessories

	6008B	Tractor Front Wheel Valve Low profile tubeless valve offers minimum protrusion above rim hole. Effective length: 9/16". Chrome finish. Fits .625" or .453" rim hole. Standard Pack: 10/box.	\$2.49
468-00203	594TM	(TR-CH-3) Core Housing Screws into all valves and extensions shown here. Features O-ring seal. Standard Pack: 10 /box.	\$1.25

Large Bore Caps and Cores



Ascot No.	McGee No.	Description	Price
465-00145	A145	Large Bore Core (Short) Fits 305-32 threads	\$1.85
465-00148	A148	Screwdriver Valve Cap. Fits .482-26 threads	\$2.56
465-00149	A149	Hex Valve Cap fits .482-26 threads	\$1.13
468-00100	655TM	Adapts large bore down to std. (AD1)	\$3.99
468-08007	656	Same as 655TM but cap style (8807W-3)	\$3.99

Tubeless Type Air-Liquid Valves

These clamp-in valves have a removable 5789 Core Housing to permit fast filling of tires with liquid ballast solution. Fit .625" valve holes.

Ascot No.	McGee No.	TR No.	Straight Length	Price
464-00618	TR618A	618A	1-15/16"	\$3.93

Miscellaneous Valves



465-00670	T670	Loader Tire Valve complete with core, hex cap and "O" ring seal. Thread size is 1-1/16-12. Height is 1-25/32".	\$24.99
465-00702	H41	Tubeless Spud (TR-SP-2) , used with all Large Bore Swivel Valves. Fits 13/16" rim hole. Height is 1 1/16".	\$5.99
465-06702	H42	Straight Valve (TR-J-670-2) equipped with core and hex cap. Height is 1 1/2".	\$10.49
465-06703	H45	Spud and Valve Complete (TRJ-670-3) Consists of H-41 & H-42. Height is 1 5/8".	\$13.99
465-00710	C10	TR-C-10 Large Bore Screw-In Spud. Screws into 1/2" NPT tapped hole in the rim. Can be replaced without dismounting tire.	\$17.99

Super Large Bore Air-Liquid Valve For Tractor & Grader



464-00216	R372	(CH-16) Fits T81, C-100 & TR SP 816 Tube Spud.	\$7.99
464-00208	T81	(SP-8) Fits 13/16" Dia. Rim Hole.	\$8.99
464-00082	T82	(-) T-82 Clamp-In Rim Spud - 1/4" longer effective length	\$13.99
466-00910	H50	(TR-F-910) Straight Valve Assembly Components T81 Spud and R372 Core Housing.	\$22.99
	6294DUSA	Euro Chuck L/B Clip on Norm Closed 1/4" FNPT USA (6294E is Open)	\$19.99

Air Reducer with 6" Whip Hose

- Maintains tool's recommended working air pressure
- Tamper-proof preset value, 110 PSI
- Assist in lengthening the life of hydraulic pumps & lifting equipment
- Ideal for all hydraulic tools to extend their life



10601k
\$44.99

11076 - Original Maxi Bead Breaker

- Lightweight aluminum reduces weight by 40%
- Adjustable clamp allows for a perfect fit - regardless of the size of wheel
- Unit delivers 10 tons of force
- 2.75" (7 cm) stroke breaks beads often with only one "bite"
- Weight 31 lbs (14.1 kg) (Competitive to IMT1000)



Bead breaker pump chart



11076
\$2,095.99

Jack Plate

14464 12x12x1" Jack Plate
D1818 18x18x1" Jack Plate available

14464- \$116.99



14464

"Combi" Tire Bead Breaker

- Works on a single, two and three-piece truck, agricultural and earthmover tire/rim
- Breaks beads in seconds using 10,000 lbs. of force
- No screws, bolts or attachments
- "Combi" bead breaker will not work on five-piece earth mover giant wheel/rim



422-11010



422-16200

The 16200 upgrade kit can be added to Combi Bead Breakers in order to convert the tool so that it can work on new 3 piece wheels.

Ascot No.	McGee No.	Description	Price
422-11010	10101	Bead Breaker	\$658.99
422-11020	11020	Modified "Combi" Tire Bead Breaker	\$1195.99
422-16200	16200	Conversion Kit for Combi Bead Breaker	\$513.99

Modified "Combi" Tire Bead Breaker Kit

- Modified 11010, the most popular tool for breaking beads on all agriculture wheels
- Most affordable bead breaker for new 3 piece wheel assemblies
- Modified jaw and feet allow for larger grab on larger wheel assembly



15920 - Pump
(98050- RPG Vers - **\$369.99**)
422-12020 (full kit)

Ascot No.	McGee No.	Description	Price
422-12020	12020	Bead Breaker Kit. INCLUDES: 11010 Bead Breaker, 15920 Pump and 16040 Hose Assembly	\$1,899.99

1005LOM Service Truck Lock-out Kit - \$164.99

McGee Company has the right tools when you need them. Now stocking 1005LOM Service Truck Lockout kit to keep people safe and avoid operating vehicles when they shouldn't be.

Durable latch case that is super small!

Reorder parts whenever to add to or replenish.

Safety red items in case to draw attention.

Contains Steering wheel cover, do not operate tags, padlock, steel hasp, and glad hand lock.

Other vehicle lockout kits available



Service Truck Packages and Cribbing by Service Truck Packages



OTR Inflation/Deflation Kit 24855



Tool Identification Chart by Rim



55- and 100-Ton Aluminum Rams

Get the strength of a steel ram but with about half the weight. These single-acting, spring-return rams are easily carried around the shop, or into the field for on-the-vehicle repairs. They are ideal for truck axle correction, trailer frame straightening, general vehicle maintenance, and heavy-duty lifting.



13000AME



AJ506B

McGee No.	Capacity	Low Ht.	Raised Ht.	Wt	Price
AJ506B (13120)	55-ton	12.25"	18.25"	29 lbs	\$1,149.99 (base included)
13000AME	100-ton	11"	17.5"	53 lbs	\$2,099.99 (base not included)

Hydraulic Rams

Used to push off rear rim flange and tire bead on earthmover wheels

- For all earthmover tires, trucks and perfect for construction

Mfg. No.	Cap. (Tons)	Collapsed Height	Stroke	Price
10301	10	4-3/4"	2-1/8"	\$259.99
10302	10	6-3/4"	4"	\$269.99
10303	10	9-3/4"	6-1/8"	\$289.99



422-10303

422-10302

422-10301

Hy-Flo Hydraulic Coupler

- Lightweight yet durable - 3/8" couplers
- Includes ram and hose portions
- Interchanges with OTC, Power Team, AME & ESCO hydraulic products



10600 Set

10606

10605

AHP20H

Ascot No.	McGee No.	Description	Price
318-09795	10600	Hy-Flo Hydraulic Coupler Set (9795)	\$45.99
318-09796	10606	Ram Female Half (9796)	\$25.99
318-0978	10605	Hose Male Half (9798)	\$14.99
318-04960	AHP20H	Nylon Core Synthetic Fiber Reinforced 8ft x 3/8" & half coupler 10605	\$76.99

Why demand Dill?

Safety Risk Evaluations of Lower Quality Products

Dill valves are widely used by OEMs and fleets focused on consistent quality; but what about other aftermarket valves?



Cracked grommet during ozone test



Leaking valve during cold temperature testing

Lower cost valves often lack the quality control to have consistent material properties.

What does this mean?

To reduce costs, some imported valves replace key elements with substitutes such as zinc, nickel, silicon, and tin. These "DIY" alloys do not adhere to established material composition or performance standards, such as those set by ASTM.



Why does this matter?

Inconsistent material can lead to significant performance variations from lot to lot, affecting brittleness, strength, and resistance to corrosion.

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Includes dual seal cap
- Accuride steel 16" x 6" wheels
- Front and rear wheels
- Nickel finish

\$3.14 ea.



23° bend

Ascot No.	McGee No.	Description
462-02416	TR416MC	Ford "F" Series Valve

Tubeless Valves for Aluminum Disc Wheels

For drop-center aluminum disc wheels with 5/8" bottom valve hole



Ascot No.	McGee No.	Effective Length	Price ea.
463-00509	TR509	4-3/4" Straight	\$3.78
463-00510	TR510	5-1/2" Straight	\$3.43
463-00511	TR511	4-1/4" Straight	\$4.25
468-05093	TR509-3	Replacement Rubber Grommet	

Metric Rim Hole Valve MS Series

(9.7mm Valve Hole)

- Some imported trucks will have steel wheels that incorporate the 9.7mm valve hole (.390")

Recommend installation torque 100 in - lbs



McGee No	Ascot No	ETRTO	Bend	A	B	Price (ea.)
60MS00			0	2-3/8"		\$5.28
60MS27	462-06027		27°	1-3/16"	1-3/16"	\$4.22
70MS27	462-07025	V3-20-5	27°	1-3/16"	1-9/16"	\$3.31
80MS27	462-08027	V3-20-7	27°	1-3/16"	2"	\$3.60
90MS27	462-09027	V3-20-4	27°	1-3/16"	2-3/8"	\$4.02
115MS27	462-11527	V3-20-6	27°	1-3/16"	3-3/8"	\$4.20
41MS00	462-04100	V3-20-1	STR	1-3/16"	—	\$4.86
70MS7	468-00707	—	7°	1-19/32"	1-1/8"	\$3.81
70MS7 - Long thread for thicker wheels on motor coaches						
V3221		V3-22-1	45°	30mm	28mm	\$3.37

TR416 Clamp-In Tubeless Tire Valves

- Nickel plated metal valves can be installed in all passenger cars, light trucks and industrial rims with .453" or .625" valve holes
- Rubber grommet forms a seal when valve is clamped to rim by tightening hex nut
- Maximum inflation pressure is 130 psi
- Includes 2 rubber grommets

3640 - 1 1/4"



Ascot No.	McGee No.	Eff. Length	Price
462-00416	TR416 (3640)	1-1/4"	\$1.47
461-01416	TR416L (3641)	2"	\$1.99

Radial Commander Valve For 15° Disc Wheels

- 23° bend clamp-down valve for .625" valve hole
- Bend allows clearance of brake drum for tire service

\$2.19 ea.



Ascot No.	Part No.	Description
462-01147	N1147	Radial Commander Valve Dill

Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Chrome finish
- Alcoa aluminum 16" wheels
- Dual seal cap included
- Front and rear wheels

Ascot No.	McGee No.	Description
462-01600	VS902WP	Ford "F" Series Valve



\$3.36 ea.

Chrome Hi-Performance Valve

Perfect for Custom Wheels

Chrome plated valve and sealing cap. Especially suited to custom wheels. Includes grommets for .453" and .625" passenger car wheels.

5991B
462-00800
3/4"
\$1.69 ea.



Enkei Valves

- A high performance "No Show" type chrome plated valve that installs from the outside
- A rubber washer and nut are on the inside
- Fits .453" diameter hole



Ascot No.	McGee No.	Description	Price
462-06010	TR6010	3/4" Length, Standard	\$2.08
462-06020	TR6020	Bent at 45° Angle	\$2.48
462-06030	TR6030	1-1/4" Length, Standard	\$3.25
462-06040	TR6040	1-3/4" Length, Standard	\$6.48

Quality valves assure trouble free service!

Tubeless Truck Clamp-in Valves Dill - with U.S.A. made grommet!



Hex bottom for tightening



Straight clamp-in valves used on both demountable and non-demountable rims. For .625" diameter valve hole.



McGee #	Effective Length	Cost Each	100 Ea.
TR500	2"	\$1.88	\$1.71
TR501	1 1/2"	\$1.86	\$1.70
TR501IV	1 1/2"	\$1.31	\$1.26
TR570	3 1/8"	\$1.91	\$1.75
TR571	3 3/8"	\$1.95	\$1.75
TR572	3 3/4"	\$2.20	\$2.00
TR572IV	3 3/4"	\$1.89	\$1.64
TR57213	13° bend in valve	\$2.56	—
TR573	4 3/8"	\$2.74	\$2.50
TR573IV		\$2.36	\$2.13
TR57313	13° bend in valve	\$2.19	—
TR573HT13	13° bend in valve high temp	\$5.99	—
TR574	5"	\$2.52	\$2.30
TR575	1-1/8"	\$1.67	\$1.55

IV is Ascot branded product.

Remember - Bending a valve after it is in the wheel will often ruin the grommet and will cause a valve leak.

Tire Valves - 540 Series

O-ring seal valves for Alcoa truck wheel
(9.7MM Valve Hole)

Many production Alcoa aluminum wheels are manufactured with a 9.77MM valve hole that requires an O-Ring tire valve. Valves have a high temperature resistant O-Ring and a heavy duty metal valve cap.

Ask for the premier USA made Dill!



Valve TR No.	A Height	B Length	C Bend Angle	Price ea.	100 ea.
TR542	1.25			\$3.34	\$3.17
TR543	2.40	-	365°	\$3.47	\$3.29
TR543D	.98	1.38	60°	\$4.01	\$3.81
TR543E	.98	1.38	75°	\$4.57	\$4.29
TR544	2.90	-	-	\$3.34	\$3.17
TR544D	.98	1.94	60°	\$3.52	\$3.34
TR545	3.50	-	-	\$3.38	\$3.20
TR545DL	3.50	Dill	--	\$5.65	\$5.36
TR545D	.98	2.6	60°	\$4.81	\$4.55
TR546	4.25	-	-	\$6.19	\$5.87
TR546D	.98	3.35	60°	\$3.14	\$2.97
TR546E	.98	3.35	75°	\$4.52	\$4.28
TR546G	.98	3.35	36°	\$5.56	\$5.27

High Pressure Snap-In Valves — Dill OE

- Tubeless snap-in type valves for high pressure applications
- Maximum cold inflation pressure is 80 psi
- For .453" or .625" rim holes
- Do not use on tire rims that exceed .205" in thickness



Ascot No.	TR No.	Eff. Length	Valve Hole Dia.	Sale Price
461-00600	TR600HP	1.27"	.453"	\$.91
461-00602	TR602HP	2"	.453"	\$1.62
461-00801	TR801HP	1.25"	.625"	\$1.05
461-00802	TR802HP	2"	.625"	\$2.33

TR600HPV import - 100 each - **\$.60 ea** - TR600HPC Chrome Available

Chrome-Sleeve Snap-in Type Tubeless Tire Valves

- Standard snap-in type tubeless tire valves are fitted with an attractively designed hexagon valve cap and chrome sleeve to cover the valve stem area
- Available in two lengths to fit .453" valve holes

Ascot No.	Mfg. No.	Eff. Length	Price
461-41211	TR412SC	7/8"	\$.78 ea
461-41311	TR413SC	1-1/4"	\$.98 ea
461-41811	TR418SC	2"	\$1.19 ea



Truck Grommets



McGee	Rim #	FITS	TEMP. RATING	USED ON
59765	RG-54	.453 Valve Hole	-60 - 250° F	TR-416, 416L, 6008
525	RG-39	.625 Valve Hole	-60 - 250° F	TR-416, 416L
G-166	RG-7	.625 Valve Hole	-60 - 250° F	TR-618, 621A, 622A, 623A
5953	RG-15	.625 Valve Hole	-60 - 250° F	TR-500 Series, TR-570 Series
G170S	-	.625 Valve Hole	-75 - 400° F	Heat-Resistant Grommet for TR-570 and TR-500 Series
5093	RG-46	.625 Valve Hole	-60 - 250° F	TR-509, 510, 511
G-174	RG-48	.625 Valve Hole	-60 - 250° F	TR-513, 515
G160	RG-22	.812 Valve Hole	-60 - 250° F	H-41, T-81, T-30, DS-385, DS210
459	RG-16	.812 Valve Hole	-60 - 250° F	Turret Valves, PB-210, H-1000
G-165	-	.812 Valve Hole	-60 - 250° F	K-431, K-665
G550	RG-70	.975 Valve Hole	-20 - 400° F	Viton - Fits TR-550 Series
G-551	-	.975 Valve Hole	40 - 250° F	EPDM - Fits TR-550 Series
0330	RG-60	Stem fits Valve Hole .382" - .394"	-75 - 400° F	TR-540 series thick O-ring .075"

Metric Clamp-In Valves 550 Series



MADE IN USA

TR555D import \$3.50 each!
Use TR550 series for better seal than TR540 series

Popular on all new Alcoa wheels!

Compatible with aluminum wheel designs with .389 valve hole.

- Viton grommets offer a greater temperature range, a better seal, and a longer service life — Maximum temperature 250°
- Easier installation with screwdriver slot
- Recommend installation torque 45 in - lbs.



McGee #	A	B	C	Price ea.	100 ea.
TR553	2.31	-	-	\$5.24	\$4.91
TR553C	0.93	1.38	45°	\$5.24	\$4.91
TR553E	.98	1.38	75°	\$5.52	\$5.18
TR554D	.98	1.94	60°	\$4.24	\$3.98
TR555DL	.98	2.6	60°	\$3.90	\$3.66
TR555E	.98	2.6	75°	\$4.56	\$4.27

1/8" Rim Hole Cleaning Brush

44078 **\$7.49**

Available in 1/4" and 3/8" also!



Dill - OE - Stem Snap-In Tubeless Tire Valves



Made with special rubber compound to resist ozone damage and prevent premature deterioration caused by rim hole compression, heat, cold. Maximum inflation pressure is 65 P.S.I.

Why Dill?

Valve Hole	McGee No.	Effective Length	Standard Pack Box	50 Pk Price
.453	TR412	7/8"	500	\$.40 ea.
.453"	TR413	1 1/4"	500	\$.42 ea.
.453"	TR414	1 1/2"	500	\$.50 ea.
.625"	TR415	1 1/2"	500	\$.55 ea.
.453"	TR418	2"	500	\$.66 ea.
.453"	TR423	2 1/2"	500	\$.86 ea.
.625"	TR425	2"	500	\$.96 ea.

Special prices on boxes of 500 each.



413 414 418 423 415 425



Machine Year Month Day

Snap-in tire valves have become a commodity even though they are critical in maintaining the correct tire pressure. As questions arise regarding the life of rubber components and as an effort to provide traceability for this product line, Dill provides a solution! Each Dill stem has the production data etched on it!

Economical import stems TR413IV - \$.29 ea. TR418IV - \$.40 ea.

CTPC- Commercial TPMS Profit Center **\$179.99**

- Just what you need for any situation to get you through
- Valve stems for direct tire pressure monitoring systems
- Application: Commercial and Heavy-Duty Trucks (Class 5+) with OEM TPMS
- TPMS Type: M6 thread
- Kit includes the right mix of TPMS416, TPMS542, TPMS543E, TPMS54555, TPMS545D, TPMS545E, TPMS546G, TPMS553C, and TPMSV3202 along with a durable plastic case great for any service truck or bench



What's Inside?



ITS600 CV TPMS SERVICE TABLET + PROGRAMMABLE UNIVERSAL CV TPMS SENSOR CVS-A01

- Includes Deutsch 6 and 9 pin, and UNI-4 DLC adapters
- Equipped with Bluetooth VCI for wireless tablet-to-vehicle communication
- Activate, Read, and Relearn all known TPMS sensor
- Generate, Print, and Share Comprehensive TPMS & Tire Service Reports
- Linked Tractor and Trailer interfaces; service each independently, display up to 46 wheels and 12 axles
- Quickly switch between tractor and trailer screens for comprehensive sensor and tire analysis; activate, relearn, and program Autel CVS-A01 Sensors via multi-function tabbed display
- Upgrade to include Passenger Vehicles TPMS and All-Systems diagnostics, CV diagnostics and service coverage (additional purchase required); CV diagnostics coverage (coming soon)



HTST01A - Hamaton Truck 1.0 Valve Mounted Sensor

- Designed for heavy-duty applications and long service life.
- Use with 17.5" to 24.5" one-piece rims.



HTST01B - Hamaton Strap Mounted Sensor 6B01 - Strap Only

- Designed for heavy-duty applications and long service life
- Use with 17.5" to 24.5" one-piece rims



P/N: 300170 SENSOR WITH METAL BAND (R14-24.5")*



P/N: 300190 - SENSOR WITH FABRIC BAND (R14-17.5")*

*Sold Separately

P/N: 300210 SENSOR WITH FABRIC BAND (R17.5-24.5")*

MX-SENSOR CVS-A01 433MHZ

- Programmable to replace sensors on 95% of system-equipped commercial vehicles
- Meets SAE Standard SAE J2848
- Supports speeds of up to 80 mph (149 mph with metal strap) and has a lifespan of over 5 years
- Program with the ITS600CV tablet to replace TPMS sensors on light, medium and heavy-duty vehicles.



Full Autel CV setup

TPMS 5488 - Available Upon Request



TPMS416



TPMS542



TPMS543E



TPMS545D



TPMS545E



TPMS546G



TPMS553C



TPMS54555



TPMSV3202



469-06461



469-06462



469-64640



469-06460



469-06434



469-06432



469-06431

469-06430

McGee	Schrader	DILL P/N	TRA (OE)	VALVE HOLE	SEAL TYPE	A	B	C
TPMS416		DV416-WS	416	0.453" & 0.625"	Grommet	1.50"	-	0°
TPMS542		DV542	542	0.390"	O-Ring	1.25"	-	0°
TPMS543E		DV543E	543E	0.390"	O-Ring	0.98"	1.38"	75°
TPMS54555		DV45-55	545-55	0.390"	O-Ring	0.98"	2.60"	55°
TPMS545D		DV545D	545D	0.390"	O-Ring	0.98"	2.60"	60°
TPMS545E		DV545E	545E	0.390"	O-Ring	0.98"	2.60"	75°
TPMS546G		DV546G	546G	0.390"	O-Ring	1.15"	3.35"	105°
TPMS553C		DV553C-WS	553C	0.390"	Grommet	0.93"	1.38"	45°
TPMSV3202		DV-V3.20.2	-	0.390"	O-Ring	0.98"	2.36"	17.5°
TPMS70MS27	57011		70 MS-27	0.390"	Grommet	1.1875"	1.5625"	27°
TPMS572	57010		572	.625"	Grommet	3.75"		
TPMS543C	57001		543C	0.390"	O-Ring	.93"	1.43"	45°
TPMS546	57012		546	0.390"	O-Ring	4.25"		
TPMS554D	57009		554D	0.390"	Grommet	.98"	1.94"	60°
TPMS70MS7			70 MS-7	0.390"	Grommet	1.59375"	1.125"	
TPMSV902WP			VS902WP	0.453"	Grommet	1.94"		
TPMS543C			543C	0.390"	O-Ring	0.93"	1.38"	45°
TPMS544D			544D	0.390"	O-Ring	0.98"	1.94"	60°
TPMSH523MS			H-523MS	0.453"	O-Ring			
TPMSV3221			V3.22.1	0.390"	O-Ring	0.98"	1.1"	45°
TPMS60MS00			60 MS-00	0.390"	Grommet			

1" Heavy Duty Air Impact Wrench

- Combines exceptional power, durability, and operator convenience
- Delivers 1450 ft./lbs. of maximum torque, with a 5000 RPM free speed and four-position power regulator 360° swivel inlet
- Available in 6" extended anvil and 6" extended #5 spline drive anvil for high production truck tire changing



155-02856

Ascot No.	McGee No.	Description	Price
155-28560	IR285B	Standard Anvil	\$874.99
155-02856	IR285B6	6" Extended Anvil	\$599.99
156-28566	IR285BS6	#5 Spline Super Duty Anvil	\$849.99

1" Heavy Duty Air Impact Wrench

2140 ft.lbs 2900 Nm of maximum torque in reverse

- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/reverse with 3-position power settings in both directions



155-77826
1" Heavy Duty Air Impact Wrench

ASCOT NO.	McGEE NO.	PRICE
155-77826	CP77826	\$639.99
155-17782	CP7782SP6	\$749.99
	CP7782	\$729.99

286922HD - Impact Wrench SD Ext Anvil Cordless 1" DR **\$1,514.99***

Bundles available!

- POWERSTATE Brushless Motor delivers up to 2,000 ft.-lbs of nut-busting torque & 1,900 ft.-lbs of fastening torque
- Install up to 200 1-1/4" bolts on a single battery
- M18 REDLITHIUM Battery Packs are compatible with all M18 tools
- The ONE-KEY Technology allows you to customize, track, and manage the impact wrench with the ability to set a repeatable torque output for maximum control
- Kit Includes:
 - M18 FUEL 1" D-Handle High Torque Impact Wrench w/ ONE-KEY (2868-20)
 - M18 REDLITHIUM HIGH OUTPUT HD12.0 Battery Pack (48-11-1812)
 - M18 & M12 Rapid Charger (48-59-1808)
 - Contractor Bag



Comes with low speed buffer while supplies last

1/2" CP77482 - Extreme Torque & Durability

- Most powerful 1/2" air wrench in its class
- Twin hammer grease clutch
- Ergonomic rubber handle
- Reinforced nose wings and back housing cap for longer durability
- Max Torque 1200 ft. lbs.
- 922 ft. lbs. Working Torque



CP77482
\$229.99

CP77412

\$174.99

- 10,000 RPM free speed
- 715 Ft/lbs max torque
- Super durable but 15% lighter than CP77362



3/4" Maximum Power Impact Air Wrench

- Power: 2,000 ft.-lbs of nut busting torque w/ innovative pressure gauge improves productivity and prolongs product life
- Ability to quickly dial-in optimal power settings increases productivity and speed
- Cold-forged twin hammer impact mechanism and motor deliver more torque, durability, and efficiency
- Durability: Built to last and designed to withstand tough use in rugged environments; a two-year limited warranty is standard
- 2-year warranty



INNOVATIVE PRESSURE GAUGE Improves productivity and prolongs product life

6-VANE MOTOR delivers added power

2-YEAR WARRANTY
2 Year warranty

CONTROL One-hand forward/reverse and feather-touch trigger provides combined with the IR power regulation system provide maximum control

Ascot No.	McGee No.	Description	Price
154-12145	2146QiMAX	Standard Anvil	\$699.99
154-22145	2146QiMAX3	3" Extended Anvil	\$819.99
154-32145	2146QiMax6	6" Extended Anvil	\$839.99
154-00261	IR261	HD 3/4" SD Wrench 1100 Ft/Lb Torq	\$674.99
154-02616	2616	3/4" Super Duty Air Impact w/6" Ext. Anvil	\$759.99

153-02312 231XP2 1/2" Super Duty Extended Anvil Air Impact Wrench **\$179.99**

This new model redefines the standards set by the classic IR231 model, with an enhanced Twin Hammer impact mechanism for more power and in-handle exhaust to direct air away from the operator and the work area.



2235TIMAX2

Ascot No.	McGee No.	Description	Price
153-00231	IR231	Air Wrench 1/2" Dr Short Anvil	\$174.99
	2235TIMAX2	Air Wrench 1/2" Long Anvil Titanium	\$389.99
	2235QTIMAX2	1/2" Dr Quiet Air Wrench Long Anvil	\$334.99
	2235TIMAX	Air Wrench 1/2" Dr Short Anvil Titanium	\$389.99

Protect your investment with a boot. Ask your rep for the right size.



276922 - Impact Wrench SD Ext Anvil Cordless 1/2" DR **\$645.49 ***

- 4 CUSTOMIZABLE MODES: Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATE BRUSHLESS MOTOR: Delivers up to 750 ft./lb. of fastening torque & 1,100 ft./lb. of nut-busting torque
- LONG MOTOR LIFE: POWERSTATE Brushless Motor delivers maximum power and long motor life
- Includes extra battery, case and charger

*Stubby and bare tool available as well.

With FREE 1/2" drill driver while supplies last



\$150 value!



*All prices subject to change

1/2" Drive Super Duty Air Impact Wrench

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.

\$139.99



153-23120
A2312

Protect your investment with bootie 231p32.

Ascot No.	McGee No.	Description
153-23120	A2312	1/2" Drive Air Impact Wrench - 2" Extended Anvil



Video on proper air tool maintenance; make your tools last!
(También en español)

<http://vimeo.com/212944966/>



1/2" Drive Composite Impact Wrench

- Convenient one-hand operated forward/reverse push button
- Four-setting torque adjustment switch
- 685 ft./lbs., 8000 RPM, 4.2 lbs
- Twin hammer mechanism provides smooth balance
- Energy efficient motor for maximum performance with precise speed control
- Swivel air inlet prevents hose from twisting

Now with forward/reverse button!



153-12260

Ascot No.	McGee No.	Description	Price
153-12260	A21312COM	1/2" Drive Composite Impact Wrench 2" Extended Anvil	\$156.99



Super Red Pneumatic Air Tool Lubricant

- Dissolves gum and & varnish formation
- Ensures smoother starts
- Special rust & oxidation inhibitor
- Clean and free running
- 12 bottles per case
- Usable on piston or rotary type air tools

Ascot #	McGee #	Price
181-00406	0406	\$7.99
181-00404	16ATC	\$9.99

6" EXTENDED ANVIL

1" Drive Super Duty Impact Wrench

Heavy Duty & High Torque!

- DURABLE: Steel end plates offering durability and extended life
- ADVANCED DESIGN: Proven motor and hammer technology; highly efficient air motor
- WORKING TORQUE RANGE: 370-1475 ft./lbs.
- 1 YEAR LIMITED WARRANTY on parts and workmanship
- COMPARE to CP77826



155-17786
A7786

\$479.61!

1" Drive Mini Air Impact Wrench

- 6" Extended Anvil
- Free speed: 5000 RPM
- Maximum torque: 2000 ft/lbs
- Only 20 lbs – 50% less than the market leading 1" product, smallest and lightest 1" in the tire service industry
- Twin hammer clutch



155-26464

\$645.74

Ascot No.	McGee No.	Description
155-26464	15526464	1" Drive Mini Air Impact Wrench - 6" Extended Anvil



417-12618



417-13003

Full list of cutoffs and discs



Ascot No.	McGee No.	Description	Price
417-12618	12618	3" Green Zirconia 50Grit Grinding Disc 25/Box	\$39.99
417-13003	620TE-1	2" Surface Conditioning Discs: Brown (Coarse) 25/Box	\$23.99
417-10004	622TE-1	2" Surface Conditioning Discs: Maroon (Medium)	\$23.99

3" Cut-off Tool

157-10874
A874
\$69.99



1/4" Mini Angle Grinder

157-10875
A875
\$69.99



1" Drive Impact Wrench A2856

- 6" extended anvil
- 3-position forward and reverse
- High efficiency 6-vane motor
- Pinless clutch mechanism
- Swoop back side handle for maneuverability/balance
- Working Torque 1,800-2,000
- Free Speed 5,000 RPM



Ascot No	McGee No	Description	Price
155-12856	A2856	1" Drive Super Duty Impact	\$414.99



231p32
\$8.95



175-10029
Set of 6 Rotor Blades

175-13457
Hammer Tune-Up Kit

Marvel Air Tool Oil

085 Marvel Air Tool Oil 32 Oz
18100085 - **\$9.99**

- Prevents rust formation while providing positive lubrication for smooth starting and long tool life
 - Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output
- 8 oz. MM80R Available



085

400SS 4 Ton HD Floor Jack

\$420.99

- Twin hydraulic system for fast and efficient lifting
- Heavy duty pump, ram, and cylinders are precision machined and inspected to ensure long service life
- High grade U-cups seals and high-pressure plunger for maximum performance
- Rear mounted swivel casters for easy maneuverability
- Universal joint technology provides a more controlled descent
- Pinned and padded saddle for extra vehicle protection
- Flanged side plates for increased stability
- Integrated parts tray keeps small components from getting lost



22 Ton Air/Hyd Axle Jack with 3pc Ext Kit

New 565F1 from AFF - Now with reinforced frame

\$749.99

72200D from Norco - **\$899.99**

- Specially engineered air motor delivers fast and efficient operation
- Long t-handle design allows easy access to vehicles with long overhangs
- Large 8-inch diameter rubber wheels provide effortless travel in the shop or roadside
- Fully welded hydraulic pump and cylinder delivers maximum strength and leak free operation
- Heavy-duty wiper seals protect the system from contaminants and ensures long service life
- Overload safety valve provides added operator safety



Capacity	Ram Lift	Low Height	High Height w/extensions	Length	Front Width	Rear Width
22 tons	4-3/4"	8-1/4"	21-1/2"	20-1/4"	6-15/16"	12-13/16"

Bottle Jacks

- Extension screw on some models
- Rust protection covering
- Uniweld construction
- 50% overload factor
- Fewer moving parts



MAG 925
\$10.99

ZN12	Jack Bottle Standard 12-Ton	\$129.99
ZN22	Jack Bottle Standard 22-Ton	\$209.99
ZNB12	Jack Bottle Low Profile 12 Ton	\$139.99
ZNB22	Jack Bottle Low Profile Screw Out Ext 22 Ton	\$219.99

20 Ton Capacity Air/Hydraulic Super Duty Bottle Jack

- AFF's most innovative and robust air/hydraulic bottle jack to date
- Redesigned air motor
- Super thick base to increase stability on every surface
- High-strength Steel Ram and cylinder with long ram guide for greater safety in off-center load conditions
- Welded Tank (threaded and screwed to the base) endures the rigors of in-service conditions and reduces risk of tilting out of the oil reservoir



Low	10.375	Lift	6.375
High	20.625	Base	5.75 x 9
Ship weight 45 lbs.			

5620SD	20-ton standard	\$379.99
5621SD	Low profile design	\$389.99
5630SD	30-ton super duty	\$499.99
76320B	20-ton Norco	\$449.40

14455 - Jack Bottle Air Hyd 20 Ton **\$399.99**

- Comes with free 14453 Jack plate 10x10" (\$100 value)
- Min: 9.7" max 18.5" Height
- Has Flexilla whip hose for longer life & max durability in all climates
- In-line regulator limits inlet pressure to 94 PSI



14461 - Bottle Jack Air Hydraulic 20 Ton Low Pro **\$359.99**

- Cylinder is welded to the base, assuring strength and eliminating leaks
- Chromed pump piston and ram for added rust resistance
- Extension screw gives added height when necessary
- Super low minimum height for easy access



Norco 76320B Jack Bottle Air Hyd Standard 20 Ton **\$449.40**

3-1/2 Ton Professional Heavy Duty Double-Pumper Floor Jack

Model 350SS - \$399.99

This unit offers all the features of our model 350GT with additional speed and efficiency thanks to AFF's double-pumper advantage for quicker lifting.

- Lifts from 4" to 19-1/2"
- Pinned steel saddle (1-1/8" stud) with rubber pad for added vehicle protection
- Rear-mounted 2-3/4" swivel casters for ease of maneuverability
- One-piece 50-1/4" padded handle parks upright
- Ship weight 119 lbs.



Replacement Power unit 350SSKHU - **\$139.99**

20-Ton 72090A **\$669.99**

INTENDED USE: Heavy duty truck, agricultural and heavy construction equipment. Ideal for loaded truck and trailer roadside service calls.

- Its light weight makes it perfect for mobile repair service.

Long handle with 36-1/2" reach helps in positioning jack under vehicles with low overhang.

- Parkerized coating on pump piston, extension screw and extension adapters and chrome coated ram offer protection against rust.
- Removable extension screw with two 4" extension adapters (included) for added height.
- Self-retracting ram eliminates manual lowering.
- 5 1/4" diameter high impact composite wheels make maneuverability easy.
- Fast efficient air pump reduces lifting time and has a built-in relief mechanism which prevents the jack from being used beyond its maximum allowable capacity.
- Convenient push button air valve connected to an in-line filter prohibits contaminants from entering the air/hydraulic system.

Low Lift Height	8.625"
High Lift Height	22.75"
Stroke	4.125"
Screw Extension	2"
Base Size	9.25" x 17.25"
P.S.I. Range	100-130
Shipping Weight	63 lbs.



Ask us about our no mar jack options!

3-Ton Jack Stands

- Ratchet height adjustment built within column
- Multi-level ductile iron ratchet bar adds strength and durability
- Sold in set of two

3-Ton – 30263030 **\$39.99**
 6-Ton – 30263060 **\$84.99**
 22-Ton – 30205622 **\$269.99**



RPC
 Basic Jack Maintenance



Why Use Jack Stands & Transmission Jack Safety Tips



ASK US ABOUT OUR TRANSMISSION AND UNDER HOIST JACKS TODAY! 1-800-525-8888

30251005 10-Ton High Jack Stands (pair)

- Pin-style stands with supporting range from 27.95" to 47.56" suitable for high-height applications
- Multiple pin holes to allow easy adjustments
- Saddle with lugs for easy positioning of the load

\$399.99



Accessories for Ascot Grey Service Jacks



Ascot No.	Mfg. No.	Description	Applicable Models
302-60129	AS5601-29-a-FH	Spring	2-Ton/3-Ton/4-Ton
302-61301	AS5613-01	Fixed Wheel Assy.	3-Ton
302-61401	AS5614-01	Seal Kit for Pump	3-Ton/4-Ton
302-61402	AS5614-02	Fixed Wheel Assy.	4-Ton
302-61403	AS5614-03	Pump	3-Ton/4-Ton
302-61404	AS5614-04	Caster	4-Ton

302-02812 AS2812 - Jack Stand

Underhoist Tripod 2-Ton **\$169.99**

Min Height: 48-7/16" , Max Height: 83-1/16"

Saddle: 5-7/16" x 1-9/16"

Base: 24-7/16" x 21-1/4"

Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle

Saddle comes with a removable rubber cover to protect load



40703000 - Heavy Duty Tire Dolly **\$109.99**

- Perfect stud alignment on 8 to 10-hole Budd-type wheels
- Removes truck wheels and tires fast and easy
- Works with tires 23.5" to 43.5"



20-Ton Air/Hydraulic Bottle Jacks

- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose & more compact storage

22-Ton Air/Hydraulic Truck Jack

- Large air motor provides an exceptional quick lifting experience
- Narrow chassis fits between tandem truck wheels
- Comes with three adapters in different sizes that cater to different working requirements



Universal Handle Protector - GHP01

Made of a durable synthetic rubber

\$11.99

- Unique design ensures a tight fit on jack/tool handle without slippage
- Protects vehicles from scratches or dents caused by falling jack handles and unstable tools in the shop
- Keeps water/debris out of handle



371-03321 AS3321 - Transmission Jack

Telesc Two-Stage 1/2 Ton **\$999.99**

1 Ton Available - 371-03332

- Min Height: 37", Max Height: 76-3/8"
- Saddle Tilt (Forward/Backward): 29°/10° (Left/Right): 27.2°/46.8°
- Foot activated raising and lowering pedals allow hands free operation
- Overload valve prevents jack from being used beyond its rated capacity
- Speed limiting valve ensures an automatic safe speed descent - not greater than 1" per second.
- "Hidden" hydraulic double pump system provides FAST lifting - under no load the jack can reach maximum height in 35 pumps
- Deluxe saddle with 2 angle adjustments - fore/aft and side to side - for maximum user flexibility.
- Includes a 59" tie down chain to secure the load.
- Chrome plated piston rod and pump core for longer service life.
- Heavy duty 4" steel swivel casters, 2 standard and 2 with lock



302-05603 - Ascot 3-Ton Aluminum

Floor Jack **\$479.99**

- Hybrid Construction - Aluminum & Steel, only 64 lbs
- Aluminum gives lighter weight and key components from Steel for extra strength
- Dual pumps for faster lifting under no load
- 3-1/8" low and 19-7/8" maximum lift heights
- Grab handles both at front and back for easy positioning and carrying the jack.
- Built-in pressure release valve protects the hydraulic system from over pumping damage
- Meets or exceeds ASME PASE-2019 Standard



Floor Jacks

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning
- 2-Ton, 2-1/2-Ton, 3-Ton, 3-1/2-Ton & 4-Ton capacity



1 Year Warranty on Ascot Jacks

Ascot No.	McGee No.	Description	Min. Hgt.	Max. Hgt..	Hyd.Lift Range	Exten. Screw	Chassis Size	Saddle Size	Handle Length	Ship Wt. (LBS)	Price
301-20221	AS2022S	20-Ton Short Air/Hydraulic Bottle Jack	7"	12-5/8"	3-3/8"	2-3/9"	N/A	N/A	9-3/8"	30.6	\$269.99
302-19150	AS1915	22-Ton Air/draulic Truck Jack	10-1/2"	21-1/8"	6-1/8"	4-1/2"	N/A	N/A	45-1/4"	101.9	\$529.99
302-05605	AS5605	Ascot 3-1/2-Ton Floor Jack	3-3/4"	20-1/2"	16-3/4"	N/A	27.2" x 14.25"	4-1/4"	47-7/8"	100	\$329.99
302-05614	AS5614	Ascot 4-Ton Floor Jck	4-3/8"	20-1/4"	16"	N/A	27.7" x 14.4"	4-1/4"	47-7/8"	102.5	\$379.99



ALIGNMENT SOLUTIONS

Tandem Truck Shims



36000

\$512.99

Tandem Alignment Set A great starter set!

These alignment angle shims are available in a heavy-duty metal box to help you organize all of your shims. Packaged with a large variety of shims (listed below and on pages 142 and 144) and an organization chart inside the lid to make reordering and organization of shims quick and easy. Don't be caught without the shim you need while you have the tractor in your shop!




Part #	Application	Qty	Part #	Application	Qty	Part #	Application	Qty
35001	Kenworth Airglide space 1/32"	6	35010	Peterbilt Air Leaf Shim 1/32"	6	35061	Freightliner Airliner Susp 1/16"	6
35002	Kenworth Airglide space 1/16"	6	35011	Peterbilt Air Leaf Shim 1/16"	6	35062	Freightliner Airliner Susp 1/8"	6
35003	Kenworth Airglide space 1/8"	6	35012	Peterbilt Air Leaf Shim 1/8"	6	36020	Navistar Corp. 6x4 Air Susp. 1/32"	6
35004	Kenworth Airglide space 1/4"	6	35040	Navistar IHC Torque Arm 1/32"	6	36021	Navistar Corp. 6x4 Air Susp. 1/16"	6
35005	Kenworth Airglide space 1/2"	6	35041	Navistar IHC Torque Arm 1/16"	6	36022	Navistar Corp. 6x4 Air Susp. 1/32"	6
35006	Kenworth Airglide space 3/4"	6	35042	Navistar IHC Torque Arm 1/8"	6	36087	Hendrickson Rear Tandem Walking Beam	10
35007	Kenworth Airglide space 1"	6	35060	Freightliner Airliner Susp 1/32"	6			

Truck Axle Shims

As Low as \$7.34 each

Ordering one Part# supplies **SIX SHIMS** in a box. When placing order spring pad length and width is needed.




	COST	COMPRESSION STRENGTH	HARDNESS
ALUMINUM ALLOY	\$\$	★★★	★★★
ZINC ALLOY	\$\$\$	★★★★	★★★★★
MANGANESE BRONZE ALLOY	\$\$\$\$\$	★★★★★	★★★★★

Specialty Products carries Truck Axle Caster Shims in three different alloys, giving the technician the opportunity to match price point and mechanical requirements to meet their customer's needs. Choose from Aluminum, ZINC and Manganese Bronze Shims.

ALUMINUM ALLOY HD SHIMS These economical over-the-road heavy duty truck axle shims are our lowest cost option. With average compression strength and hardness these shims are available in a large variety of sizes and offer the technician a cost effective means to correct caster on over-the-road trucks and trailers.

ZINC ALLOY HD SHIMS These over-the-road heavy duty truck axle shims are a fast and accurate means to align front or rear axles of most popular tandem trailers and trucks. Specialty Products' new Zinc Alloy shims offer another level of performance versus our traditional aluminum shims. For a small cost increase versus aluminum, you now have the hardness of our premium manganese bronze shims and a much improved compression strength as compared to aluminum shims.

MANGANESE BRONZE HD SHIMS These shims are the standard. Top of the line compression strength and hardness means that when you set your alignment - it doesn't change.




For sizes and more information go to: www.specprod.com/truckaxleshims

FasTrax™

36087 HENDRICKSON HD SHIMS

This shim kit will adjust the thrust angle on Hendrickson's 'walking beam' rear tandem axle suspension. Improve tire wear and handling by adjusting thrust angle from 0° to 3/8" in precise 1/32" increments.



REPLACES these OE kits- Euclid Nos: E-9327, E-9328, E-9329
Hendrickson Nos: 50130-000, 50131-000, 50132-000

Adj. Range: 3/8" Required: 1 set per wheel
Includes: 2 (two)-five piece kits

\$32.99



Spreader

37975 STEERING KNUCKLE SPREADER

Use this tool to safely and easily expand steering knuckles. This tool is perfect for single bolt strut vehicles. Pry bars can damage the knuckle, but this tool allows safe expansion with the tool adjustment nut. Designed to operate within a 4.4 - 10mm range, this expansion tool will fit most makes and models.



\$69.99

Fleet Solutions from McGee Company

Auto Inflators save time and money. Proper inflation creates longer tire wear and increased fuel mileage. These self-calibrating units are accurate to +/- .03 psi. Can be used as a reference point to calibrate hand held gauges.

Allows remote control of the inflation process, allowing the technician to avoid the "blast zone" during inflation. 1, 2, or 4 tire setups available.



+/- .29 PSI accuracy
Good



+/- .03 PSI accuracy
Best

Let us design a custom installation for your shop



MHB110 Magnetic Hose Hook

\$8.99

- Extend the life of hoses by keeping them out of harm's way
- Keeps your space organized removing tripping hazards
- 17-40 lbs capacity
- Easy add to your existing tire cages



47711237 - Digital Inflator Gauge 6' Hose w/Clip-On Chuck

\$84.99

- Inflation Range: 0-174 psi
- Accurate to: ± 1.2 psi

726026293E - Digital Inflator Euro 2' Hose

\$99.99

- Inflation Range: 3-174 psi
- Accurate to: ± 1psi

MHA100 - Digital Inflator 6' Hose w/ Clip-on Chuck

\$299.99

- Presettable
- Inflation Range: 0-174 psi
- Accurate to: ± 0.2 psi

BEST

BETTER



GOOD



Master Air Pressure Station

\$169.99

MAPS

This station is used as a test pressure source for calibration of air gauges. Unit can be wall mounted on 1/2" npt pipe. TIA recommends regular calibration of truck tire gauges to maintain accuracy and assure proper tire inflation.




Truck Service Gauges



- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

Adjusting screw in end of indicator bar

Ascot No.	McGee No.	Description	Price
478-01350	CH350LO	Straight-On/Angled Chuck. Protective Black Epoxy Finish (Normally Closed)	\$13.99
478-00335	CH335	Angled Chuck. Plated Finish (Normally Closed)	\$9.72
478-03300	CH330LO	Straight-On/Angled Chuck. With Lock-On Threads (Normally Closed)	\$10.48
478-03301	CH330	Straight-On/Angled Chuck (Normally Closed)	\$7.87
478-03330	CH333LO	Straight-On/Angled Chuck. 14" Long (Normally Closed)	\$12.40



Ascot No.	McGee No.	Gauge Type	Price
476-10135	GA135	Angle Chuck With Nylon Bar	\$9.37
476-11135	GA135S	Same As Above, Angle Chuck With Metal Bar	\$12.28
476-10155	GA155	Straight-On With 30° Reverse Chuck	\$17.16
476-10165	GA165	Same As Above, Straight-On With 30° Reverse Chuck, Black Epoxy Finish	\$11.70
476-11155	GA155S	Same As Above, Straight-On With 30° Reverse Chuck, Metal Bar	\$20.53
476-10185	GA185	Dual Foot Service Gauge With Nylon Bar, 180° Chuck, Chrome Plated	\$11.42
476-01046	7285E	Externally Adjustable Metal Bar Truck Gauge - 10-150 psi	\$16.87

INDIVIDUAL SOCKETS AVAILABLE

Half Size Flip Socket

- Set includes the sizes below:
18.5mm x 19.5mm; -21mm x 21.5mm; 21.5mm x 22.5mm;
-22mm x 22.5mm - Extractor punch
- Made from durable chromoly steel
- Coated with a rust and corrosion resistant black oxide finish
- Sizes are laser etched on each socket
- Used for chrome lug nut caps to size up 1/2 MM or aids for worn nuts

Ascot No.	Mfg. No.
167-12051	000524

\$74.99



1/2" DR 5 Piece Deep Thin Wall Flip Socket Set

McGee #1205D

Includes the following 1/2" drive deep thin wall flip sockets:

- 3/4" x 13/16"
- 19mm x 21mm
- 7/8" x 15/16"
- 17mm x 19mm
- 3" extension
- Packaged in a durable plastic blow molded case
- 17mm x 19mm flip socket for European applications

Equivalent to Grey 1504FW but with an extra socket

Ascot No.	McGee No.	Price
167-12050	1205D	\$54.99



1/2" DR 13 Piece SAE Deep Set

- Contains the following sizes: 7/16", 1/2", 9/16" 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Ascot No.	McGee No.	Price
163-01151	1151D	\$125.99



1/2" Drive 29-Piece Metric and SAE 6 Point Deep Impact Socket Set

- Contains (Deep SAE) 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"
- Contains (Deep Metric) 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26 and 27mm • Contains (Deep Flip) 3/4" x 13/16" deep & 19mm x 21mm

Ascot No.	Mfg. No.	Description	Price
163-05153	5153DD	1/2" Dr. 29-Pc Metric and SAE 6 Point Deep Impact Socket Set	\$199.99



1/2" Dr. 14-Piece Metric Deep Set

- Set includes the following sizes:
10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm

Ascot No.	Mfg. No.	Description	Price
163-01153	1153MD	1/2" Dr 14-Piece Metric Deep Set	\$99.99



Locking Lug Master Key Set

The set was designed explicitly for the purpose of removing locking lug nuts on aftermarket wheels. The 16 piece set comes with both standard (SAE) and metric pieces that can be used on Spline, Star, Hex and Fluted Hex fasteners.

40201283 - \$129.99



3197M 1" DR 7-Piece Metric Truck Set

Contains the following sizes: 17mm, 21mm, 4 pts. budd wheel standard length, 27mm, 33mm, 36mm, 41mm deep

Ascot No.	McGee No.	Price
165-03197	3197M	\$189.99



3/4" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square socket, 1-1/16", 1-1/8", 1-1/4" thin wall deep sockets, 1-1/2" budd wheel socket, 17mm & 21mm square socket, 33mm, 35mm & 41mm deep sockets

Ascot No.	Mfg. No.	Description	Price
164-02110	2110	3/4" Dr 10-Piece Truck Set	\$264.99



1" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" controlled standard socket, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep

Ascot No.	McGee No.	Price
165-03110	3110	\$299.99



1/2" Dr Extra Thin Wall 9-Piece SAE & Metric Wheel Protector Socket Set


Durable outer sleeve and insert protects high polished wheels and lug nuts from damage.

- CR-MO alloy steel for long life
- Fully guaranteed
- Heavy duty blow mold case

Includes 6 SAE sockets: 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver), and 1-1/16" (black)

Includes 3 metric sockets: 17mm (blue), 19mm (yellow) and 21mm (red)

Ascot No.	Price
163-02849	\$134.99



Twist Socket Removal Kit

- This kit easily removes damaged nuts, studs, pipe nipples and bolts
- Comes mounted on a 1/2" rail, individually packaged

Ascot No.	Mfg. No.	Description	Price
492-00502	TSS5	1/2" Dr 5-Piece Twist Socket Set	\$99.99

Kentool version 30116 available



1/2" Drive 4-Piece Metric Ultimate Torque Socket Set

- 17mm, 19mm, 21mm sockets & interchangeable disc included in a blow molded case
- 40% increase in removal of nuts and bolts
- Non-slip socket design
- Will remove up to 70% rounded nuts and bolts
- Use as an impact socket or with the Ultimate Torque disc for added power

Ascot No.	Mfg. No.	Description	Price
163-00440	STS44PCMM	1/2 Dr 4-Pc Metric Ultimate Torque Socket Set	\$159.99



Heavy Duty Truck Torque Wrench

168-12017 4AR1- **\$589.95**



- Robust construction gives accurate results to +/-4% even in arduous work conditions
- Supplied with a calibration certificate
- Break back action gives an unmistakable signal
- Break angle improves accuracy
- Dual scaled, Nm and ft./lbs.
- New handle - more comfortable and guides operator's hand to correct position
- Now split for ease of transportation and storage

169-03013 - 1" Female x 13" Socket Extension! **\$59.99**

12299 - Adapter for Flex Hinge Torque Wrench 1" Sq Dr **\$70.95**

Flex Hinge Torque Wrench

- 168-60011 (600FHTW)
- Robust construction
- Accurate results +/- 4%
- Adjustable torque settings
- Dual scaled, Ft./Lbs. & N.m.
- Durable storage case
- Every wrench is supplied with calibration certificate
- 2 adapters included: 3/4" to 1"; 3/4 to 3/4"
- Similar to Norbar 12007 & 12007.01



\$399.95

168-60012 2-Piece Version Available


FREE
2215TPG - THREAD
PITCH GAUGE 22 X
1.5MM w/purchase
600FHTW



Made in Taiwan

168-00425 **\$109.99**

- Dual direction with range: 25-250 ft./lb.
- Locking collar prevents accidental setting adjustment
- Easy to read laser marked scale
- Blow molded case with calibration certificate
- Overall length: 25"
- Made in Taiwan



The Importance of Accuracy: Understanding Torque Wrench Calibration

- Over time, normal wear and misuse can cause a torque wrench to lose its precision.
- A wrench that isn't properly calibrated may apply too much or too little force, increasing the risk of equipment malfunctions or safety hazards.
- Regular calibration is essential—most professionals suggest checking and adjusting your torque wrench at least once per year.
- Get with your McGee rep today to get a schedule going with automatic reminders and keep your company safe and your customers!



• **47501 - WRENCH TORQUE PRESET 1" DR X 475 FT/LB \$744.99**

- Preset at 475 ft./lb.
- Massive 4-1/2' length for high torque applications
- Supplied with handy storage bag for sockets and extensions
- Both the wrench and the bag have reflective strips for safe highway night use
- Certified & Calibrated
- Made in Taiwan
- 2 piece version 14652P



Split-Beam Click Torque Wrenches



Made in the USA



- Extremely accurate: within 4% of reading from 20% of full scale to full scale
- Setting torque on adjustable wrenches is fast and easy because there is no spring tension on the adjustment knob
- Torque setting locks on adjustable wrenches for repetitive applications
- Wrench length designed to provide the leverage required for maximum torque applications. Also provides the needed reach for those hard to get at places.

EXTREMELY ACCURATE



Ascot No.	Part No.	Description	Ft./Lbs.	Price
168-03250	C3FR250F	1/2" Drive	250	\$299.99
168-05600	C5D600F	1" Drive	600	\$719.99

Micro-Adjustable Torque Wrench

Now! **\$199.99**

- Dual scale, calibrated dual direction
- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set
- Easy-to-read laser marked scale
- Ergonomic comfort-grip
- Most feature quick release buttons which provide good socket retention as well as easy socket removal
- Range: 50-250 ft./lbs.
- Accuracy: ± 4% clockwise ± 6% CCW of indicated value, CW, from 20% to 100% of full scale

DUAL SCALE



Ascot No.	Description
168-12250	1/2" Drive Micro-Adjustable Torque Wrench

CALIBRATED DUAL DIRECTION

60012 - Torque Wrench 2-Piece Flex Hinge 600FT/LB

(Ascot 168-60012) **\$424.99**

- Robust construction
- Accurate results +/- 4%
- Adjustable torque settings
- Dual scaled, Ft./Lbs. & N.m.
- Durable storage case
- Every wrench is supplied with calibration
- 2 Adapters included: 3/4" to 1"
- 3/4" to 3/4"
- Repair kit – 168-60112




601SB - TORQUE WRENCH PRESET 1" DR SPLIT BEAM 600 FT/LB \$474.99

- +/- 4% accuracy
- Non coil-spring mechanism, no need to return to zero after use, which results in longer tool life
- Knob-type torque adjustment for faster and energy saving efficiency
- Window scale with PR cushion handle is oil resistant
- Loud click sound and strong impulse when required torque is reached
- Certified & Calibrated and Made in Taiwan



WHEEL ATTACHING HARDWARE



McGee No.	Mfg. No.	Similar To:		Sale Price
891RZ (RH)	GL-2001	Budd-37891/2	Euclid-5552-R/L	\$1.77
892LZ (LH)	GL-2002	Nuturn-W-13/14	Batco-13-3012-R/L	\$1.77
888RZ (RH)	GL-2101	Budd-37888/9	Euclid-5652-R/L	\$2.61
889LZ (LH)	GL-2102	Nuturn-W-15/16	Batco-13-3013-R/L	\$2.61
995RZ (RH)	GL-2103	Alcoa/Euclid-5995R	Leland W-506	\$7.37
995LZ (LH)	GL-2104	Alcoa/Euclid-5995L	Leland W-507	\$7.37
881M	GL-2302	(1 1/2 Hex) M.W. 88881		\$5.29
333B	GL-2301	(1 3/16 Hex) Budd 106333		\$3.47
Metric Outer Nuts				
304R	GL-2009	Hino-9004-21112	Isuzu-1-4233-023	\$6.74
304L	GL-2010	(Inner Thread = M30-1.5)		\$6.74

McGee No.	Mfg. No.	Similar To:		Sale Price
896R	GL-1003	Budd-35336/7	Euclid-5735 R/L	\$4.84
896L	GL-1004	Nuturn-W107/108	Batco-13-3007-R/L	\$4.84
897R	GL-1005	Budd-22621/2	Euclid-5568 R/L	\$4.95
897L	GL-1006	Nuturn-W105/106	Batco-13-3006-R/L	\$4.95
988RZ (RH)	GL-1011	Alcoa-5988-R/L	Nuturn-W-486/7	\$5.79
988LZ (LH)	GL-1012	Euclid - 5988-R/L	Batco 13-3026-R/L	\$5.78
Grade 8.2				
708RZ (RH)	GL-1001	Euclid-7895R/L	Budd-10708/9	\$2.50
709LZ (LH)	GL-1002	BWP-M128/9	Batco-13-3032R/L	\$2.50

Metric				
306R	GL-1009	Hino-9004-23101	Isuzu-1-42335-005	\$9.49
306L	GL-1010	(M20 Inner & M30 Outer Threads)		\$9.49

BULK DISCOUNTS AVAILABLE!

TWS22 and TWS14



Alcoa Rim Flange Gauge 000700



See them in action

492-02278	TWS22	Truck Wheel Stud Installer - Fits studs up to 7/8" (22mm)	\$11.99
492-14916	TWS-14	Vehicle Wheel Stud Installer - Fits studs up to 7/16" (14mm)	\$11.99

3-Piece Twist Socket Lug Nut Removal System

- Removal of damaged 3/4" and 19mm, 13/16" and 21mm lug nuts
- Two dual-sided twist sockets have a fluted design which gives the sockets a tight grip to remove the most difficult locking and damaged lug nuts from the socket
- Works with 1/2" impact gun or breaker bar for service calls
- Includes an extractor punch



\$69.99

Wheel Stud Service Kit 493-91420 - \$279.99

- Works on most hubs for installation and removal.
- All sizes of studs.
- Installation done by pushing on the head, eliminating the need for threaded adapters.
- Reduces number of adapters required and damage to studs
- Remove and install 10 studs in only 10-15 minutes (compare to 20-30 minutes for more expensive competitive products).
- Can be powered with an impact wrench, no hydraulic power source required.
- No need to remove hub from vehicle.
- Reduces risk of damage to hubs, studs, and bearings when using tool.
- Similar to OTC 4295

STUD INSTALLERS AND REMOVERS


Ascot No.	Mfg. No.	Description	
492-10134	X10-S134Z	3/4" - 10 Stud Installer	493-91420
492-10158	X10-S158Z	5/8" - 11 Stud Installer	
492-10180	2415	1-1/8" (13/16") Stud Remover	492-10134
492-10340	X10-SR34B	3/4" Stud Remover	492-10158
492-15000	X10-NR15B	1-1/2" Hex Nut Remover Kit - 3-Piece Kit	
	30165	Dual Wheel Lug Stud Remover (combo of Rib Nut and Installer)	

REPLACEMENT RIB NUTS

499-10180	X10-LN18B	1-1/8" (13/16") Rib Nut	492-15000
499-10341	X10-LN34B	3/4" Rib Nut	

HEAVY DUTY DRIVE-ON RIB-GRIP LUG-OFF KITS

499-10200	X10-LT20B	For Removing Damaged Inner Cap Nuts (1-1/8" Diam., 13/16" Square Head). Consists of 1 Drive-On Tool and 1 Rib Nut
499-10340	X10-LT34B	For Removing Damaged 3/4" Lug Studs. Consists of 1 Drive-On Tool and 1 Rib Nut
499-10660	X10-LT66B	Triple Duty Tool for Removing Damaged Budd Wheel Inner Cap Nuts, 3/4" and 5/8" Lug Studs. Consists of 1 Drive-On Tool and 3 Rib Nuts



Bulk discounts available



16PB Nut Loosener



#606 Oil Can



\$24.99

\$9.99 ea.


Hub-Centric Wheel Nuts

Extended threading allowing Skirt Nut to go down into Hub-Piloted Disc Wheel an extra 3/16" (5mm) into stud hole



Ascot No.	Mfg. No.	Description	Price
491-02906	GL-2906 333SN6	Haltec 6mm Sleeve Nut • Steel Steers	\$13.24
491-02919	GL-2919 333SN19	Haltec 19mm Sleeve Nut • Aluminum Steers • Steel/Steel Drives • Steel Outer/Aluminum Inner Drives	\$14.34
491-02928	GL-2928 333SN28	Haltec 28mm Sleeve Nut • HD Aluminum • Super Single • Wide Base • Aluminum Outer/Steel Inner Drives	\$15.42
491-02939	GL-2939 333SN39	Haltec 39mm Sleeve Nut • Dual Aluminum Drive Axle	\$16.53

Wheel Assembly with Standard Nut



Void (Highlighted in Green) between stud and hole.

Wheel Assembly with Hub Centric Nut



Hub centric nut fills void between stud and hole.

Ascot No.	Description	Price
491-00133	33mm Hex X 1.5mm Thread Made in USA Two Piece Elongated Neck	\$18.99
491-01133	33mm Hex Nut Replaces Standard Nuts on 11.25" Hub Piloted Wheels	\$9.99
AS33SN	Skirt Nut Scored Top 33MM on 11.25" Hub Piloted Wheels	\$10.49

By filling the void between the stud hole, "clocking" is eliminated, and problems caused by clocking, such as wheel offs and wheel hub vibrations, are eliminated.

- Stops rim from shifting forwards or backwards
- Eliminates "clocking" caused by standard wheel nuts not filling wheel hole completely

REMOVE RUST AND DIRT | INSPECT ALL COMPONENTS | SNUG WHEEL NUTS | TORQUE TO SPECIFICATION

Remove rust and dirt from all mating surfaces



Wheel Openings and Pilot Pads



SC15563 Wire Brush & Q/C adapter




Wheel Studs



15701035 HD Low speed Air Drill w/QC Chuck



Wheel Mating Surfaces



SC14404 2 3/4" Abrasive Poly Brush



Hub and Brake Drum Face



SC14404 with Q/C Adapter




Wheel Nut and Flanges



44063 Wood Handle Brush



The SC100 Stud Cleaner uses three long lasting heavy duty carbon steel brushes to clean rust and debris from the stud threads to ensure proper torque.





SC10157 1" Abrasive Poly Brush

SC100 Video:



Inspect all Components for Wear and Damage




New Stud*




Worn Stud*

*2215TPG 22x 1/5 mm thread pitch gauge

Lubricate Mounting Pads, Studs and Nuts * Uni-Mount Only *****



606



Do NOT Lubricate the Hub Face, Wheel Face or Brake Drum.


TIA recommends: lubricate Hub-Pilot studs and nuts with 2 drops 30w oil before tightening

Pre-Torque Wheel Nuts to 65 ft lbs

Rotate Wheel Mount Pad to 12 o'clock



28065 65lbs torque limiting extension




Tighten Wheel Nuts to Final Torque



Short Shank 1" dr Impact with torque limiting extensions



KT130940



NEW OSHA 29 CFR 1910.177 wheel mounting procedure manual and charts. These are required by OSHA to be displayed in truck tire service areas or carried in road service trucks \$7.75 each.

Booklet #OSHA24' Posters #OSHA3400



4AR1 or 600FHTW Break Back Torque Wrench



47501 475 ft lb Pre-Set Torque Wrench



WARNING: Wheels, studs, nuts and hubs that are not properly installed, inspected or maintained may not be safe. Failure to follow proper installation or maintenance practices may result in injury or death. Always use proper personal protection devices for safety and to avoid injury. **ALWAYS FOLLOW GUIDELINES IN OSHA 29 CFR 1910.77 FOR WHEEL MOUNTING.**

Stow & Go™ 4-Way HD Lug Wrench - 35636

- The Stow & Go™ 4-Way HD Lug Wrench folds to save space in your trunk and locks into place for easy use.
- Sliding arms give extra leverage for removing lug nuts.
- Made of heavy duty and durable alloy steel.
- 17mm, 19mm, 21mm sockets, and 1/2" square drive adaptor to be used with other sockets.
- 16" in length.



\$26.54

Tool Lock Ring Forklift Set - 32129

- Helps prevent injury – easier to keep hands safely outside of press cage!

\$293.95



Duck-Billed Bead Breaking Wedges – Fiberglass Handled



Ascot No.	McGee No.	Handle No.	Length	Weight	Price
424-35429	TG11E	TG11EH	32"	9.1 Lbs.	\$144.99

ASBBH5 - Hammer Bead Breaking HD 5 LB \$82.99

- A unique tire & wheel service hammer used for separating tires from wheel rims
- 75 times stronger than wood and fiberglass w/ lifetime shaft warranty!
- Made of steel bars that run all the way through
- Ergonomic rubber grip handle absorbs vibrations & reduces fatigue



See it in action



ASBBH10 - HAMMER BEAD BREAKING HD 10 LB \$139.99

Bead Holder, Aluminum Wheel Protector, Beadkeeper

- Holds the bead in place against the wheel when mounting the tire on the wheel
- 31713 Bead Holder works on Super Singles and Super Wides

Ascot No.	Mfg. No.	Material	Stock	Weight	Price
472-31710	31710	Solid Brass		1.4 lb.	\$48.95
472-31713	31713	Aluminum Bead Holder - Works on Super Singles			\$29.14
472-31810	31810	Aluminum		12 lb.	\$39.99



Ascot No.	Mfg. No.	Description	Price
448-12894	12894C	Beadkeeper Yellow Rubber Coated Steel	\$43.99
448-32894	44832894	Beadkeeper Wide Mouth Blue Rubber Coated (for ALCOA)	\$34.49
448-22894	12894	Bead Saver System Beadkeeper	\$30.99

Golden Tool Tubeless Truck Tire Mount/ Demount Tool

- Demounts/mounts 17.5" to 24.5" tires
- Use on all tubeless truck tires including super single/duplex tires, radial and bias
- Eliminates the need to lift tire and rim to remove the bottom bead, preventing possible strain or even serious injury



Ascot No.	McGee No.	Description	Price
448-00100	TNT100	Complete Tool	\$574.99
448-12320	44812320	Economy Complete Tool (AME)	\$399.99

TNT200 for super singles

Universal Demount Tool Kit 20415

- Safe, simple, fast, economical, and the most universal tire demounting system on the market
- Works as a hand-held tire machine and shines where other tools fall short
- Tackles the hard 19.5 reverse hubs and grader tires and can be used on all tire sizes from 10" ATV tires and up
- Great for agricultural tires, one-piece grader, loader, forestry and backhoe tires



20408 - Tool Demount Pneutek Impact Driven (Tool Only)

Ascot No.	Mfg. No.	Description	Price
402-20415	20415	Tool Demount Pneutek Impact Driven Kit	\$974.99

T115 Truck Tire Changing Stand \$306.15

Stand handles wheels or open rims 16.5" to 24". Double-slide adjustment with locking device prevents twisting so it stays aligned with the wheel or rim. Stand is the ideal height for driving off beads or demounting tires.



T950 IronMan™ Ergonomic Wheel Lifting Bar \$96.84

Reduces back strain. Easily and safely lift heavy, awkward truck tire and wheel assemblies. Extremely useful in outdoor conditions – when truck tire and wheel assemblies can become wet and slippery. Standard sizes including 22.5" and 24.5" wheels, plus European (which have 1" lug holes), Super Wide and even the Super Single


Lt Spare Tire Removal Tool Set

- Lower spare tire in 10 seconds
- Eliminates hunt for customer's tool
- Hanger included
- Do not use impact wrench
- 7 piece kit
- Replacement tools available



\$94.99
#96090A

Tubeless Tire Irons



- Use C bar with the B extension bar for easier use on large, wide-base truck tires
- Use on standard and large truck tires, including industrial, farm, buses and tractors

Ascot No.	McGee No.	Description	Length	Price
402-00900	T9A	Small Tire Mount/Demount	9"	\$23.04
402-33220	T20A	Curved Tire Mount/Demount Spoon	30"	\$31.26
402-33219	T19A	Straight Spoon	30"	\$32.10
	T45A	Tubeless Mount/Demount	37"	\$66.26
402-34645	T45AC	Classic T45 Truck Tire Tubless Iron	37"	\$78.56
402-45004	T45HD	HD Truck Tire Tubless Iron	41"	\$98.08
402-46001	T46A	Med. Duty Mount/Demount Iron	36"	\$65.52
402-46002	T46B	Mount/Demount Iron	36"	\$78.79
402-46003	T46C	Offset Bar For Deep Well Tires	22"	\$54.54
402-33223	T23A	Lock Ring Tool	30"	\$31.30
402-34648	T48A	Lock Ring Tool	37"	\$64.65
	T21R	Curved Mount/Demount Spoon	18"	\$30.08

Pricing subject to tariff related changes

Complete Truck Service Package featuring Quincy Powered Compressor



Complete Truck Service Package

As low as \$5,799.99!

*Pricing variable due to compressor

McGee #STP10

Includes these items:

- 13HP Champion or Quincy Compressor with Honda engine - HGR73H or G413H30HCB
 - Electric Start
 - Automatic Idle
 - Fuel Pump
 - Air Gauge
 - Easy Access Tank Drain
- 10 Piece Truck Socket Set - 3190
 - 13/16" Square, 7/8" hex, 13/16" hex, 1" hex, 1-1/16" hex, 1-1/2" hex, 1-1/16" deep, 1-1/8" deep, 1-1/4" deep
 - Plus metal box
- 15517786 1" Square Drive Impact
- Dual Foot Air Chuck
- Truck Air Pressure Gauge
- 50 ft. 1/4" Air Hose
- 50 ft. 1/2" Air Hose
- Air Couplers
- 20-ton Hydraulic Jack



Steel surcharge may apply
Items may vary slightly from photos above.

McGee Company offers free assembly of air hose to your required length!

Air Hose

- Rubber Air Hose
- 1/4", 3/8" & 1/2" Multi Purpose Air Hose Assemblies Smooth cover, 300 PSI W.P., 1,200 lb. burst. Limited oil resistance tube & cover. Red.



Made in the USA



Mfg. No.	Description	Price
W64RJ25	25', 3/8" Hose, 1/4" MNPT	\$47.99
W64RJ50	50', 3/8" Hose, 1/4" MNPT	\$89.99
W84RJ25	25', 1/2" Hose, 1/2" MNPT	\$74.99
W84RJ50	50', 1/2" Hose, 1/2" MNPT	\$134.99

Prevost Flexair Hose

McGee No.	Description	Price
RISB3850	3/8" hose with Ind 1/4" fitting 50 ft	\$74.99
RUSB3850	3/8" hose with Auto 1/4" fitting 50 ft	\$74.99

Each hose includes 1/4" Prevost coupler and nipple

Coil Hoses

Unlike a standard hose that lies flat and can be stored by loosely wrapping it or mounting it on a hose reel. Recoil hoses are designed in a tight coil cord similar to a telephone cord, retracts when released, and compresses for easy storage. Our recoil air hoses are ideal for manufacturing plants or at home workshops that often prefer recoil hoses since they take up less space and can be quickly and easily stored.



Coil Hose

Length	Male NPT Both Ends	Price/ea.
14X14X14X25	Recoil Hose 1/4" x 25' w/ 1/4" Fitting Blue 150 PSI	25' 1/4" \$17.95
14X14X14X12	Recoil Hose 1/4" x 12' w/ 1/4" Fitting Blue 150 PSI	12' 1/4" \$25.99
6128A	Coil Hose 1/4" x 25' w/ 3/8" Swivel Fitting Blue	25' 3/8" \$23.99
16751	Recoil Hose Repair Kit Nylon Hose Kit Milton	
16744	Recoil Hose 3/8" x 25' w/ 1/4" NPT Yellow	25' 3/8" \$69.99

Let McGee Company design the right kit for you or customize your own package from large to small OTR!



Truck Package Components



C-Series Low Pressure Hose Reels

- Reels ideally suited for plant maintenance, service trucks or other industrial functions
- Standard hose for air and water
- Single set screw to access spring casing
- Drive spring mechanism lubricated for life
- One piece combination latch, spring arbor, main bearing and spool support for fewer moving parts
- Brass swivel reduces corrosion potential
- Durable powder coated finish



Made in the USA



HOSETRACT

Ascot No.	McGee No.	Operating Pressure	Hose ID	Hose Length	Ship Weight	Price
125-35000	LC350	300 psi	3/8"	50'	54 Lbs.	\$424.99
125-55000	LC550	300 psi	1/2"	50'	60 Lbs.	\$459.99

13101750 - Safety Exhaust Coupler 5 in 1 1/4" NPT Body - \$32.99

- Designed to safely bleed off air pressure before releasing the connector eliminating hose whip
- Coupler remains connected to the plug while pressurized air is safely bled off
- Constructed of heavy-duty steel which is ideal for applications requiring a durable and long lasting pneumatic coupler
- Connects to all major interchanges: Industrial (M-style), High flow (v-style), automotive (t-style), Aro (A-style), and Lincoln (L-Style)



Have you ever wondered how to use big hoses with small fittings? Here is your answer!

514212 and 1855MI Combo!

Combine big hoses with small fittings with only two parts!

- **1855MI** - Nipple Automotive 1/2" w/1/4" MPT - **\$3.99**
- **514212** - Coupler Female and Interchange 1/4" FPT - **\$5.99**
- Moves you from 1/2" down to 1/4"



Quincy Gas Powered Compressor

Now \$3,999.99!
or **Champion** available

Heavy Duty 13HP Honda engine, 2 stage compressor, 23.6 CFM at 175 PSI!

Model 2020040970

Quincy Gasoline Air Compressors

- Truck Bed Mountable, ideal for Field Service Applications
- Heavy Duty Two-Stage Compressors
- V-Belt Drive with Totally Enclosed Belt Guard
- Unloader for loadless start prolongs motor life
- Each new assembled unit comes with a 3-year limited warranty



5 year True Blue Warranty on Rotary Compressors



- Only the World's Finest Compressors come with an industry leading warranty! Quincy Compressor offers 5-year coverage, True Blue Warranty
- Other companies say they offer the best machine, but only QUincy can prove it. We back our most reliable air compressors with an industry leading warranty of
 - 5-year Airend Warranty
 - 5-year Drive Motor
 - 5-year Heat Exchanger
 - 5-year Separator Tank
 - Recip Compressor Optional NO BULL Warranty 3-Year Pump / 2-Year Package Warranty
- Please refer to the instruction manual and warranty statement for recommended service intervals and requirements.



Proper Piping for Compressed Air

- 100% aluminum for compressed air, copper ok as well.
- 288 PSI rated
- Aluminum offers excellent mechanical resistance to pressure and to impacts.
- The upgraded design of the new PPS1 aluminum fitting is more compact, lighter and more resistant.
- The aluminum alloy used, combined with epoxy paint on the outside and a treatment on the inside, protects the pipe against the risks of oxidation and corrosion.
- Simply insert the pipe into the fitting and then tighten the PPS1 fitting.



Did you know?

Using PVC pipe for compressed air is extremely dangerous because the material is brittle and prone to catastrophic, explosive failure. Unlike water, which is incompressible and releases little energy when a pipe leaks, compressed air stores massive amounts of potential energy—like a coiled spring. If a PVC pipe fails under this pressure, it does not just split; it shatters into sharp plastic shrapnel that can be propelled at high speeds, posing a severe risk of injury or death to anyone nearby. Furthermore, PVC's structural integrity is compromised by common compressed air conditions: its pressure rating can drop by half if temperatures exceed 110°F, and it can be weakened by exposure to UV light or certain compressor lubricants. Because of these lethal risks, OSHA has prohibited the use of above-ground PVC and CPVC piping for compressed air and gases.

4152051914 High Performance Series

101-10000

Quiet Rotary Screw Air Compressors

- 5 HP
- Quiet operation - lowest noise levels available
- 100% continuous duty operation
- Compact design in a complete package
- Simple and low cost maintenance
- Clean dry air
- Lower operating costs
- Proven design by a world leader in compressor technology
- 16.8 cfm @ 150 psi
- 208/230/460 - 3 ph
- 5 year warranty



Pictured with dryer



5HP to 15HP Available
208/230/460V
3PH


4152051914 \$8,550.00

ELIMINATE WATER!

Where Water Comes From

The atmospheric air entering a compressor intake contains water vapor. Because of the effects of compression, most of this water vapor turns into troublesome liquid water in your air lines.

Made in USA



RAD0025A1	25CFM 120V Refrigerated Dryer	\$1,815.00
RAD0055A1	55CFM 120V Refrigerated Dryer	\$1,998.00
RAD0075A1	55CFM 120V Refrigerated Dryer	\$2,695.00

Auto drain!

- Electric Operated Drain Valve 1/2"
- 1/4" NPT Inlet & 1/2" Female Pipe
- 300 Maximum Working Pressure
- 110 Volt w/6Ft Power Cord
- Y-Strainer & Ball Valve Included
- Adjustable Timer For Blow Down
 - » 1/2 Second - 45 Minutes Interval Time
 - » 1/2 Second - 10 Seconds Discharge Time


2523J - \$119.95



Clean · Dry COMPRESSED AIR

DANGER NEVER USE PVC PIPE FOR COMPRESSED AIR

The use of PVC pipe for compressed air constitutes a severe safety hazard.



Call for quote on brake lathes

Featuring Hunter and Hunter Bench Lathes

Hunter ACE22

- 50% more power cuts rotors twice as fast as other lathes
- 12 seconds or less average compensation time
- Anti-Chatter Technology stops chatter before it starts
- Touchscreen interface provides easy controls and additional info
- Digi-Cal instantly measures rotor dimensions and depth of cut
- Adaptors designed to fit any vehicle
- Approved and recommended by multiple OEM partners



Hunter Brake Lathe

- Quick change from rotor to drums with control lockout
- Adjustable feed rate
- LED work lamps
- Optional: Anti-chatter tech, digi-cal measurement, touchscreen, push-button speed control, and work bench



Now! 06610 Round Bits

Faster turn!

- Round Carbide Bits for all Tool, Ammco, Hunter BL500 series, Performance and Rels lathes.
- Use with 06700 holder. **\$164.29**



06610 - \$84.03

BITS — AMMCO, HUNTER, PRO-CUT, ACCUTURN

Silencers



Ascot No.	Part No.	Description	Sale Price
418-40410	940410	Carbide Insert, Pos. Rake, for FMC1 Lathes, 10pk.	\$89.63
418-40435	940435	Carbide Insert, Pos. Rake, for ACCUTURN5 Lathes, 10pk.	\$106.95
418-06914	691410	Carbide Insert, Negative Rake AMMCO lathes, 10pk., 1000, 2002, 3000, 4000, 4100, 7000, 7700	\$48.90
418-69186	69186	Carbide Insert, Positive Rake, AMMCO 3850 Lathe, 6pk.	\$71.46

50-1347KIT - Procut International Adapters



50703 - Chip Deflector Silencer for Procut



50742PRO - Procut OEM Bits 10Pk



Drum & Rotor Silencers



Ascot #	Part #	AMMCO Description	Price
416-05280	5280	Silencer Band - Drum 1-3/4"	\$68.82
416-05290	5290	Silencer Band - Drum 2-3/4" Truck Drums	\$95.00
416-06920	6920	Silencer Band - Ventilated Rotor	\$43.45
416-06921	6921	Silencer Band - Non-Vented Rotor 6.5" (Pkg 2)	\$17.53
416-06922	6922	Silencer Band - Non-Vented Rotor 9.250" (Pkg 2)	\$16.23
416-06930	6930AM	Silencer Band - Rotor - Heavy Duty. Ventilated	\$115.80
416-09183	9183	Replacement Pressure Pads - Non-Asbestos (Pkg 2)	\$28.26
416-09800	9800	Silencer Assembly - Spring - Vented - Rotor	\$62.77

Why pay for propellant?

Sure-Shot Sprayer

- Great way to dispense brake cleaner and other chemicals.
- To operate, load liquid and pressurize with air chuck. Easy!



Ascot #	McGee #	Description	Price
632-01002	2000	1 Qt Rust Resistant Black Plated Brass Tank	\$74.99
	KM10	Repair Kit for 2000	\$34.95



Each LOCKLIGHT™ includes:

- Indicator light assembly
- Pressure switch
- Mounting Bracket
- 10' of electrical wire

- Compatible with most surface and inground lifts using electric/hydraulic power units
- Retrofits to most existing lifts
- 110v and 220v configurations

Part #FA834/110v
Part #FA835/220v

CPH001 LED Rechargeable Headlamp

\$24.99 or four for 19.99/ea

- Hands free on/off of main light
- ABS silicone band (lightweight)
- COB high, low, and flashing with 3W Led High/low spot
- USBC charging 3-4 hrs with working time 3-8hrs
- Waterproof and shockproof



Door Defender™

Rotary's new door defender allows technicians to easily enter and exit the vehicle without damaging their customer's vehicles. The door defender is a low profile solid rubber guard designed to fit over the two-post lift carriage. The N823 door defender kit includes: 1 door defender, adhesive to attach to the lift, a Rotary decal and instructions.

Model #N823



Norco under hoist stand 3/4 ton

- Lightweight, slender design makes handling easy, even in close quarters
- Quick adjust spin handle with thrust bearing eliminates wear and provides ease of turning under load
- Extended height 81"

81033A - \$199.99

Rubber lift pad for any lift available!



Ascot No.	Mfg. No.	Description	Application
309-00003	JOK03M	Rubber Lift Pad - 5" Round	Nussbaumlifts
309-00005	JOK05M	Rubber Lift Pad - 4" x 5"	BenPearsonlifts
309-00007	JOK07M	Rubber Lift Pad - 5" x 5"	Forward,Worth,American, Gemini, Grand, Tuxedo, Eagle, & Whip lifts
309-00009	JOK09O	Rubber Lift Pad - 4" x 4"	Challenger CL9 and CL10 lifts
309-00022	JOK22D	Rubber Lift Pad - 3.25" x 4"	Rotary SPO10, SPO12 lifts
309-00014	JOK14O	Rubber Lift Pad - 5.25" Round	Challenger CL10, Quality lifts
309-00011	JORB-1	Rubber Block 1.5"	Rotary Airjacks and all Mid-Rise pad lifts
309-00013	JORB-3	Rubber Block 3"	Rotary Airjacks and all Mid-Rise pad lifts
309-00019	BH-7232-01U-4	Urethane Lift Pads	Challenger Lifts
309-00006	JOK06M	Rubber Block 6.25"	Round Slip On ALM Lifts

Norco 1/2 ton transmission Jack

- Fully adjustable universal saddle with adjustable corner brackets and safety chain, 72" raised height
- Safety overload system prevents jack from being used beyond rated capacity
- Foot operated pump and lowering pedals
- Two-stage flash chromed rams inhibit rust from entering hydraulic system
- Wide base with polyurethane wheels to protect floors.



72500E - \$1,199.99

Ask us about fuel tank saddles

Air/Electric Utility Boxes

- Two 110v electric outlets and air connections mount easily to any column and provide quick access to utilities.
- The filter/regulator/lubricator extends the life of your airtools.

FA5911BK (with filter/regulator/lubricator)
FA5910BK (without filter/regulator/lubricator)



Lifting jack pads for Tesla models

TJP4 - \$19.99 or TJP4Y (Model Y)

- Set of four in convenient carrying case
- Protect the vehicle, battery and paint from damage
- Can be used with floor jack or 2-post lifts
- Top piece fits into designated factory lifting points



FJ6259KIT (Set of 4)

Corvette: CORV04
Rivian: RVIN04
Mustang: YEMA04



Wheel Arm for lifts 92100 - \$134.99



- 100 lbs Capacity
- Set of two arms
- Comes with 2 magnetic tool trays, hex key, and mounting shims



Wheel arms hold tires at the lift arm height – great for tire rotations and brake jobs

WANT TO KNOW WHAT OTHER EV FOCUSED PRODUCTS WE OFFER?



RA, TA, and Trio adapters for Rotary and other brands available, call for pricing!



Mach Flex Mobile Column Lifts - Call for Demo!

- New higher column capacity 18,800 lbs
- Easy to use intuitive remote control operation
- Control all columns from anywhere in the bay with remote included with purchase.
- Includes LockLight™ on each column
- Vehicle Height and Weight digital display gauges



2, 4, 6, & 8 column configurations available!



SM30N010 - 30,000 LBS. LIFTING CAPACITY

SPOA10-AV

- 10,000 lbs. capacity AV arms lift and service practically all road going vehicles on ONE LIFT, including:
 - Battery Electric
 - Exotic Low Profile
 - Truck Frame
 - Unibody Cars & SUVs
- THE HIGHEST CAPACITY LOW-PROFILE LIFT AVAILABLE With the industry's lowest profile arm height available of any 10,000 lb. capacity two-post lift, technicians can easily spot lower profile vehicles without worry.
- THE LOWEST ADAPTER HEIGHT IN THE INDUSTRY The outer arm and adapter height are the same measurement reducing any possibility the arm makes contact with vehicle underbodies. The adjustable, low adapter height allows the needed reach to easily spot, lift and repair unibody, exotic and battery electric vehicles.
- Shockwave available

MORE INFO:




Shown SPOA10-AV



Reach small, specific pick-up points on EVs with the needed clearance to remove propulsion batteries.

The adjustable, low adapter height allows the needed reach to easily spot, lift and repair unibody, exotic, and battery electric vehicles.



THE LOWEST ADAPTER HEIGHT IN THE INDUSTRY

The outer arm and adapter height are the same measurement reducing any possibility the arm makes contact with vehicle underbodies.

SPO12AV 12,000 lbs. capacity

SHOCKWAVE™ EQUIPPED OPTION



Low CEILING MODEL AVAILABLE

Rise height of over 75"

Original "Double S" column

Available with SHOCKWAVE power

Wide design provides the drive-thru clearance for greater under vehicle access and less obstruction for service to battery electric vehicles.

Shockwave Inground Smartlifts

- 10,000-12,000 lbs capacity models available
- High efficiency power and air per lifting cycle, selected in key lead projects
- Reduces space usage and allows more lifts
- Trio three stage arms for pinpoint location
- Shockwave or standard available
- New wide inground (SL210W or SL212W) futureproofs your business, as they can service electrical vehicles.



SL210W



New AR022

- Alignment ready runway lifts 22,000 lbs. capacity
- Robust open front design
- Air locking rear steer plates
- LED runway lighting system



CALL FOR PRICING



McGee Company can do the customized CAD drawings for your shop!

LIFTS IN STOCK FOB DENVER/SALT LAKE CITY

HUNTER

2027651 - Bullseye Collet Kit Gen **\$1,198.99**

Kit includes:

- A. 175-392-1 6 in. clamping cup
- B. 46-653-2 Performance wheel & light truck spacer
- C. 14-1470-005 Cone carrier bracket support
- D. 56-70-2 Front balancer cone carrier
- E. 20-2683-1 Passenger to 3/4 ton dual-taper collet kit
- F. 106-157-2 Protector sleeve



2033581 - Collet Kit Economy MD **\$1,299.97**

- Does not handle the large 8 lug/8.7" bore found on some medium duty trucks. 20-3155-1 covers that application and includes 20-3116-1. Includes application chart.



2036981 - Flange Plate and Stud Kit Adjustable **\$1,449.99**

- This durable aluminum design can adjust from 98 to 210mm bolt patterns and covers almost all wheels in this range. It comes with (3) three sets of (5) five pins each to handle any application. These pins are 2, 2.5 and 3.25" long with diameters of 1 to .75" respectively.



6763 - PCD Wheel Bolt Measuring Tool - **\$12.99**

- Can be used to measure a wheel or turned over to measure studs on a vehicle
- This wheel rim bolt pattern gauge is made of the best quality plastic material
- Lightweight and durable
- Quickly measures most common 4, 5, 6, 8 lug bolt patterns, it shows both inch and metric sizes.



Light Truck Cone Kit

HW150280091 28mm **\$319.99**

Allows balancing truck wheels with center holes from 4^{13/16}" to 6^{7/8}". Used on rims with an alignment pin on the back. Double-sided cone fits all Coats balancers

40mm - 48340091 (113277) **\$299.99**

\$39.99



Model #61123 Balancer Calipers
482-89011

Works on any passenger balancer. Equal to Coats 61123 or 309011 or Comb 46FC77653

\$319.97



Part #85009998 08 40mm I.D. - Shaft, Hubnuts, & Press Drum

Nut-Slide, 2 Jaw, 40mm w/drum, for use on 700-1250 Coats models or Comb with 40mm shaft
28mm version 85009996

\$199.99



Model #112103
40mm I.D. - Shaft, Hubnuts, & Press Drum

Hub Nut, Handle, Solid, 45mm for standard thread pitch (not for XR-Series)

\$269.99



8500920401 Balancer Shaft 40mm Balancer Shaft for 850, 950, 1050, 1055, 1250, XR, & 1150 Models

COATS

85610104 ADJUSTABLE PIN PLATES SET OF 3 FOR LUGS 3,4,& 5 **\$3,299.99**

- Works on any 40 mm balancer
- Adjustable design provides fast and easy clamping
- Lug clamping and centering prevents damage to alloy wheels
- 85609688-5 lug, 85609689-4 lug, 85609690-3 lug



85607503 - Slide Nut Premium 2 Jaw 40mm **\$439.99**

- Solid metal body lasts longer and won't shatter, if dropped.
- Binary Thread Engagement stays fully open during installation, eliminating wear from dragging the teeth across the balancer's threaded shaft.
- Fits coats 40mm shafts
- 85608312- No mar ring & 8112106 Pressure cup



8111935 - Spacer Lt Trk Back Cone **\$379.99**

- For use on certain deep offset applications.
- Can be used on any 40mm wheel balancer.



Steel ProGrip Quick Nut with Handles and Pressure Cup



HW124408006 - \$299.99

Comb 41FF83148 - \$459.97

Quick release wingnut with reverse mounting cup & no-mar ring, not for use with HD Truck balancers

Creates pressure necessary for Road Force balancers.

HUNTER_COATS

All Hunter Models exc 700 and DSP9500 90-92; All Coats Models Quick Nut Only

Coats Models 700, 775, 800, 825, 850, 875, 925, 950, 1000, 1025, 1030, 1035, 1175, 1250, 1255 (40mm shaft upgrade), 6275HS

Rubber Rings for quick releases

1061572 - 6" Rubber ring for Hunter quick release nut **\$15.99**

Fits all Hunter balancers

Prevents marring of the wheel during wheel balancing service when using a pressure cup
For use with steel wing nuts and quick release
Made in Taiwan

1753921 - PRESSURE CUP FOR QUICKNUT 6"



106822 - 4.5" Rubber ring quick release nut **\$14.49**

Prevents marring of the wheel during wheel balancing



\$809.99



483-40110 (HW150400110)
ProCollet Kit 40mm

1753531
\$74.99

9 pc.
2.07" to 4.76"

The Low-Taper Collets are superior to standard cones because they have more contact area and engage the wheel at a better angle; they are also necessary for Clad Wheels because they are shorter and only contact the metal part of the wheel. They can be used for "standard" wheels as a replacement for the cones.

In Stock — Call for best price!

Tire Changer Duckhead Specials!

Hybrid Duckhead Mount/DEMOUNT Tool

85608959 **\$264.19**

Replacement tail
85608961

For 50X, 60X, 70X



Plastic Duckhead Kit

Part #AE183061



Special \$26.99



RP11811400325
Leverless Mount Head Insert Kit
TCX V3 **\$69.99**

RP11811100303S
Protector Plastic for Old TCX Steel Mount Head
\$1.78



Plastic Inserts for 182788 Metal Mount/DEMOUNT Head

(Pkg of 2) 50X, 60X, 70X
Model 182961

\$7.99



8560716108 - Grip Max Plus Grip Replacement 8/Set
2 inserts per jaw

\$86.99

Plastic Inserts for 182788 Metal Mount/DEMOUNT Head

(Pkg. of 12)
Model 182963
444-82963

\$26.99



Coats Leverless DuckHead®

Coats Leverless DuckHead® hook and tail booties provide the proper rim protection for all leverless DuckHead® systems - Proguard

89233409 6 hooks, 2 tails **\$169.99**



Pictured: PN 89233409

Head, Mount/DEMOUNT, Polymer Red

Hunter TC3250/3500
(1 ea.) Part #2216752



\$22.99 ea.

Hunter TC500 Series

Part #RP118314813



\$32.99 ea.

For Coats 50X and 70X
Part # 182788

High Grip Jaw Protectors

Polymer jaw covers prevent metal-to-metal contact when performing external clamping. - TCX500 Series Machine

RP11811100358 - 8 ea. **\$137.99**

Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires



99593

Wooden Handled Wire Brush with Metal Scraper



Ascot No.	McGee No.	Description	Price
395-13124	99593	8" Plastic Handled Brass Sidewall Brush	\$9.89
535-00150	25150	14" Wooden Handled Wire Brush	\$3.95


75B Racket for 75 Mounting Paste \$19.99

and 75NB (low profile)
Made in Taiwan · HD steel
Mounts to TC and includes hardware



RP1181110326S - Insert V3 Leverless Head Hunter TCX \$7.99

- Improved head requires new insert style
- New head insert are grey no longer yellow nor red
- Only V3 inserts fit V3 head



RP11811100369 - Protector Plastic for New Steel Head 10/PKG \$176.97

- Plastic protectors for steel mount heads (10 ea.)
- For use with TCX-series steel mounting head (RP11-5-107776)

Grey Plastic High Spoke Mount/DEMOUNT Duckhead® Tool

For Coats 50X and 70X machines
Part #184432



\$34.99

Hunter TCX Series "Wing" Duckhead

RP11811400327



\$26.99

85607787 Grip Max Plus Laminated Clamps (4) 6"-24"

\$1099.99



435685 - Drop Center Tool for Bead Depressing \$34.99



RP6710014120 Toolhead Wide TCA34 Butler Black

For use on TCA34 w/Serial number 664 and above
\$27.99



44422019 - Long Sock for Bead Lifting Tool

- 4 Pack - **\$21.99**
- High quality plastic sleeve prevents the rims from scratching while lifting the bead
 - Made from high quality, durable nylon
 - Ribbed design for anti-slip contact



5500 Low Profile Bead Lever Tool

Designed by technicians to assist with hard to change low profile tires. The easy grip ergonomically designed handle allows the user needed leverage for the toughest of sidewalls while remaining a safe distance from the face of the wheel.



Now \$49.95

For All Rim Clamp Tire Changers

Part # 181354 **\$34.99**
444-81354



AS23614 23.6" Bead Lifting Tool w/HD Grip

- Enhanced angle that allows a more efficient grip of the tire without letting it escape
- Made from hardened steel and is nylon-clad with a permanent hard-wearing nylon cladding to protect and preserve wheel surfaces during tire mounting



444-23614 **\$64.99**

2218102 - Mount DEMOUNT Tool Maverick Duckhead \$14.99



Coats Replacement Tire Changer Air Hose - 5 ft. x 1/4"

Coats Replacement Tire Changer Air Hose with Euro Chuck
Part # W44RJ5 **\$13.92**



12786872 - Hunter 5' x 1/4" **\$16.99**

Why Coats?

All equipment installed and training by a factory tech · In stock at multiple McGee locations · Extended warranties · Building equipment since 1947 in TN · General repair to HD, AG, and Industrial options

Ask about end user rebates!

MAXX50 - Good!

- Wheel Handled - Alloy, Steel for Car & Light Truck
- Rim Diameter - 6-24"
- Max Tire Diameter - 50"
- Max Rim Width - 16"
- Bead Loosening Width - Up to 22" Wide
- Wheel Clamping System - 4 Clamps, Air Cylinder Operated
- Bead Seating Air Volume - 5.4 Gallons in Tower
- Air Drive System - Up to 4 HP*
- Electric Drive System - 110V Electric Motor
- Footprint - 74"w x 81"h x 44" d
- Ship Weight - 750 lbs, Low Center of Gravity for Stability
- Warranty - 3 Years Parts, 6 Months Labor
- Part Numbers -
Electric 110V: 800MAXX50
Air: 800MAXX50A

*Max air motor HP dependent on shop air pressure



MAXX80 - Best!

- Wheel Handled - Alloy, Steel for Car & Light/Medium Truck
- Rim Diameter - 6-24"
- Max Tire Diameter - 50"
- Max Rim Width - 16"
- Bead Loosening Width - Up to 22" Wide
- Wheel Clamping System - 4 Clamps, Air Cylinder Operated
- Bead Seating Air Volume - 5.4 Gallons in Tower
- Air Drive System - Up to 4 HP*
- Electric Drive System - 220V 2 HP Electric, 110 Electric Motor
- 220V Electric Requirements - 220V, 10amps, 1PH, NEMA L6-20
- Footprint - 74"w x 86"h x 44" d
- Ship Weight - 850 lbs, Low Center of Gravity for Stability
- Warranty - 3 Years Parts, 6 Months Labor
- Part Numbers -
Electric 220V: 800MAXX80220
Electric 110V: 800MAXX80
Air: 800MAXX80A

*Max air motor HP dependent on shop air pressure



1300

- Direct drive motor with 40mm shaft
- 2D Auto data entry
- 220V 1/3ph
- 8-30" diameter wheel range with max tire diameter of 44"
- Warranty: 3 Year Parts, 6 Months Labor



1500

- Direct Drive Motor
- Laser Guided Tape-A-Weight
- Side Shadow Board with Basic Pro Kit
- Auto Start Hood
- Static-On-Screen
- New Display Mounting Bracket
- Automatic Data Entry (Distance/Diameter/Width)
- 12 o'clock Inboard Laser
- Stop, Lock & Index



E900 Wheel Balancer

- Direct drive with Diagnostic Roller and ProMatch
- 5 Balancing Modes
- Wheel Diameter Range 8" - 30"
- Wheel Width Range 2" - 20"
- Max Tire Diameter Up to 44"
- 220v, 1ph or 220v, 3ph
- LED barrel lighting
- Sonar width measurements



Extended 3 year warranty



525 WHEEL LIFT FOR DIRECT DRIVE BALANCERS

- 160 lb capacity, Air Operated
- Mounts to Direct Drive wheel balancers: 1300 1400 1500 1600
- Hi-Visibility floor ramp for easy roll on/off
- Smooth scissor-lift action
- Sliding work platform for easy operation
- Small footprint, low center of gravity for superior stability
- Simple foot-pedal operation



COATS ALIGNMENT SYSTEMS AVAILABLE;
CALL FOR DEMO!



Coats financing program for 90-120 days no payments!

Murphy's Concentrated Tire & Tube Mounting Compound — In Stock

- Versatile formula – dilutes to any strength your job requires
- Approved by major tire companies world-wide
- Made from natural, renewable resources
- Totally safe for all tires
- Economical when diluted
- Ultra-thick concentrate for excellent performance when packing beads

McGee No.	Mfg. No.	Description
MP8	2000	Murphy's Concentrated Tire & Tube Mounting Compound, 8 lb. Pail (4 per case)
MP25	2005	Murphy's Concentrated Tire & Tube Mounting Compound, 25 lb. Pail
MP40	2008	Murphy's Concentrated Tire & Tube Mounting Compound, 40 lb. Pail

Murphy's Liquid Lubricant

- Ready to use liquid for easy application
- Designed to assist in mounting rubber tires and tubes on all types of wheels
- Easy clean up and non-toxic
- Contains rust inhibitor to help fight rust

McGee No.	Mfg. No.	Description
MPL1	2020	Murphy's Liquid Lubricant, 1 Gallon (4 per case)
MPL5	2023	Murphy's Liquid Lubricant, 5 Gallons

433-02020
Murphy's
Liquid
Lubricant,
1 Gallon



Special!
MPL1 - \$14.99

Tire Bead Lubricant

- Dries fast
- Prevents rim slippage
- Prevents rust

A liquid bead lubricant for easier mounting of tires.

435-07001 (TL1)
5 gallon version MPL5

TL1 \$14.49



432-02005
Murphy's
Concentrated
Tire & Tube
Mounting
Compound,
25 lb. Pail

MP25 - \$54.99
Pallet Prices
Available!



432-00750 **#75 - Mounting Paste 7.7 lb. - \$19.49**

432-01750 **#75N - Low Profile Pail**

The Original Euro Paste



Eases mounting of stiff, low-profile tires. Aids in faster bead sealing during inflation. Preferred when servicing tires on ABS-equipped or HP vehicles. Prevents vibration complaints as a result of tire moving on wheel after balancing.

Ascot Tire and Tube Mounting Compound



AS40




AS25

AS25 - \$44.95

- Makes tire mounting and dismounting faster and easier
- Now with rust inhibitor
- Approved by major rubber companies
- Lubricates all rubber parts, stops rubber squeaks

Tire Swabs and Brush



437-00001



437-00002



437-00003



437-40006

Now!
\$2.29 ea.
000491

Ascot No.	McGee No.	Description
437-00001	000491	Tire Swab - 11" OAL X 2" Diameter
437-00002	TS2	Tire Swab - 15" OAL X 2" Diameter
437-00003	TS3	Tire Swab - 18" OAL X 3" Diameter
437-40006	73	Tire Lubricating Brush

McGee No.	Description - Murphy's Private Label
ASC8	Tire/Tube Mounting Compound, 8 Lbs. Pail
AS25	Tire/Tube Mounting Compound, 25 Lbs. Pail
AS40	Tire/Tube Mounting Compound, 40 Lbs. Pail

McGee low cost lubes available - PL Series

No Rim Rust

- Protects tires. Tire bead won't fuse to rim.
- Helps prevent corrosion on rims and rigs.
- Helps you comply with OSHA Regulation 3086.



Ascot No.	McGee No.	Description	Price
435-00015	FL41	4-1/2 Lbs. Pail	\$59.99
435-00125	FL25	25 Lbs. Pail	\$199.99
435-01120	FL120-1	120 Lbs. Drum	Call!
435-06002	0252539	Ultra Black Lube - 25 lb pail Ryder Approved!	\$129.99
Generic Version	AR25	McGee 25 Lbs. Pail	\$139.97

Adhesive Wheel Weight Rolls

- Oversized white paper tape - easy peel
- Easy to tear by hand
- Available in grey steel or black steel
- 3 rolls per case
- WWR4 recommended stand for AVL



Ascot No.	McGee No.	Description	Case Price
484-51500	AVL315FeB	Black Steel Adhesive Roll: 1/4 oz. Segments (2880 Segments per case)	\$164.99
484-51501	AVL315FeS	Grey Steel Adhesive Roll: 1/4 oz. (2880 Segments per case)	\$159.99
484-61500	AVL415FeB	Black Steel Adhesive Roll: 1/2 oz. (1440 Segments per case)	\$164.99
484-61501	AVL415FeS	Grey Steel Adhesive Roll: 1/2 oz. (1440 Segments per case)	\$159.99
484-71500	AVL515FEB	Black Steel Adhesive Wheel Weight Roll - 1 oz. (690 Segments per case)	\$187.49
484-71501	AVL515FES	Grey Steel Adhesive Wheel Weight Roll - 1 oz. (690 Segments per case)	\$181.49



Scraper 71510
486-071510



486-71510	71510 Adhesive Wheel Weight Super Scraper Removes emblems, body side moldings and stick-on wheel weights. HD Version: 486-71512	\$9.99
486-33581	3358 HD Heavy Duty Weight Tool - Ideal for all weights, including coated.	\$28.95

Adhesive Wheel Weight Roll Stand

\$189.99

- All-metal construction
- Accommodates three rolls
- Floor mount
- Easy to assemble

486-31281
Adhesive Wheel Weight Roll Stand



48631285 Conversion Kit for Wheel Weight Roll Stand

Fits WWR3 and WWR4 AVL series to add two slots.



Wheel Cleaner

Stop Using Expensive Wheel Cleaning Solutions

- Water-Based
- Biodegradable
- Non-Petroleum
- Non-Toxic

A clean wheel is critical to good stick-on wheel weight adhesive.



Ascot No.	Description	Price
48675032	Wheel Cleaner 32 Oz. Spray Bottle	\$13.99
48675017	Wheel Cleaner 1 Gallon Bottle	\$18.99

Wheel Weight Adhesive Removal Tool

A143252 - \$84.99 Replacement pad - A143256 only - \$9.99

- Lock-off trigger for added safety
- High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc.
- Rubber-insulated housing for comfort
- High RPM to prevent pad from bogging down; 3,700 RPM free speed



Truck Tape-On Weights

	300360	.50 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width: 1"	Lead 360 pcs	\$114.99
	300224FE	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/box	Width: 1"	Steel 224 pcs	\$52.99
	300224FE BLK	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/box	Width: 1"	Steel 224 pcs	\$65.99
	420FE	.50 oz.	Standard Profile	Roll	Width: 1"	Steel 640 pcs	\$169.99
	CL6	1 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width 3/4"	Lead 180 pcs	\$114.95
	1184	1 oz.	Standard Profile with Premium Tape	18 strips	Width 3/4"	Steel 72 pcs	\$42.99
	48410300	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	\$41.99
	48410301	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	\$42.99
	CL12	2 oz.	Standard Profile Quick Tab with Premium Tape	8 strips/box	Width 1-1/4"	Lead 48 pcs	\$76.99
	FSF104C	2 oz.	Standard Profile with Plastic Tape	18 strips	Width 1-1/4"	Steel 54 pcs	\$42.99

Passenger Tape-on Weights Including Cold Weather Weights

	200576FE	.25 oz.	Low Profile Coated	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	\$38.99
	200576FER Roll	.25 oz.	Low Profile Coated	Roll		Width: 3/4" Depth: 1/8"	Steel 700 pcs	\$56.99
	200576FEBLK	.25 oz.	Low Profile Premium Tape	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 Seg/box	\$64.49
	FSF101CP	.25 oz.	Low Profile Economy Tape	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	\$33.29
	320FE	.25 oz.	Premium Coated Steel	Roll	Double Tape	Width: 3/4" Depth: 1/8"	Steel 1272	\$124.99

Nitrile Gloves



Part #	Description	Thickness	Color	Price BX	Case Price
8842	Micro Diamond Gloves 100/bx S	8mm	Orange	\$ 21.99	\$ 19.79
8843	Micro Diamond Gloves 100/bx M	8mm	Orange	\$ 21.99	\$ 19.79
8844	Micro Diamond Gloves 100/bx L	8mm	Orange	\$ 21.99	\$ 19.79
8845	Micro Diamond Gloves 90/bx XL	8mm	Orange	\$ 21.99	\$ 19.79
8846	Micro Diamond Gloves 90/bx XXL	8mm	Orange	\$ 22.99	\$ 20.69
8847	Micro Diamond Gloves 80/bx XXXL	8mm	Orange	\$ 20.99	\$ 18.89
14043	Micro Diamond Gloves 100/bx M	7mm	Red	\$ 18.99	\$ 17.09
14044	Micro Diamond Gloves 100/bx L	7mm	Red	\$ 18.99	\$ 17.09
14045	Micro Diamond Gloves 100/bx XL	7mm	Red	\$ 18.99	\$ 17.09
14046	Micro Diamond Gloves 90/bx XXL	7mm	Red	\$ 19.49	\$ 17.54
9843	Smooth gloves M 100/bx	6mm	Black	\$ 11.99	\$ 10.79
9844	Smooth gloves L 100/bx	6mm	Black	\$ 11.99	\$ 10.79
9845	Smooth gloves XL 100/bx	6mm	Black	\$ 11.99	\$ 10.79
9846	Smooth gloves XXL 100/bx	6mm	Black	\$ 12.99	\$ 11.69



- Easy to use throw-in bag method
- Proven to increase fuel economy
- Color coded application chart
- Life time balance
- Balance whole wheel-end assembly not just tire and wheel
- Can be injected through valve stem
- Proven to extend tire life
- Flow-thru cap provided in 8oz bags and up
- TPMS friendly
- Download app to find tire size

How It Works

The balancing beads will be distributed around the tire as it begins to roll through centrifugal force. As the centrifugal force of the balance (heavy spot) increases and pulls up and down on the suspension, the beads will start to move in the opposite direction of the downward and upward through inertia. The beads continue to travel until the complete wheel assembly is balanced.

**Ask us
about our
motorcycle
applications**

Product	Description - Case Quantity Discounts	CASE QTY
45100013	INJECTOR PUMP FOR COUNTERACT	1
TIB4	4 OZ TOSS-IN BAG	92
TIB6	6 OZ TOSS-IN BAG	64
TIB8	8 OZ TOSS-IN BAG	52
TIB10	10 OZ TOSS IN BAG	40
TIB12	12 OZ TOSS IN BAG	36

Counteract Balancing Beads

Every bag includes:

- Measured bag of Balancing Beads
- Filtered vortex valve core
- Counteract valve cap
- 8oz bags and up include flow-thru cap.



Eco Balance Drop In Bags!

Eco Balance Beads are made of reusable and recyclable 99.9% tempered glass spheres. Our balancing beads are installed inside the tire, where they won't get knocked off and contaminate the environment like lead weights can.

10 oz. bag **As low as \$6.57**

10 oz. McGee 45101210



Scan QR code or visit www.counteractbalancing.com to find our application charts.



Cotton Weave Blue Poly Palm Glove

C122 - **\$2.99/pr**
\$1.99/pr. per doz



Black, Ultra Light Polyurethane Palm Glove

• Perfect for handling small parts
GP180ML
GP180XL



Gloves Black Polyester Textured

- CE certified
- Textured latex finish offers excellent grip & superior abrasion resistance
- 13-gauge polyester liner for a flexible fit
- Machine washable

GP180MLT - M/L
GP180LXLT - L/XL

\$2.75/pr



Textured Grip

RPG Mechanic's Gloves

Black synthetic leather palm with small patches

Features blue spandex on back, neoprene on knuckle, 4cm wide elastic, hook & loop 396-10011 - **\$12.99**



Leather Palm Short Cuff

Part #112
\$4.49 pr.



McGee Power Scrub

MPS 2.5L Ind Hand Cleaner.
This heavy duty, solvent free, walnut shell based cleaner does it all. It cleans the toughest soils, greases, inks, paints, and almost anything else. Fortified with a new generation emollient package that leaves your hands feeling great. The concentrated one soap that does it all.

Purchase a case of four and get a FREE* dispenser

*Valid for first case **\$99.96** purchase

Only \$24.99 ea



MPS wall dispenser DSP1JT25



Super Tough Hand Scrub

395-00640 TS64 64 oz. tub **\$17.99**

- Leaves hands soft and chap free.
- Removes dirt and grease quickly.

"The best hand cleaner available"



Now! Tuff Scrub Cleaner in a liquid TS1GAL (NP No Pump available)

Easy to use pump style - **\$27.99**

MNB-McGee Nail Brush \$4.95

- Double sided brush effectively removes dirt, grease, and oil from hands and beneath fingernails
- The opposite side of the brush includes finer bristles, perfect for cleaning under fingernails.



Tire Bags, Seat Protectors, Steering Wheel Covers, Paper Floor Mats, Parts Bags



#SWC 500 ea



#PSC



#WPB



250 Bags! - HDTB



#MFDR



WOH25



#FPFM

Static Cling Printer

Full feature Reminder Sticker Solution takes professionalism to a new level

- Godex Printer pre-programmed to work out of the box
- 1 year parts and labor warranty (6 months on print head)
- Includes 1 ribbon



399-11111

26201- PIG WTR RPL OIL ABS MAT WHITE 50 X15 LT-WT RL **\$29.99**

25201 - PIG UNV LT WT ABS MAT GREY 50 X15 RL **\$28.99**

25103 - Universal Absorbent Drum-top Pad - Pads 20/bx **\$49.99**



FREE magnetic dispenser w/purchase of three rolls while supplies last!

Use With:	55-Gallon Steel Drum
Dimensions:	ext. dia. 22" w/ .75" x 2" holes
Mat Weight:	Light-weight
Fluids Absorbed:	Oils, Coolants, Solvents & Water
Recycled Content:	25% or more Recycled Content
Absorbency:	Up to 3 gal. per box
Absorbency per:	Up to 18 oz. per pad
Sold as:	20 pads per box

Branick Strut Spring Compressor - \$949.99

The new Model 7600 has all the features you expect from Branick and more. It's the new answer for all your strut work. The 7600 can handle the heaviest coil-over-shocks, the Ford F-150 and even the Toyota RAV-4 without need for additional adaptors.



K65 + 7600 Bundle \$1319.00

FGGPCR75 - Trash Can Liners HD Bk 55Gal 10/RL & 10RL/Bx \$52.99

- Made with up to 70% post-consumer recycled plastic
- 3-ply strength means no tears or leaks
- 1.25 mil, 100 bags per box
- Extra heavy duty, black bags
- Coreless rolls with perforation for easy opening



Dispensing Racks

Centralize your cleanliness products for the professional image your business needs and the convenience your employees deserve. The top tray holds paper floor mats and elastic band steering wheel covers. Rollers are for seat covers, tire bags, and parts bags.

Order No.	Description	Ship Wt. Lbs.
PSC	Seat Protectors - Roll of 500	20
SWC	Car Steering Wheel Covers - 500 pkg	10
HDTB	Large Tire Bag for SUV - Roll of 250	30
FPFM	Heavy Duty Paper Floor Mat - Box of 500	32
WPB	Parts Bags, 12" x 20" - Roll of 500	15
MFDR	Dispenser Stand Only	25
41110	Large Tire Bag - Roll of 100	13
WOH25	Work Order Holder Black	5

Static Cling Reminder Stickers \$29.99

- Excellent item to promote repeat business
- Keeps your name, the service to be done and the time to do it in constant view of the customer
- More effective than a door jam sticker
- Static cling vinyl will cling to almost any smooth surface
- No adhesive residue and they can be removed for cleaning and replacing
- Silk screen printing process for a high quality image and a writing strip that won't allow the ink to fade
- Generic design stickers as well as personalized stickers
- RL/500



ORS

ITS600 TPMS, Diagnostics, and Tire Service Tool

- Activates, reads and relearns all known sensors
- OBDII relearn for most vehicles with 99% coverage of OE sensors
- Copy By OBD sensor programming & four MX-Sensor program modes; batch program up to 20 MX-Sensors
- Includes wireless Bluetooth vehicle communication interface (VCI)
- Tire pressure placard value reset
- Read/Clear TPMS system codes & view live data
- Free Wi-Fi software updates for the life of the tool



BUY 3 1SENSOR24 packs, get a free ITS600 while supplies last

Promo

ProUpgrade \$125



Integrate with the TBE200 for:

- Precise laser measurement of tread depth & brake disc wear
- Create comprehensive Test Report w/ TPMS health, Tread depth, brake disc wear characteristics, & Repair tips



TBE in action

TBE200 \$492.96

Ask us about our competitor tool trade up program

McGee Exclusives



Buy 4 1SENSOR24 bag (96 sensors); get a free TS900 tool* (McGee TS900 to order)

**While supplies last*

Sick of your technicians not being able to read tire DOT codes or read what they wrote down?

AUTEL®



ITS600 is the first tool to scan DOT numbers for expiration and recall lookup!

TBE200 Video



ITS600 Video



46130100 - Pre-Programmed Tesla Bluetooth TPMS Sensor

- The MX-Sensor BLE is a pre-programmed Bluetooth Low Energy (BLE) sensor that offers "fit & go" capability for:
 - Tesla Model 3 2021-2023
 - Tesla Model S 2021-2023
 - Tesla Model X 2021-2023
 - Tesla Model Y 2020-2023
 - All Tesla models older than the years above use our standard Ascot by Autel MX Sensor 1-Sensor
- Built to meet or exceed industry standards and tested to endure extreme temperatures, the MX-Sensor BLE is also programmable with Autel tools for the latest BLE-equipped vehicles
- The MX-Sensor BLE is warranted for two years



Dill OE Tesla sensor available

\$57.12

FREE SOFTWARE UPDATES

BASIC FUNCTIONS \$499.99*

Quick Mode

EASY & FAST

- Activate All Known TPMS Sensors
- Read Sensor ID, Temperature, Pressure
- Read Sensor Battery Condition
- On-Tool OE Sensor Information
- Program MX-Sensor With 3 Programming Options
- Batch Program 1-16 MX-Sensors

MaxiTPMS TS508WFK16


- 1 - Autel TS508 Complete TPMS Tool
- 4 - Metal Valve Stems
- 16 - 1Sensor TPMS Programmable Sensors
- Wifi Version Available

COMPLETE FUNCTIONS

Advanced Mode

POWERFUL

- Same TPMS Features as Quick Mode
- TPMS Status Screen - View System Faults
- Read & Clear TPMS DTCs
- On-Tool DTCs Description
- Program MX-Sensors by Copying ECU Sensor IDs
- On-Tool Relearn Procedure Guide
- Widest Vehicle Coverage For OBD Relearn
- Tire Pressure Placard Value Reset



AUTEL TPMS TOOL

- The MaxiTPMS® TS508 is a new generation TPMS diagnostic & service tool specially designed to activate all known TPMS sensors, read TPMS sensor status, check TPMS system health condition, program MX-sensors and conduct TPMS relearn
- With Quick Mode and Advanced Mode options, you can save time and energy by choosing the most suitable way to complete TPMS work

FREE SOFTWARE UPDATES

ACTIVATE ALL KNOWN TPMS SENSORS



TS508WFK

Autel MX-Sensor Programmable Universal TPMS Single Sensor

Metal stems available in Black, Titanium, Chrome, & Rubber

- Combines 315MHz & 433MHz frequencies into a single sensor • 98% vehicle coverage • The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool • Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID cloneable with no relearn required • Quickly update during installation with an Autel wireless programming tool



Qty discounts available!

Ascot No.	McGee No.	Description	Price
461-20326	1-Sensor	Autel MX-Sensor Programmable Universal TPMS Single Sensor	\$27.99 Quantity breaks available

Do you know what frequency TPMS that car requires?

Full Bulletin



Covers over 98% of TPMS equipped vehicles



10th Digit of VIN = Model Year		
B = 2008	F = 2015	N = 2022
9 = 2009	G = 2016	P = 2023
A = 2010	H = 2017	R = 2024
B = 2011	J = 2018	S = 2025
C = 2012	K = 2019	T = 2026
D = 2013	L = 2020	V = 2027
E = 2014	M = 2021	W = 2028

Ask us about App controlled aftermarket TPMS, banded or valve mounted

Full Bulletin



1604B 4 banded combo or 1604V Valve Mount



Fits 0.453" & 0.625"

Sensors transmit to the app on your phone or tablet

McGee No.	Description	Price
46133560	Dual Band 315 & 433 Mhz EZ Sensor	\$29.99
46133561	Bulk 10 Pack EZ Sensor	\$249.99
46934000	Aluminum Stem for EZ Sensor	\$5.97
VS950	Rubber Stem for EZ Sensor	\$2.13
33700	High Speed EZ Sensor	\$34.99
21355	ST1 Tool with 28 EZ Sensors	\$699.00
21057	S57 Tool w/100 EZ Sensors	\$2,399.99

Designed to eliminate multiple sensors required for TPMS work APPLICATIONS:

Covers most GM, Chrysler, Honda, Nissan, Toyota, Lexus, Scion, Ford, Lincoln, & Mercury vehicles and some Mitsubishi, Subaru & Suzuki vehicles • Fully programmable • Compatible with Bartec, Schrader and SPX/OTC programming tools • Sensor features Wireless Auto Locate or WAL that allows the vehicle's TPMS system to locate and identify each TPMS sensor's specific location



Angled Stems Available

S57

33560

TPMS Profit Center

Remember, replacing the TPMS valve stem (snap-in rubber or clamp-in aluminum) or the TPMS service kit with each tire sale is done for the same reasons a traditional TR-413 snap-in is replaced with each new tire.

More information at mcgeecompany.com/stems



TPC \$189.99



- McGee's top 7 stems
 - * 4 VS70
 - * 4 VS925
 - * 8 VS90
 - * 8 VS65
 - * 4 VS35
 - * 20 VS950
 - * 8 VS20
 - * 8 VS15
- Color coded for easy selection
- 52 stems
- Extra dividers to fit your needs
- Heavy duty protective organizing case

How much money are you leaving on the table by not doing TPMS?

	TR413 Valve Stem	TPMS Rebuild 9066k
ASSUMPTIONS	100 Tires per Week	100 Tires per Week
Cost to WD	\$ 0.29	\$ 4.84
Sell price	\$ 1.90	\$ 9.95
Profit per tire	\$ 1.61	\$ 5.11
Weekly profit	\$ 161.00	\$ 511.00
Annual profit (52 weeks)	\$ 8,372.00	\$ 26,572.00

A shop doing TPMS makes over **three** times the amount doing TPMS versus valves alone in addition to pushing their customers to a competitor. **Be TPMS smart**; let McGee Company train you and set you up with the tools to be successful.

REDI-Sensor™

Simple and Accurate

REDI-SENSOR MULTI-APPLICATION SENSOR

- Installs right out of the box • No programming required, saving you 8-10 minutes per vehicle • Reduces replacement sensor inventory • Adjustable valve stem design • Fits over 90% of the market



WORKS WITH EXISTING MAJOR TPMS SCAN TOOLS:

If a shop has the tools to handle OE sensors, it's ready for REDI-Sensor. Unlike other sensors that require the purchase of specialized tools and software upgrades, no additional purchases, training or investments are needed with REDI-Sensor.

What's the difference between 5000 series and Redi?



EZ-sensor® Innovation by Schrader

S57 Tool Features:

- Schrader's strong OE pedigree, EZ-sensor®, and its latest generation EZ-sensor® GO, provides users with 70% EV coverage for national brands. The OE quality sensors cover some of the most popular EV applications in North America, such as:
 - Tesla 3 (2017 - 2020)
 - Ford Mustang Mach-E (2021)
 - Tesla S (2014 - 2021)
 - Nissan Leaf (2011 - 2022)
 - Chevrolet Bolt (2017 - 2022) and more

Covers over 98% of TPMS equipped vehicles

Ascot No.	McGee No.	Description	Price
461-07005	7005HPR	433MHZ REDI-SENSOR W/ VS-20 SNAP-IN VALVE	\$35.99
461-07006	7006HPR	315MHZ REDI-SENSOR W/ VS-20 SNAP-IN VALVE	\$35.99
461-07007	7007HP	315MHZ REDI-SENSOR W/ VS-70 CLAMP-IN	\$35.99
461-07008	7008HP	433MHZ REDI-SENSOR W/ VS-70 CLAMP-IN	\$35.99
461-05003	5003R	PRE-PROGRAMMED DILL SENSOR TPMS 433MHZ & 315MHZ SNAP IN	\$35.99
	7006HP625	315MHZ REDI 7006HPR with 0.625" clamp-in valve	\$39.99



5003R

POPULAR TPMS KITS AND STEMS

Stem Base: VS15, VS950, VS950S VS20 VS30, VS90, VS45 VS1010 VS65* *VS925A & VS925C(silver), VS280SB & VS925B(black)

Ascot No.	McGee No.	Schrader Version	Description	Price
469-01030	1030K	SH20017AK	Siemens Kit for VW (Fits 1053 Sensor) (Orange)	\$3.95
469-01050	1050K	SH20013AK/ SH20030AK	Siemens Kit for Chrysler (White) SH20013AK includes bottom ball	\$3.55
469-01060	1060K	20001/20002/ 20135AK/20096AK	Fits Schrader SH20096 (Red)	\$1.88
469-01070	1070K	20004/20116AK/ 20115AK/20107AK	Fits Dill 9076, 9107, 9115, 9116 (Blue)	\$1.88
469-01080	1080K	20003/20007/ 20117AK/20028AK	Fits Dill 9028, 9034, 9064, 9081, 9117, 9161 (Green)	\$1.88
469-01090	1090K	-	Compatible with Beru Sensors (Grey)	\$3.75
469-20036		SH20036AK	Entire Valve (Schrader 20036) for Hyundai, Kia, Honda (Dill 1096)	\$10.62
469-01100	1100K	SH20032AK	Compatible with Pacific Sensors for Toyota/Lexus (Purple)	\$3.18
469-01110	1110K	SH20006AK	Compatible with Pacific Sensors for Toyota (Teal)	\$3.18
469-01130	1130K	SH20030AK	Compatible with Schrader 20005 (Burgandy)	\$3.58
469-20025	2000K	-	TRW Kit for Honda, Acura	\$4.48
469-20010	2010K	SH20015AK	Compatible with Schrader Sensors for Volvo (non-stock) (Lt. Brown)	\$2.05
469-20030	2030K	SH20016AK	Dill Sensors 9154, 9204, 9214	\$2.05
469-02040	2040K	SH20019AK	Kit for Honda Civic (Lt. Blue)	\$2.25
469-09250	VS925A	-	Aluminum Metal Replacement Valve for GM Snap-In	\$5.02
469-09251	VS925C	-	Chrome Metal Replacement Valve for GM and Ford Snap-In	\$4.98
469-00950	VS950	SH20018	Rubber Snap-In Replacement Valve for GM & Ford fits Schrader 46133500 (ea)	\$2.15
469-17208	VS950IV	VS950IV	Rubber Snap-in like VS950 for GM & Ford (Import)	\$1.20
469-09305	VS950SC	-	Chrome Replacement Valve for GM and Ford Snap-In	\$3.00
469-34000	46934000		Alum Stem for Schrader 46133500 dual band	\$5.97
469-20020	-	SH20020	Replacement Stem Chrysler, Uses Kit 1050K	\$2.59
469-90660	9066K	-	Complete Replacement Stem Chrysler with Kit (9066B-Ball joint only)	\$5.09
469-07020	7020K	-	Accessory Kit for Redi Sensor	\$4.14
469-00770	VS70	-	Available on the following vehicle in various forms: Years 2010 to 2014 (Acura, Cadillac, Chrysler, Dodge, Honda, Hyundai, KIA, Mazda, Nissan) the sensor most associated with the VS-70 is 7001/HP or 7002.	\$9.06
469-00090	VS90	-	Key at base attaches via press clip; Fits Dodge Dart, Mitsubishi Mirage	\$5.98
469-17436	1743016	-	Smart Sensor Snap-In Valve for ITM, Cub, 31Inc, Pilot	\$3.34
469-20014	-	SH20014AK	Kit Fits EZ Sensor 34000 Stem	\$2.35
469-01010	VS1010	SH20018	Fits Hyundai Sante Fe Snap-In 7mm	\$2.98
469-00065	VS65	SH20635	Base of stem is square Snap-In Fits Doge Rams, Jeep Cherokee	\$4.47
469-17395	VS65IV	SH20017	Base of stem is square Snap-In Fits Doge Rams, Jeep Cherokee Import	\$2.44
469-00035	VS35	-	Dill TPMS clamp-in valve Dodge Ram (DA545D HighRail version)	\$8.54
469-00280	VS280SS		TPMS optional short stem clamp-in chrome (VS280BS-Black)	\$9.20
469-00919	VS919	-	Replacement TPMS stem for 19.5 Trk Wheels, parallel key	\$3.72
469-00241	VS241	-	2017 Ford F350 Super Duty dually aluminum	\$6.62
469-00200	VS20	SH20045	Rubber Valve Stem for 2015 and newer GM and Ford	\$3.03
469-20280	RV1000	-	Autel MX-Sensor Rubber press release stem	\$3.25
469-20279	MV1000	-	Autel MX-Sensor Metal press release stem	\$3.08
469-20281	CV001	-	Autel Black MX-Sensor Black Metal Valve	\$4.17
469-20282	CV002	-	Autel MX-Sensor Titanium Grey Metal Valve	\$4.17
469-20283	CV003	-	Autel MX-Sensor Chrome Valve	\$9.95
469-17393	VS920		.625" valve hole square found in Ford Super trucks/sprinters (VS919 Parallel key)	\$4.47
469-17398	1750398		Short Snap in good for custom applications parallel key	\$1.48
469-00490	VS490		Tesla OEM stem uses T20 screw, aftermarket wheel compatible OE Sensor available PN:2547	\$8.97
469-00015	VS15		Replacement Valve for Toyota Corolla	\$4.77
469-00312	VS312		Replacement Clamp in Stem for Toyota TPMS Adapter w/Bent 0.3 90"	\$6.40
469-00543	DA543E		Valve for GM	\$11.97
469-02045	2045K		TPMS Accessory Kit Honda Acura TPMS Valve Stem Assy Short TRW	\$2.66
	1096		Ball-seat valve stem assy w/ internal shear ring 43mm	\$9.03



1/4" Shaft Tool

- Larger spheres, tapers & rotor saw are excellent for high-tread skiving.
- Smaller spheres chamfer around injuries on liner; don't take a chance on entrapped air!
- For section repair or high-tread repairs on radial truck tires & hot repair on nail injuries for retreaders.



Part #	Shape	Diameter	Coating
RH603	Sphere	7/8" (22.2mm)	Coarse (330)

Polyplugs-RH152 2 1/2" is most popular

- Compensates for mounting inaccuracies
- Improves wheel life
- Reduces vibration for smoother, quieter, more comfortable operation.



Don't forget to upgrade your Flared Contour Wheels with PolyPlug Inserts for an even better buffing experience!

RPG Air Powered Tire Repair Vacuum

- Quick change from blow to vacuum function
- KIT INCLUDES: Plastic body gun, dust bag, 2 extension tubes, shop brush, flat tube, tiny tube



\$49.99

Aluminum body Rema version available



Ascot No.	Mfg. No.	Description
537-00003	VGB2	RPG Air Powered Tire Repair Vacuum

Radiused Faced Rasps



Flat Faced Rasps


Non-Vented Radiused Cup Rasps

• Solid with heavy-duty machined core. 3/8"-24 threaded arbor hole



Vented & Non-Vented Contour Cup Rasp

Vented & Non-Vented Curved Cup Rasps



Vented Radiused Cup Rasps

Buffing Wheels



Ascot No.	McGee No.	Description	Price
539-00033	33	3/8" - 24 Arbor for mounting buffing wheels	\$13.99
539-10001	BC1	36 grit, round-nose buffer wheel, Tungsten Carbide 2 1/2" diameter — use on tires or tubes	\$5.99
538-01034	1034T	2" med. tooth buffing cone-Ideal for passenger inner liners	\$21.62
539-00788		(2) No. BC-1 buffing wheels mounted back-to-back on No. 33 Arbor (order item separately)	
	TCW21060SAEN	2" x 1" 3/8" SAE 60g rasp cup	\$24.99

Arbor & Grit:

Some of the rasps may be ordered in varying arbor holes and grit specifications.

Note: Use 36 grit and up for rubber finishing and cleaning. Use 16 grit for buffing, skiving, and cutting.

Tire Buffing Wheels



Passenger & Light Truck

- Convenient sizes for a wide range of passenger & light truck tires.
- Optimal control for quick results on smaller tires.

Part #	Diameter	Bore	Coating
RH100	1-1/4"	3/8"	Fine (170)
RH102	2"	3/8"	Medium (230)
RH130-170 (Shown)	2"	3/8"	Fine (170)
RH130-230	2"	3/8"	Medium (230)



Passenger through Commercial Truck

- Versatile design for the largest range of tire sizes.
- The preferred choice amongst most technicians.

Part #	Diameter	Bore	Coating
RH107 (Shown)	2-1/2"	3/8"	Fine (170)
RH109	2-1/2"	3/8"	Medium (230)
RH111	2 1/2"	3/8"	Coarse (390)



SUV, Off-Road, and Commercial Truck

- Designed for fastest buffing in larger tires.

Part #	Diameter	Bore	Coating
RH112	3"	3/8"	Fine (170)
RH114 (Shown)	3"	3/8"	Medium (230)
RH116	3"	3/8"	Coarse (390)




3-1/2" Diameter x 3/8" Bore

Part #	Coating	Workstation	Application
118	Fine (170)	Repair	Buffing Inner Liner
		Final Inspection	Cushion Overflow
120	Medium (230)	Repair	Buffing Inner Line
		Final Inspection	Cushion Overflow
122	Coarse (390)	Repair	Buffing Inner Liner
		Skiving	Removing Old Repairs
		Final Inspection	Buffing Low Shoulders
			Sidewall Repairs

May - June 2026: 10% off when you buy 3.

RUBBERHOG

TIRE REPAIR



SSG Structured Carbide coatings and unique flared shape maximizes contact, producing a flat, level buffed surface!



Rubberhog carbides have a coating of randomly spaced sharp uniform conical teeth made from a very hard tungsten carbide material. It is the combination of the sharpness of the teeth, with the uniform height and shape of the teeth, that gives the Rubberhog rasp a fast, cool, superior buff texture resulting in a longer rasp service life.

Wire Brushes

Ideal for buzzout repair of radials



535-08014



535-15463

COPPER CENTER®
WIRE WHEEL
BRUSHES-WIRE FILL

Ascot #	Mfg. #	Dia.	Wire Size	Arbor RPM	Hole	Price
535-15463	15463	2"	.0118"	20,000	1/2"-3/8"	\$9.99
535-15533	15533	3"	.006"	20,000	1/2"	\$14.99
535-15543	15543	3"	.008"	20,000	1/2"	\$12.99
535-15563	15563	3"	.0118"	20,000	1/2"-3/8"	\$11.99

Knotted Brushes

535-08014	08014	3"	.014"	20,000	1/2-3/8"	\$41.99
535-08034	08034	4"	.0118"	20,000	1/2-3/8"	\$46.99

Rema Minicombi Repair Units & Accessories

Part of Rema's renowned Blue Bonding System™, Minicombi features a metal pilot guide for easy installation and seating. Specially designed for tread area punctures on both radial and bias-ply tires, Minicombi should be used with Special Cement BL.



Ascot No.	McGee No.	REMA#	Description(Units/Box)	Price
581-67050	A3	A3	1/8" Minicombi A3 (50/Box)	\$139.99
581-67340	A6	A6	1/4" Minicombi A6 (40/Box)	\$167.89
581-68008	B8MC	B8-MC	5/16" Minicombi B8 (20)	\$118.99



Rema tire tube patches are renowned for their easy application and extraordinary effectiveness. A unique rubber compound allows the patch to stretch evenly and equally in all directions upon inflation, assuring a reliable bond and minimal bulging in any service condition.

Ascot No.	McGee No.	Units Size	Per Box	Price
541-00410	1	1-1/2" Round	30	\$11.47
541-00420	2	1-3/4" Round	30	\$19.84
541-00430	3	2" Round	30	\$25.59

Patch should be 1/2-inch larger in both width and length than the injury.

Rema Tip Top Universal Patch

The Hole Solution™

The only patch you'll ever need for making a nail hole repair. For radial and bias ply passenger or truck tires.



Ascot No.	REMA No.	Injury Size	Qty.	Price
550-26707	UP3	Small Nailhole	100	\$79.59
550-26714	UP45	3/16" Nailhole	300	\$353.60
550-26721	UP6	1/4" Nailhole	50	\$86.96
550-26745	UP8	5/16" Nailhole	50	\$116.53

Ultra Fast Dry Vulcanizing Cement

PREMA Ultra Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used in conjunction with PREMA Repair Materials. Contains no ozone depleting chemicals.



Ascot No.	McGee No.	Description	Size	Price
501-00508	PFC8	Ultra Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.	\$15.19
501-00532	PFC32	Ultra Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz.	\$38.00

Prema Radial Repairs - Passenger and Light Truck

PREMA Center-Over-Injury Repairs are designed for use in all radial tires. The PREMA Radial Repair is intended for use in HOT or COLD applications. PREMA Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Refer to the PREMA Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate Prema repair material.



Ascot No.	McGee No.	Description	L (in.)	W (in.)	# Plies	Qty/Box	Price
575-05109	PR109	Radial 109	3	1 3/4	1	20	\$30.81
575-05110	PR110	Radial 110	3 1/4	2 1/4	1	20	\$38.43
575-05111	PR110T	Radial 110	3 1/4	2 1/4	1	80	\$138.99
575-05112	PR112	Radial 112	4 3/4	3	1	10	\$29.96
575-15112	PR112B	Radial 112	4 3/4	3	1	40	\$117.87
575-05113	PR113	Radial 112HD	5	3 1/4	1	10	\$35.25
575-05114	PR114	Radial 114	5 1/4	3 1/2	1	10	\$47..50
575-05120	PR120	Radial 120	5	3 1/4	2	10	\$57.68
575-05135	PR135	Radial 135	7 1/2	5 1/2	4	10	\$161.03
575-05140	PR140	Radial 140	7 3/4	4 1/4	3	10	\$137.49

RAD 100 Series Radial Repair Units

RL110 Bulk 30 Per Bag - \$62.70

REMA RAD 100 Series center-over-injury repair units. Due to our fully-integrated blue bonding layer and center over injury design, REMA TIP TOP Radial-Ply repair units are suitable for use with all current vulcanizing systems. For best results, always select the corresponding REMA TIP TOP Stem insert unit.



Ascot No.	McGee No.	Patch Size Inches	(mm)	Qty/Box	Price
575-00110	RAD110	2 x 2-3/4	55 x 75	20	\$59.32
575-00115	RAD115	3-1/2 x 3	70 x 115	10	\$71.13
575-00120	RAD120	4-7/8 x 3	85 x 130	10	\$70.35

MCGPR6- Stainless Steel 6" Pocket Ruler with Clip and case \$6.29

- Has a sliding combination clip and depth gauge. 1/32" & 1/64" scales.
- Features a decimal equivalents chart of fractional inches on the back of the ruler.
- 1/2" (12.7mm) wide and 0.020" (0.5mm) thick.
- Measure injuries, tread, you name it!



Prema Universal Repairs

PREMA Universal Repairs are designed for NAILHOLE REPAIRING of tubeless tires in the CROWN area only. Universal Repairs are available in round or square versions. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Always fill the injury channel with the appropriate Prema repair material.



Ascot No.	McGee No.	Description	L (in.)	W (in.)	Qty/Box	Price
550-00502	PUR2	Universal Round 2	2 1/4	--	50	\$44.07
550-00522	PUS2	Universal Square 2	1 3/4	1 3/4	100	\$59.02
550-00533	PUS3	Universal Square 3	2 1/2	2 1/2	100	\$90.27
550-00534	PUS4	Universal Square 4	3	3	50	\$66.55

Gooseneck Stitchers

The newly designed GOOSENECK STITCHER has been proven to enhance stitching performance, providing ample pressure at all points on the tire without causing muscle fatigue for the tire technician.

Part No.	Description	Price
30GN	1-1/2" x 1/8"	\$9.99
6005GN	2" x 1/4"	\$24.99



Manual Tire Spreader

MS1 - 74.99

Ergonomic design to lessen muscle fatigue and increase productivity.



Pre-Buff Cleaner

PREMA Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing. Contains no ozone depleting chemicals.



Ascot No.	McGee No.	Description	Size	Price
505-00532	PPC32	Pre-Buff Cleaner (Flammable)	32 fl oz	\$22.00
505-00516	PPC16	Pre-Buff Cleaner (Aerosol)	16 fl oz	\$14.37

Professional Stitchers

- Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle

Ascot No.	Part #	Description	Price
536-00001	30	1-1/2" Diameter x 1/16" Face	\$19.99



McGee Company can help you determine the tire repair items needed to get started. Call for details!

Ask us about a tire repair cabinet to keep organized!



JET Radial Repairs - Passenger and Light Truck

JET Center-Over-Injury Repairs are designed for use in all radial tires. The JET Radial Repair is intended for use in HOT or COLD applications. JET Radial Repairs are designed for use in the crown area of radial tires. Install with JET Fast Dry Vulcanizing Cement.



Repair Unit	Size		Qty/Box	Price
	Inch	mm		
SR110	2 3/4 x 2	70 x 50	20	\$20.69
SR110H	3 1/4 x 2 3/8	80 x 60	10	\$13.00
SR112	4 3/8 x 2 1/2	110 x 65	10	\$16.06
SR114	5 3/4 x 3	145 x 75	10	\$26.86
SR120	5 x 3	125 x 75	10	\$26.00
SR122	6 7/8 x 2 3/8	175 x 80	10	\$34.93
SR124	8 1/4 x 3 3/8	210 x 85	10	\$45.78

Additional sizes - SR133, SR140, SR142

AS5246 Razor Blade Scraper with Offset Handle \$9.99

- Strong, solid handle ideal for stripping paint, caulk, labels, overspray, gasket material, urethane and glue
- No sharpening needed, just replace the blade
- Protective cover keeps blade sharp and prevents cuts
- Includes one standard single edge blade
- RB100 Razor blades 100/bx \$7.49



Tire Denailer \$12.99

- Blade length 3" • Point diameter 5/16"
- Made in USA



Developed by a tire repairman to probe the injury and push the nail back through the tire. Probe has a recess at the tip to accept the point of a nail or other puncturing object.

Ascot No.	Mfg. No.	Description	Price
537-15227	23113IR	Insert Tool Open Needle	\$5.12
537-15230	20000	Insert T Handle Open Needle	\$25.19

REPCAB - JET REPAIR CABINET \$349.99

HD locking cabinet, 2 slide drawers on rollers and multiple shelves.

Everything you need for basic tire repair (optional equipment shown)

Includes:

- Innerliner Scraper
- Tire Repair Knife Round Point Flexible 4"
- Cement Tool Spiral
- Ball Bearing Stitcher 1-1/2" x 1/16" CS1
- Pre Buff Rubber Cleaner Aerosol 16 oz.
- Cement Vulcanizing Fast Dry 8 oz.
- Patch Rad Rect 2-3/4" x 2" SR110 20/Bx
- Sealer Innerliner Black 16 oz.
- Repair Cabinet Empty
- Patch Combi Unit SCU03 1/8" 24/Bx
- Patch Combi 1/4" SCU06 24/Bx
- Optional shown (Vacuum, Low-speed buffer, etc...)



Schedule your proper tire repair training with your rep today (includes certificate of completion)

Premium Quality Chemical Vulcanizing Rubber Patches

Stems Repair Unit



Note: The JET Combi may only be used when the angle of the injury is LESS THAN 25°. If the injury angle is GREATER THAN 25°, repair with the appropriate two-piece stem and repair unit.




JSU - Combi

Repair Unit	Inch	mm	Cutter	Qty/Box	Price
SCU03	1/8	3	BU18T	24	\$32.50
SCU06	1/4	6	BU14T	24	\$40.72
SCU08	5/16	8	BU516N	24	\$48.20
SCU10	3/8	10	BU38T	10	\$41.10

Universal repairs - nail hole injuries in crown area only. Advanced cushion gum for max adhesions.

Bias or Radial — Universal Repair Units - Square


Repair Unit	Inch	mm	Qty/Box	Price
SSA45	1 3/4 sq	45 sq	100	\$31.54
SSA55	2 1/8 sq	55 sq	80	\$33.78
SSA55T	2 1/8 sq	55 sq	100	\$46.60



AS - Square

Bias or Radial — Universal Repair Units - Round

Repair Unit	Inch	mm	Qty/Box	Price
SRA45	1 3/4	45	30	\$9.89
SRA45T	1 3/4	45	100	\$27.00
SRA55	2 1/8	55	30	\$12.16
SRA55T	2 1/8	55	100	\$34.32



AR - Round

Vulcanized Tubeless Tire Repair Seals

- For emergency repair use only
- String repairs are not designed to be used in lieu of a permanent repair
- Repair a punctured tire in a matter of minutes
- Made from high-strength yarn and butyl rubber



Made in USA

McGee No.	Description	Qty/Box	Price
361UBX	4" Brown String Repair	50	\$13.99
362UBX	8" Brown String Repair	25	\$13.99
370UBX	7" Thin Black String Repair	50	\$15.72



- Clean out small injuries

Ascot No.	McGee No.	Description	Price
537-90150	261RT	Reamer	\$11.14

- Used to inspect injuries in tires and to remove small stones and debris



Ascot No.	McGee No.	Description	Price
537-00001	1013P	Black Handle Awl	\$11.99
537-00083	TMIT	Tire Injury Measuring Tool Color Coded	\$10.99

#MTK Pouch - \$45.99



Includes:

1 ea	GA115 Gauge 20-120 PSI
1 ea	MK White Markal
1 ea	1246D Flip Socket 3/4-13/16 Thin Wall
1 ea	1291DT Flip Socket 19mm-21mm
1 ea	595TM Tread Depth Gauge
1 ea	TL620 Core Tool



McGee Company does not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.

Lug Nuts




Product	Desc1	Desc2	Price Ea	Box
LN01	LUG NUT 14MM X 2 BIG	BULGE FOR 13/16" HEX	\$3.36	\$67.18
LN02	LUG NUT 12MM X 1.5 BULGE	ACCURA,HONDA 3/4" HEX	\$1.27	\$25.50
LN03	LUG NUT 14MM X 1.5 2 PC	DODGE/JEEP/RAM 7/8" HEX	\$2.30	\$45.96
LN04	14MM X 1.50 2 PC	BULGE GM 7/8" HEX	\$2.48	\$49.60
LN05	9/16"-18 2 PC BULGE DODG	E/JEEP/RAM 7/8" HEX	\$2.30	\$45.96
LN06	1/2"-20 BULGE ACORN	13/16" HEX	\$1.28	\$24.50
LN07	12MM X 1.25 BULGE ACORN	13/16" HEX	\$1.28	\$25.50
LN08	12MM X 1.50 BULGE ACORN	13/16" HEX	\$1.43	\$28.56
LN09	12MM X 1.25 BULGE W/ WA	SHER-NISSAN-13/16" HEX	\$2.39	\$47.74
LN10T	LUG NUT 12MM 1.5 BULGE	W/ WASHER TOYOTA 13/16"	\$2.24	\$44.71
LN11	LUG NUT 14MM X 1.5 2 PC	MAG W/WASHER 7/8" HEX	\$3.96	\$79.27
LN12	LUG NUT 12MM X 1.5 CHRY	SLER MAG 3/4" HEX	\$3.24	\$64.80
LN13	LUG NUT 1/2"-20 BULGE	ACORN 3/4"HEX	\$1.27	\$25.49
LN14	LUG NUT 12MM X 1.5 FORD	13/16" HEX	\$1.75	\$34.99
LN15	LUG NUT 12MM X 1.5	BULGE ACORN 3/4" HEX	\$1.27	\$25.49
LN16	LUG NUT 12MM X 1.25	BULGE ACORN 3/4" HEX	\$1.27	\$25.49
LN17	LUG NUT 12MM X 1.25	CONE LUG BOLT 19MM HEX	\$2.35	\$47.09
LN18	LUG NUT 14MM X 1.5	FORD 13/16" HEX	\$2.91	\$58.10
LN20	LUG NUT 14MM X 1.5	7 SPLINE	\$1.44	\$28.73
LN21	LUG NUT 12MM X 1.5	SPLINE 6-SIDED	\$1.37	\$27.34
LN22	LUG NUT 12 MM X 1.25	SPLINE 6-SIDED	\$1.10	\$22.03
LN23	LUG NUT 1/2" 20 SPLINE 6	SIDED BLACK	\$1.49	\$29.81
LN24	LUG NUT 14MM X 1.5 BLACK	BLUGE ACORN 3/4" 2 PC	\$1.61	\$32.18
LN25	LUG NUT 12MM X 1.5 BLACK	BLUGE ACORN 3/4" 2 PC	\$1.61	\$32.18
LN26	LUG NUT 12 MM X 1.5	SPLINE 6-SIDED BLACK	\$2.92	\$58.32
LN27	LUG NUT 12 MM X 1.5	2 PC SPLINE 6-SIDED	\$2.92	\$58.32
LN28	LUG NUT 12 MM X 1.5 2PC	OPEN END BLGE ACORN ZINC	\$0.92	\$18.36
LN29	LUG NUT 14 MM X 1.5 2PC	OPEN END BLGE ACORN ZINC	\$0.92	\$18.36
LN30	LUG NUT 1/2" 20 OPEN END	BULGE ACORN ZINC	\$0.92	\$18.36
LN31	LUG NUT 14MM X 1.5 FORD	HEAVY DUTY FORD	\$4.31	\$86.18
LN35	LUG NUT 12MM X 1.25	SUBARU 3/4" HEX	\$1.21	\$24.19
LN36	LUG NUT 12MM X 1.25 JEEP	ACORN SEAT LUG BOLT	\$2.05	\$41.04
LN37	LUG NUT 14MM X 1.5 FORD	13X16" HEX F250 F350	\$4.38	\$87.70
LN38	LUG NUT 12MM X 1.5	TOYOTA 13X16" HEX	\$2.57	\$51.41
LN39	LUG NUT 12MM X 1.5	BULGE ACORN 3/4" HEX	\$1.27	\$25.49
LN40	LUG NUT 14MM X 1.5" OE	DUPLEX 7 SPLINE ACORN	\$0.71	\$14.20
LN41	LUG NUT 14MM X 1.5" LONG	CHROME DUPLEX 7 SPLINE	\$1.04	\$20.80
LN42	LUG NUT 14MM X 1.5" LONG	BLACK DUPLEX 7 SPLINE	\$1.33	\$26.60
SA01	CAR ADPT FOR LUG NUTS 6-	SPLINE 3/4" & 13/16" DR	\$6.99	
SA02	TRK ADPT FOR LUG NUTS 7-	SPLINE 7/8" & 13/16" DR	\$6.99	
SA03	CAR ADPT FOR LUG NUTS 6-	SPLINE 19 MM & 21 MM DR	\$6.99	
LN185FF0B	LUG NUT 14MM X 1.5 FORD	13/16" HEX BLACK	\$3.38	\$67.60
LN188F0B	LUG NUT 14MM X 1.5 BLAC	K BLUGE ACORN 3/4" 2 PC	\$1.25	\$25.00
LN188LF0B	LUG NUT 14MM X 1.5 TRUCK	SPLINE 7-SIDED BLACK 1.9	\$1.90	\$38.00
LN189A0B	LUG NUT 1/2"-20MM 1.4	BLACK BULGE ACORN 3/4"	\$1.10	\$22.00
LN189LF0B	LUG NUT 14MM X 1.5 BLAC	K 2 PC 3/4" ACORN 1.9	\$1.10	\$22.00
LN289LF0C	LUG NUT 14MM X 1.5 2 PC	3/4" ACORN 1.9	\$1.50	\$30.00
LN289LFK6C	LUG NUT 14MM X 1.5	ACORN 1.89 HD LONG (sold by 24)	\$1.71	\$34.20
LN179L0Z	LUG NUT 9/16" X 18	ACORN ZINC OPEN END	\$0.80	\$16.00

32-Bin Metal Storage Cabinet

- CABINET SIZE: 33-3/4" (W) x 8-1/2" (D) x 19-1/4" (H)
- DRAWER SIZE: 4" (W) x 8-3/8" (D) x 4-1/2" (H)
- Keeps your tools and accessories organized and accessible
- Heavy-duty, welded steel construction provides strength and stability
- Hemmed bin fronts for retaining parts
- Mounting holes located in the top and bottom
- Shipped fully assembled and ready to use
- WEIGHT: 37 lbs.

Wheel weight label stickers available

MC025
25 Oz.



Ascot No.	Mfg. No.	Description
719-00032	32B	32-Bin Metal Storage Cabinet

18-Drawer Metal Storage Cabinet



Comes with stickers with lug nut labels to add!



Great for wheel weights or misc parts

- CABINET SIZE: 33-3/4" (W) x 11-3/4" (D) x 10-3/4" (H)
- DRAWER SIZE: 4-7/8" (W) x 11-1/4" (D) x 2-3/4" (H)
- Modular drawer design for efficiency and organization
- Heavy-duty, welded steel construction provides strength and stability
- Drawers feature stoppers to prevent accidental pulling or spilling
- Full-width handles and easy glide runners
- Shipped fully assembled and ready to use
- WEIGHT: 45 lbs.

Ascot No.	Mfg. No.	Description
719-00018	18D	18-Drawer Metal Storage Cabinet

40202312 Tesla Wheel Bolt Lock Socket Set \$99.99

- Applicable for installing and removing locks of Tesla series.
- Contents: #76, #77, #78, #79, #80, #81, #82, #83, #84, #85
- This tool enables you to permit servicing of customer vehicles, even customer has lost the key.
- Hand Tool use only, don't use impact wrench and air tool
- Made in Taiwan



12-Piece Tap and Die Set for Wheel Studs and Wheel Nuts

- Re-cutting and cleaning the threads is very simple
- The set includes all essential tools and adapters and comes in a blow mold case
- 4PC. DIE: m12x1.25,m12x1.5,m14x1.25,m14x1.5
- 4PC. TAP: m12x1.25,m12x1.5,m14x1.25,m14x1.5
- 1PC. tap holder (M12-M18)
- 1PC. die socket (Ø38 HEX, Ø36.5 ROUND)
- 1PC. screw pitch gauge
- 1PC. 1/2" sr. 25mm with C-ring socket



Ascot No.	Mfg. No.	Description	Price
319-00012	31900012	12-Pc Tap and Die Set for Wheel Studs and Wheel Nuts	\$144.99

INDIVIDUAL SOCKETS AVAILABLE

Locking Lug Master Key Set

The set was designed explicitly for the purpose of removing locking lug nuts on aftermarket wheels. The 16 piece set comes with both standard (SAE) and metric pieces that can be used on Spline, Star, Hex and Fluted Hex fasteners.


40201283 - \$129.99





McGee Company
 1140 South Jason Street
 Denver CO 80223

PRSR STD
 U.S. POSTAGE
PAID
 DENVER, CO
 PERMIT NO 1772



ATTN: ROUTE TO SERVICE DEPARTMENT

©2025 McGee Company, Denver, Colorado

McGeeCompany.com • 1-800-525-8888

ASBHT - Blue Hub & Rim Tape Roll

- Made from polyethylene material & offers reliable defense against scratches and damage during tire installation or road use, preserving your wheel rims original condition and appearance
- Features a high-adhesion backing that allows for quick and secure application on car or motorcycle wheel rims without leaving residue, simplifying the protection process
- Ideal for repairing and protecting car and motorcycle wheel rims during tire changes or daily driving, this rim protection strip helps maintain the integrity and appearance of your wheels



\$25.99

15 Pc. SAE Long Combination Open End Wrench Set

\$129.99

- Open-end grip provides 25% more torque
- Offset box end
- Comfortable I-beam handle design
- Chrome plated for rust protection
- Made in Taiwan



AS9411




AS9415

- **AS9415**- Fractional sizes: 1/4, 9/32, 5/16, 7/8, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 15/16, 1"
- **AS9515** Metric sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- **\$129.99**
- **11 Piece AS9511** Metric sizes: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm **\$109.95**
- **11 Piece AS9411** Fractional sizes: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8" **\$109.95**

Flex Head Open End Combination Wrenches \$24.99

- Capable of tilting 180 degrees
- 72 teeth with double stack pawls to provide 144 tips (ratcheting positions)
- 144 tips provide wrench with more movement, a 2.5-degree space requirement for each turn
- Made with chrome vanadium steel for strength in Taiwan
- Designed for working in confined space
- **916FHOECW** - 9/16" Flex head
- **58FHOECW** - 5/8" Flex head



916FHOECW

ARE YOU READY?

EV Chargers Available by Autel

Ask about our other EV related TPMS, Lifts, and Diagnostic tools.

WANT TO KNOW WHAT OTHER EV FOCUSED PRODUCTS WE OFFER?



Ascot Storage Boxes

- Storage box is made from prime, cold rolled steel
- Rust and acid-resistant baked enamel finish
- Storage bins have scoop bottom compartments for easy removal of small parts
- Metal clasp holds lid down to provide transportability
- Designed to fit existing Durham sliding drawer cabinet bases
- Sliding door cabinets for these available!



719-00116



719-00016

MORE STORAGE SOLUTIONS!



Graco Oil King

- Large 25 gallon capacity with sight gauge
- Convenient tool trays and filter areas
- Large offset collection pan with screen
- Oversized tires to get over hose and rough floors



238866

238866 — Now! \$799.99*

Splatter pads available!

GRACO QUALITY!

Rhino Tuff Tanks

- Fluid Dispenser Compatible
- Stackable
- Caged Options

