



# McGEE COMPANY

SINCE 1951

Albuquerque • Atlanta  
Dallas • Denver • Salt Lake

1-800-525-8888

www.McGeeCompany.com

Automotive Service Equipment  
Tire Service Supplies  
Retreading Equipment & Supplies  
Passenger/Truck/OTR

EXPIRES 10/1/2024

All prices are F.O.B. our warehouse unless otherwise specified.  
Lease figures are approximate and subject to change.



PRICES SUBJECT TO CHANGE  
VISA AND MASTERCARD ACCEPTED  
2% Service fee on all credit cards



## 1/2" Drive Super Duty Air Impact Wrench

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.
- Compare to IR231

**\$139.99**



153-23120

Protect your investment with bootie JB04BLUE.



**FREE\***  
3/8" X 100' Air Hose & Blow Gun Kit With the purchase of a 153-23120-K RPG 1/2" Drive Super Duty Air Impact Wrench

Ascot No.	McGee No.	Description
153-23120K	A2312KIT	1/2" Drive Air Impact Wrench - 2" Extended Anvil

\*While supplies last



## SICK OF THE TIN COVERS?

Try our

# SOLID CHROME

solutions



LN1 LN2 LN3 LN4/LN5 LN6 LN7

See page 30 for lug nuts!

18D – 18 LABELED DRAWER METAL STORAGE CABINET available

## Tire Sealants - Time Tested! Instant Puncture Protection


Instant puncture protection. Repairs any pneumatic tire, tubeless or tube type. Prevents flats from cactus needles, thorns, stickers, and most small nails. Also prevents high pressure and rim leaks.



McGee No.	Description	Price
FS15	Applicator pump with a 16" hose for 1 gallon size	<b>\$9.99</b>
FSP	Metal 5 gallon tire sealant pump with lid	<b>\$75.31</b>
STSOTRCS4128	STS OTR tire sealant 1 gallon	<b>\$48.21</b>
STSOTR640	STS OTR tire sealant 5 gallon	<b>\$191.29</b>
TC415	Enforce Fibroseal OTR tire sealant 1 gallon	<b>\$31.43</b>
TC417	Enforce Fibroseal OTR tire sealant 5 gallon	<b>\$126.50</b>


## COB Rechargeable Work Light

**TWL3007E - \$19.99**



## CPH001 LED rechargeable headlamp \$24.99

- Hands free on/off of main light
- ABS silicone band (lightweight)
- COB high, low, and flashing with 3W Led High/low spot
- USBC charging 3-4 hrs with working time 3-8hrs
- Waterproof and shockproof



## Premium Quality Chemical Vulcanizing Rubber Patches

Stems Repair Unit

See page 25 for more!



Note: The JET Combi may only be used when the angle of the injury is LESS THAN 25°. If the injury angle is GREATER THAN 25°, repair with the appropriate two-piece stem and repair unit.

SCU - Combi

Repair Unit	Inch	mm	Cutter	Qty/Box	Price
SCU03	1/8	3	BU18T	24	<b>\$25.99</b>
SCU06	1/4	6	BU14T	24	<b>\$31.99</b>
SCU08	5/16	8	BU516N	24	<b>\$38.99</b>
SCU10	3/8	10	BU38T	10	<b>\$32.99</b>

## “Combi” Tire Bead Breaker

- Works on a single, two and three-piece truck, agricultural and earthmover tire/rim
- Breaks beads in seconds using 10,000 lbs. of force
- No screws, bolts or attachments
- “Combi” bead breaker will not work on five-piece earth mover giant wheel/rim



422-11010




422-16200

The 16200 upgrade kit can be added to Combi Bead Breakers in order to convert the tool so that it can work on new 3 piece wheels.

Ascot No.	McGee No.	Description	Price
422-11010	10101	Bead Breaker	<b>\$658.99</b>
422-11020	11020	Modified “Combi” Tire Bead Breaker	<b>\$999.99</b>
422-16200	16200	Conversion Kit for Combi Bead Breaker	<b>\$479.99</b>

## Modified “Combi” Tire Bead Breaker Kit

- Modified 11010, the most popular tool for breaking beads on all agriculture wheels
- Most affordable bead breaker for new 3 piece wheel assemblies
- Modified jaw and feet allow for larger grab on larger wheel assembly



15920  
(98050- RPG Vers)

422-12020 (full kit)

Ascot No.	McGee No.	Description	Price
422-12020	12020	Bead Breaker Kit. INCLUDES: 11010 Bead Breaker, 15920 Pump and 16040 Hose Assembly	<b>\$1499.99</b>

## Hy-Flo Hydraulic Coupler

- Lightweight yet durable - 3/8" couplers
- Includes ram and hose portions
- Interchanges with OTC, Power Team, AME & ESCO hydraulic products



10600 Set

10606 10605

AHP20H

Ascot No.	McGee No.	Description	Price
318-09795	10600	Hy-Flo Hydraulic Coupler Set (9795)	<b>\$49.99</b>
318-09796	10606	Ram Female Half (9796)	<b>\$25.99</b>
318-0978	10605	Hose Male Half (9798)	<b>\$14.99</b>
318-04960	AHP20H	Nylon Core Synthetic Fiber Reinforced 8ft x 3/8" & half coupler 10605	<b>\$64.99</b>

## 1005LOM Service Truck Lockout Kit - \$149.99

McGee Company has the right tools when you need them. Now stocking 1005LOM Service Truck Lockout kit to keep people safe and avoid operating vehicles when they shouldn't be.

- Durable latch case that is super small!
- Reorder parts whenever to add to or replenish.
- Safety red items in case to draw attention.
- Contains Steering wheel cover, do not operate tags, padlock, steel hasp, and glad hand lock.



Service Truck Packages and Cribbing by Service Truck Packages



OTR Inflation/Deflation Kit 24855



Tool Identification Chart by Rim



Other vehicle lockout kits available

## 55- and 100-Ton Aluminum Rams

Get the strength of a steel ram but with about half the weight. These single-acting, spring-return rams are easily carried around the shop, or into the field for on-the-vehicle repairs. They are ideal for truck axle correction, trailer frame straightening, general vehicle maintenance, and heavy-duty lifting.

McGee No.	Capacity	Low Ht.	Raised Ht.	Wt	Price
AJ506B (13120)	55-ton	12.25"	18.25"	29 lbs	<b>\$1049.99</b> (base included)
13000AME	100-ton	11"	17.5"	53 lbs	<b>\$1799.99</b> (base not included)



13000AME



AJ506B

## Hydraulic Rams

Used to push off rear rim flange and tire bead on earthmover wheels

- For all earthmover tires, trucks and perfect for construction

Mfg. No.	Cap. (Tons)	Collapsed Height	Stroke	Price
10301	10	4-3/4"	2-1/8"	<b>\$249.99</b>
10302	10	6-3/4"	4"	<b>\$259.99</b>
10303	10	9-3/4"	6-1/8"	<b>\$279.99</b>



422-10303

422-10302

422-10301

## 11076 - Original Maxi Bead Breaker

- Lightweight aluminum reduces weight by 40%
- Adjustable clamp allows for a perfect fit - regardless of the size of wheel
- Unit delivers 10 tons of force
- 2.75" (7 cm) stroke breaks beads often with only one “bite”
- Weight 31 lbs (14.1 kg) (Competitive to IMT1000)



Bead breaker pump chart



11076

**\$1,999.99**

## Air Reducer with 6" Whip Hose

- Maintains tool's recommended working air pressure
- Tamper-proof preset value, 110 PSI
- Assist in lengthening the life of hydraulic pumps & lifting equipment
- Ideal for all hydraulic tools to extend their life



10601k

**\$44.99**



14464

## Jack Plate

**14464** 12x12x1" Jack Plate  
**D1818** 18x18x1" Jack Plate available  
**14464- \$104.99**

## 95055 - Magnetic Retractable Barrier Mag-Bear 25' \$98.99

See page 23 for more info.



## Double Diaphragm Calcium Chloride Pump

- No lubrication required
- Self-priming, non-stalling, low noise level
- Diaphragms have no stress points and less flex for longer life
- No gradual loss of pump performance due to wear
- Can run dry indefinitely
- Protected by an air filter/regulator
- 35 gallon per minute free flow
- Parts & accessories also available from AME



47515103  
Double  
Diaphragm  
Calcium  
Chloride  
Pump

47530280  
Replacement  
4-Way Valve

47530281  
Replacement  
Handle

McGee No.	Description	Price
47515103	Double Diaphragm Calcium Chloride Pump	\$1199.99
47530280	Replacement 4-Way Valve for Calcium Chloride Pump	
47530281	Replacement Handle for Calcium Chloride Pump 4-Way Valve	

## Dual Agricultural 300 TIRE BEAD BREAKER

- Lightweight and easy to handle
- Requires only 4 1/2" (11.5 cm) operating space
- Designed for all agricultural applications
- 5 tons of pushing force
- Opens to 12" (30.5 cm) wide
- Weight: 20 lbs (9 kg)



11065 in use



11065  
\$1,399.99

Ask us about our AG/OTR de/inflator kit 24855!

## F310 Valve Adapter Gun



F310



N1091  
\$10.99 ea.

Has a 1/2" female pipe thread and will attach to any calcium tire filling pump. It will extract the valve core from a standard bore valve or the core housing from a tractor valve. It will securely hold the valve core or core housing up in the gun body during tire filling or evacuation of liquid from tire. Due to its design it will permit faster evacuation of liquid from a tire than with other adapter guns. Replaces Deming #1010

464-00310 #F310 ..... \$74.99

## CRIBBING BLOCKS


- Certified and tested
- Multiple sizes, shapes fit most applications
- Interlocking or aggressive non-slip surface
- Non-conducting plastic resists oil and most chemicals
- Does not splinter, like wood
- MADE IN THE USA

COLOR-CODED  
WORKING LOAD  
LIMIT LANYARDS

Cribbing Selection  
Guide or call  
1-800-525-8888





Part No.	#15230 Original Super Stacker Block 6in x 7in x 24in	#15239 Primo — Solid Block 6in x 7in x 24in
Dimensions	6" x 7" x 24"	6" x 7" x 24"
Lanyard Color	BLUE	ORANGE
Working Load Limit	110,010 lbs (49,900 kg)	129,631 lbs (58,800 kg)
Weight	24.4 lbs (11 kg)	27 lbs (12.2 kg)



## CRIB BLOCK STACKING CONFIGURATION

3 X 3

3 X 3 SIDE



Note: Mechanically lock load and prevent damage to crib blocks caused by point-loading with AME Jack Plates



Kit No.	15230 Original Super Stacker Block 6in x 7in x 24in	15239 Primo — Solid Block 6in x 7in x 24in	14468LT Locking Jack Plate 24in x 24in x 2in	14503 Bottom Locking Jack Plate 27in x 24in x 2in
#15266	12		1	
Comm Tire / Small AG / OTR. Tires up to 295/25	#15252PLB 12		1	1
	#15269	12	2	
Medium AG / OTR. Tires up to 45"	#15266PLB	12	1	1





## 20-Ton Air/Hydraulic Bottle Jacks

- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose & more compact storage

## 22-Ton Air/Hydraulic Truck Jack

- Large air motor provides an exceptional quick lifting experience
- Narrow chassis fits between tandem truck wheels
- Comes with three adapters in different sizes that cater to different working requirements



## Floor Jacks

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning
- 2-Ton, 2-1/2-Ton, 3-Ton, 3-1/2-Ton & 4-Ton capacity



1 Year Warranty on Ascot Jacks

Ascot No.	McGee No.	Description	Min. Hgt.	Max. Hgt..	Hyd.Lift Range	Exten. Screw	Chassis Size	Saddle Size	Handle Length	Ship Wt. (LBS)	Price
301-20221	AS2022S	20-Ton Short Air/Hydraulic Bottle Jack	7"	12-5/8"	3-3/8"	2-3/9"	N/A	N/A	9-3/8"	30.6	<b>\$269.99</b>
302-19150	AS1915	22-Ton Air/draulic Truck Jack	10-1/2"	21-1/8"	6-1/8"	4-1/2"	N/A	N/A	45-1/4"	101.9	<b>\$499.99</b>
302-05605	AS5605	Ascot 3-1/2-Ton Floor Jack	3-3/4"	20-1/2"	16-3/4"	N/A	27.2" x 14.25"	4-1/4"	47-7/8"	100	<b>\$299.99</b>
302-05614	AS5614	Ascot 4-Ton Floor Jck	4-3/8"	20-1/4"	16"	N/A	27.7" x 14.4"	4-1/4"	47-7/8"	102.5	<b>\$389.99</b>

## Universal Handle Protector - GHP01

**\$11.99**

Made of a durable synthetic rubber

- Unique design ensures a tight fit on jack/tool handle without slippage
- Protects vehicles from scratches or dents caused by falling jack handles and unstable tools in the shop
- Keeps water/debris out of handle



## 3-Ton Jack Stands

- Ratchet height adjustment built within column
- Multi-level ductile iron ratchet bar adds strength and durability
- Sold in set of two

3-Ton – 30263030 **\$39.99**

6-Ton – 30263060 **\$79.99**



## 30251005 10-Ton High Jack Stands (pair)

- Pin-style stands with supporting range from 27.95" to 47.56" suitable for high-height applications
- HD tubular steel design provides stability and rigidity
- Multiple pin holes to allow easy adjustments
- Saddle with lugs for easy positioning of the load

**\$399.99**



## 302-02812 AS2812 - Jack Stand Underhoist Tripod 2-Ton

**\$159.99**

- Min Height: 48-7/16" , Max Height: 83-1/16"
- Saddle: 5-7/16" x 1-9/16"
- Base: 24-7/16" x 21-1/4"
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Saddle comes with a removable rubber cover to protect load



## Accessories for Ascot Grey Service Jacks



Ascot No.	Mfg. No.	Description	Applicable Models
302-60129	AS5601-29-a-FH	Spring	2-Ton/3-Ton/4-Ton
302-61301	AS5613-01	Fixed Wheel Assy.	3-Ton
302-61401	AS5614-01	Seal Kit for Pump	3-Ton/4-Ton
302-61402	AS5614-02	Fixed Wheel Assy.	4-Ton
302-61403	AS5614-03	Pump	3-Ton/4-Ton
302-61404	AS5614-04	Caster	4-Ton

## 302-02811 AS2811 - Jack Stand Capacity High Reach 1500LB

**\$129.99**

- Min Height: 54-3/4" , Max Height: 81-1/8"
- Saddle Size: 5-3/4" x 2-3/4"
- Base Size: 12" diameter
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Comes with a 12" base for stability
- Saddle comes with a removable rubber saddle cover to protect vehicle components
- AS2811B is W/ FOOT PEDAL



## 371-03321 AS3321 - Transmission Jack Telesc Two-Stage 1/2 Ton

**\$959.99**

- Min Height: 37" , Max Height: 76-3/8"
- Saddle Tilt (Forward/Backward): 29°/10° (Left/Right): 27.2°/46.8°
- Caster Size: 4"
- Foot activated raising and lowering pedals allow hands free operation
- Overload valve prevents jack from being used beyond its rated capacity
- Speed limiting valve ensures an automatic safe speed descent - not greater than 1" per second.
- "Hidden" hydraulic double pump system provides FAST lifting - under no load the jack can reach maximum height in 35 pumps
- Deluxe saddle with 2 angle adjustments - fore/aft and side to side - for maximum user flexibility.
- Includes a 59" tie down chain to secure the load.
- Chrome plated piston rod and pump core for longer service life.
- The grease fitting at the ram nut allows easy lubrication of the shafts.
- Heavy duty 4" steel swivel casters provide effortless maneuvering through the shop, 2 standard and 2 with locking mechanisms
- Wide channel steel base provides exceptional strength and stability



Basic Jack Maintenance



Why Use Jack Stands & Transmission Jack Safety Tips



ASK US ABOUT OUR TRANSMISSION AND UNDER HOIST JACKS TODAY! 1-800-525-8888

# HYDRAULIC SERVICE PRODUCTS

## 20-Ton 72090A \$759.99

INTENDED USE: Heavy duty truck, agricultural and heavy construction equipment. Ideal for loaded truck and trailer roadside service calls.

- Its light weight makes it perfect for mobile repair service.
- Long handle with 36-1/2" reach helps in positioning jack under vehicles with low overhang.
- Parkerized coating on pump piston, extension screw and extension adapters and chrome coated ram offer protection against rust.
- Removable extension screw with two 4" extension adapters (included) for added height.
- Self-retracting ram eliminates manual lowering.
- 5 1/4" diameter high impact composite wheels make maneuverability easy.
- Fast efficient air pump reduces lifting time and has a built-in relief mechanism which prevents the jack from being used beyond its maximum allowable capacity.
- Convenient push button air valve connected to an in-line filter prohibits contaminants from entering the air/hydraulic system.



Low Lift Height	8.625"	Base Size	9.25" x 17.25"
High Lift Height	22.75"	P.S.I. Range	100-130
Stroke	4.125"	Shipping Weight	63 lbs.
Screw Extension	2"		

## 22 Ton Air/Hyd Axle Jack with 3pc Ext Kit

New 565F1 from AFF - Now with reinforced frame

Call for availability and pricing

72200D from Norco - \$919.99

565F1 \$699.99

- Specially engineered air motor delivers fast and efficient operation
- Long t-handle design allows easy access to vehicles with long overhangs
- Large 8 inch diameter rubber wheels provide effortless travel in the shop or roadside
- Fully welded hydraulic pump and cylinder delivers maximum strength and leak free operation
- Heavy duty wiper seals protect the system from contaminants and ensures long service life
- Overload safety valve provides added operator safety



Capacity	Ram Lift	Low Height	High Height w/extensions	Length	Front Width	Rear Width
22 tons	4-3/4"	8-1/4"	21-1/2"	20-1/4"	6-15/16"	12-13/16"

## Truck Wheel Dolly



BJT300A for 19.5-24.5" Wheels

- Easily handles new super wide tires that are becoming prevalent in the trucking industry.
- Provides technician with the leverage needed to handle the removal and installation of large tires
- Heavy duty tubular steel construction
- Bent handle design improves leverage and reduces user strain
- 14" rollers turn and pivot for accurate & efficient alignment of mounted truck tires with hub stud
- 26" wide carriage handles tire diameters 36"- 48"; 450 lb. capacity

Ascot No.	McGee No.	Description	Price
407-70130	AFF3591	Truck	\$135.99

## 25-Ton Blackhawk Platinum Air/Hydraulic Jack

- Chrome-plated ram
- Improved bearing surfaces
- High cycle durability
- Long life seals
- High/low temp functionality
- 5 year warranty with electronic registration
- Made in Taiwan

302-00225 - \$899.99

Ascot No.	McGee No.	Capacity	Min. Height	Max. Height	Saddle Extensions
302-00225	BP225	25 Tons	9-5/32"	22" w/ext.	1", 2.5", 6", & 7"



## Bottle Jacks



- Extension screw on some models
- Rust protection covering
- Uniweld construction
- 50% overload factor
- Fewer moving parts

ZN12	Jack Bottle Standard 12-Ton	\$129.99
ZN22	Jack Bottle Standard 22-Ton	\$209.99
ZNB12	Jack Bottle Low Profile 12 Ton	\$139.99
ZNB22	Jack Bottle Low Profile Screw Out Ext 22 Ton	\$219.99

## 20 Ton Capacity Air/Hydraulic Super Duty Bottle Jack

- AFF's most innovative and robust air/hydraulic bottle jack to date
- Redesigned air motor
- Super thick base to increase stability on every surface
- High-strength Steel Ram and cylinder with long ram guide for greater safety in off-center load conditions
- Welded Tank (threaded and screwed to the base) endures the rigors of in-service conditions and reduces risk of tilting out of the oil reservoir



Low	10.375
High	20.625
Ship weight	45 lbs.

Lift	6.375
Base	5.75 x 9

5620SD	20-ton standard	\$349.99
5621SD	Low profile design	\$359.99
5630SD	30-ton super duty	\$459.99
76320B	20-ton Norco	\$399.99



Jack Oil HF100 \$8.98 Qt.

## 400SS 4 Ton HD Floor Jack \$429.99

- Twin hydraulic system for fast and efficient lifting
- Heavy duty pump, ram, and cylinders are precision machined and inspected to ensure long service life
- High grade U-cups seals and high-pressure plunger for maximum performance
- Rear mounted swivel casters for easy maneuverability
- Universal joint technology provides a more controlled descent
- Pinned and padded saddle for extra vehicle protection
- Flanged side plates for increased stability
- Integrated parts tray keeps small components from getting lost



## 14455 - Jack Bottle Air Hyd 20 Ton \$476.99

- Comes with free 14453 Jack plate 10x10" (\$100 value)
- Min: 9.7" max 18.5" Height
- Has Flexilla whip hose for longer life & max durability in all climates
- In-line regulator limits inlet pressure to 94 PSI



## 3-1/2 Ton Professional Heavy Duty Double-Pumper Floor Jack

Model 350SS - \$409.99

This unit offers all the features of our model 350GT with additional speed and efficiency thanks to AFF's double-pumper advantage for quicker lifting.

- Lifts from 4" to 19-1/2"
- Pinned steel saddle (1-1/8" stud) with rubber pad for added vehicle protection
- Rear-mounted 2-3/4" swivel casters for ease of maneuverability
- One-piece 50-1/4" padded handle parks upright
- Ship weight 119 lbs.



Replacement Power unit 350SSKHU - \$119.99



Ask us about our no mar jack options!

## 3/4" Maximum Power Impact Air Wrench

- 3/4" Maximum Power Impact Air Wrench
- 1350 ft./lbs. maximum reverse torque from a tool that weighs just 7.4 lbs. and is compact enough to access tight spaces
- Built to last and designed to withstand tough use in rugged environments
- An air motor that's 16% more efficient than its predecessor and an easy-to-clean inlet screen means less down time, better tool performance, and less money spent on compressed air
- Torque Range: 200-900 ft./lbs.



Ascot No.	McGee No.	Description	Price
154-12145	2145QiMAX	Standard Anvil	<b>\$579.99</b>
154-22145	2145QiMAX3	3" Extended Anvil	<b>\$669.99</b>
154-32145	2145QiMax6	6" Extended Anvil	<b>\$719.99</b>
154-00261	IR261	HD 3/4" SD Wrench 1100 Ft/Lb Torq	<b>\$569.99</b>
154-02616	2616	3/4" Super Duty Air Impact w/6" Ext. Anvil	<b>\$639.99</b>

## 286922HD - IMPACT WRENCH SD EXT ANVIL CORDLESS 1" DR \$1,449.99\*

Bundles available!

- POWERSTATE Brushless Motor delivers up to 2,000 ft-lbs of nut-busting torque & 1,900 ft-lbs of fastening torque
- Install up to 200 1-1/4" bolts on a single battery
- M18 REDLITHIUM Battery Packs are compatible with all M18 tools
- The ONE-KEY Technology allows you to customize, track, and manage the impact wrench with the ability to set a repeatable torque output for maximum control
- Kit Includes:
- M18 FUEL 1" D-Handle High Torque Impact Wrench w/ ONE-KEY (2868-20)
- M18 REDLITHIUM HIGH OUTPUT HD12.0 Battery Pack (48-11-1812)
- M18 & M12 Rapid Charger (48-59-1808)
- Contractor Bag



**Comes with low speed buffer, \$180 value!**

## 1/2" CP77482 - Extreme Torque & Durability

- Most powerful 1/2" air wrench in its class
- Twin hammer grease clutch
- Ergonomic rubber handle
- Reinforced nose wings and back housing cap for longer durability
- Max Torque 1200 ft. lbs.
- 922 ft. lbs. Working Torque



CP77482  
**\$204.99**

## CP77412

**\$154.99**

- 10,000 RPM free speed
- 715 Ft/lbs max torque
- Super durable but 15% lighter than CP77362



## 1" Heavy Duty Air Impact Wrench

2140 ft.lbs 2900 Nm of maximum torque in reverse

- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Ergonomic side handle
- Full teasing trigger
- Regulator with integrated forward/reverse with 3-position power settings in both directions



155-77826  
1" Heavy Duty Air Impact Wrench

ASCOT NO.	MCGEE NO.	PRICE
155-77826	CP77826	<b>\$639.99</b>
155-17782	CP7782SP6	<b>\$699.99</b>
	CP77786	<b>\$724.99</b>

## CP77786 \$724.99

- The Classic CP77786 for HD applications
- integrated forward/reverse 3-position power settings regulator and directional control.



CP77786

## 276922 - IMPACT WRENCH SD 2" EXTD ANVIL CORDLESS 1/2" DR \$645.49 \*

- 4 CUSTOMIZABLE MODES: Provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
- POWERSTATE BRUSHLESS MOTOR: Delivers up to 750 ft./lb. of fastening torque & 1,100 ft./lb. of nut-busting torque
- LONGMOTORLIFE: POWERSTATE Brushless Motor delivers maximum power and long motor life
- Includes extra battery, case and charger.



\*Stubby and bare tool available as well.

**With FREE 1/2" drill driver while supplies last. \$150 value!**



\*All prices subject to change.

## 153-02312 231XP2



## 1/2" Super Duty Extended Anvil Air Impact Wrench

**\$169.99**

This new model redefines the standards set by the classic IR231 model, with an enhanced Twin Hammer impact mechanism for more power and in-handle exhaust to direct air away from the operator and the work area.



2235TIMAX2

Ascot No.	McGee No.	Description	Price
153-00231	IR231	Air Wrench 1/2" Dr Short Anvil	<b>\$149.00</b>
	2235TIMAX2	Air Wrench 1/2" Long Anvil Titanium	<b>\$379.99</b>
	2235QTIMAX2	1/2" Dr Quiet Air Wrench Long Anvil	<b>\$389.99</b>
	2235TIMAX	Air Wrench 1/2" Dr Short Anvil Titanium	<b>\$369.99</b>

Protect your investment with a boot. Ask your rep for the right size.



## CP8609 eBlueTork Series - Battery Torque Wrench



- For truck and bus tire changing application, eBlueTork is an accurate and ergonomic solution to ensure safety for both operators and end users.
- High precision (+/- 4%) for safe tightening
- Fast & long-lasting gearbox dedicated to wheel tightening
- Extended mobility with lightweight and compact battery
- Automatic release reaction arm
- Intuitive handling either on OLED Digital screen of the tool or via CPLinQ app



**Schedule your demo today!**

## 1" Heavy Duty Air Impact Wrench

- Combines exceptional power, durability, and operator convenience
- Delivers 1450 ft./lbs. of maximum torque, with a 5000 RPM free speed and four-position power regulator 360° swivel inlet
- Available in 6" extended anvil and 6" extended #5 spline drive anvil for high production truck tire changing



155-02856

Ascot No.	McGee No.	Description	Price
155-28560	IR285B	Standard Anvil	<b>\$739.99</b>
155-02856	IR285B6	6" Extended Anvil	<b>\$559.99</b>
156-28566	IR285BS6	#5 Spline Super Duty Anvil	<b>\$799.99</b>



## Super Red Pneumatic Air Tool Lubricant

- Dissolves gum and varnish formation
- Ensures smoother starts
- Special rust & oxidation inhibitor
- Clean and free running
- 12 bottles per case
- Usable on piston or rotary type air tools

Ascot #	McGee #	Price
181-00406	0406	\$7.99

## Blaster 16ATC - Air Tool Conditioner

- Restores & prolongs tool life - 11 oz. 16ATC
- Provides a coating & lubrication for tools while in use 181-00404
- Inhibits rust, increases RPMGS for normal maintenance



\$8.49  
(Case price available)



## MA2312G

- McGee 1/2" Drive rubber grip 2" extended anvil impact wrench.
- 8,000 RPM
- 600 ft/lbs torque
- Twin handle mechanism
- Rubber grip for comfort!



\$109.95

6" EXTENDED ANVIL

## 1" Drive Super Duty Impact Wrench



\$424.99!

155-17786  
A7786

## Heavy Duty & High Torque!

- DURABLE: Steel end plates offering durability and extended life
- ADVANCED DESIGN: Proven motor and hammer technology; highly efficient air motor
- WORKING TORQUE RANGE: 370-1475 ft./lbs.
- 1 YEAR LIMITED WARRANTY on parts and workmanship
- COMPARE to CP77826

## 1" Drive Mini Air Impact Wrench

- 6" Extended Anvil
- Free speed: 5000 RPM
- Maximum torque: 2000 ft/lbs
- Only 20 lbs – 50% less than the market leading 1" product, smallest and lightest 1" in the tire service industry
- Twin hammer clutch



155-26464

\$539.99

Ascot No.	McGee No.	Description
155-26464	15526464	1" Drive Mini Air Impact Wrench - 6" Extended Anvil

## 1" Drive Impact Wrench A2856

- 6" extended anvil
- 3-position forward and reverse
- High efficiency 6-vane motor
- Pinless clutch mechanism
- Swoop back side handle for maneuverability/balance
- Working Torque 1,800-2,000
- Free Speed 5,000 RPM



Ascot No	McGee No	Description	Price
155-12856	A2856	1" Drive Super Duty Impact	\$399.99



231p32  
\$8.95



## Marvel Air Tool Oil

085 Marvel Air Tool Oil 32 Oz  
18100085 - \$9.99

- Prevents rust formation while providing positive lubrication for smooth starting and long tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output



085

8 oz. MM80R Available

## 1/2" Drive Super Duty Air Impact Wrench

- 2" extended anvil
- Handle exhaust
- Free speed: 8000 RPM
- Maximum torque: 600 ft./lbs.
- Proven design and the most popular configuration in the tire service industry
- Powered by the durable and high performing twin hammer mechanism
- Net weight: 5.6 lbs.



\$139.99

153-23120

Protect your investment with bootie JB04BLUE.



FREE  
3/8" X 100' Air Hose & Blow Gun Kit With the purchase of a 153-23120-K RPG 1/2" Drive Super Duty Air Impact Wrench

Ascot No.	McGee No.	Description
153-23120K	A2312KIT	1/2" Drive Air Impact Wrench - 2" Extended Anvil

## 1/2" Drive Composite Impact Wrench

- Convenient one-hand operated forward/reverse push button
- Four-setting torque adjustment switch
- 685 ft./lbs., 8000 RPM, 4.2 lbs
- Twin hammer mechanism provides smooth balance
- Energy efficient motor for maximum performance with precise speed control
- Swivel air inlet prevents hose from twisting

Now with forward/reverse button!



153-12260

Ascot No.	McGee No.	Description	Price
153-12260	A21312COM	1/2" Drive Composite Impact Wrench 2" Extended Anvil	\$149.99



Video on proper air tool maintenance; make your tools last!  
(También en español)

<http://vimeo.com/212944966/>



# AIR GAUGES AND CHUCKS


## Dual Foot Air Chucks

Ascot No.	McGee No.	Description	Price
478-01350	CH350LO	Straight-On/Angled Chuck. Protective Black Epoxy Finish (Normally Closed)	<b>\$13.05</b>
478-00335	CH335	Angled Chuck. Plated Finish (Normally Closed)	<b>\$8.82</b>
478-03300	CH330LO	Straight-On/Angled Chuck. With Lock-On Threads (Normally Closed)	<b>\$9.51</b>
478-03301	CH330	Straight-On/Angled Chuck (Normally Closed)	<b>\$7.15</b>
478-03330	CH333LO	Straight-On/Angled Chuck. 14" Long (Normally Closed)	<b>\$11.27</b>



## Ball Foot Chucks

Ascot No.	McGee No.	Description	Price
478-00335	5499	Ball Foot Chuck. 1/4" Female Thread (Normally Closed)	<b>\$3.99</b>
478-00315	5567	Ball Foot Chuck With Lock-on Clip. 1/4" Female Thread (Normally Closed)	<b>\$6.90</b>



## Pocket Truck Gauges

Ascot No.	McGee No.	Description	Price
476-10150	GA150	Straight-On/Angled Gauge. 20-120 PSI. Chrome Plated.	<b>\$9.37</b>
476-10160	GA160	Straight-On/Angled Gauge. 10-120 PSI. Black Baked Epoxy Protective Finish.	<b>\$9.99</b>
476-10130	GA130	Dual Foot Angled Pencil Gauge. 20-120 PSI.	<b>\$6.40</b>
476-07263	7263USA	Straight-On/Angled Gauge USA Made 20-120 PSI. Black Baked Epoxy Protective Finish	<b>\$11.70</b>

## Automotive Tire Gauges



- Pencil, chrome tire gauges with nylon indicator bars

Imprinted Gauges Available with Your Name. Call for details!


Ascot #	McGee #	Range	Type	Price
476-10105	GA105	10-50 PSI	Passenger Gauge	<b>\$3.74</b>
476-10115	GA115	20-120 PSI	High Pressure Gauge	<b>\$3.64</b>
476-10100	GA100	1-20 PSI	Low Pressure Gauge	<b>\$3.38</b>
476-10110	GA110	10-50 PSI	Passenger Gauge 75-340 kPa Calibrated in PSI & kPa	<b>\$3.86</b>
476-10125	GA125	5-45 PSI	Air/Liquid Gauge - tractor	<b>\$3.38</b>
476-10145	GA145	10-75 PSI	Mid-Range Gauge 70-500 kPa Calibrated in PSI & kPa	<b>\$3.04</b>
476-10140	GA140	10-160 PSI	Master Test Gauge	<b>\$11.99</b>

## European-Style Clip-On Chucks

Ascot No.	McGee No.	Description	Price
478-02985	CH360	European-Style Clip-On Chuck. 1/4" Female Fitting. Silver Clip. (Normally Closed).	<b>\$8.75</b>
478-02995	CH360OP	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open).	<b>\$8.25</b>
478-01200	N1200	European-Style Clip-On Chuck. Serrated Shank for 1/4" I.D. Hose. Silver. (Normally Open).	<b>\$13.29</b>



Made in the USA



McGee No.	Description	Price
6293DUSA	European-Style Clip-On Chuck, 1/4" Female Fitting. Silver Clip. (Normally Closed). (CH360)	<b>\$9.27</b>
6293EUSA	European-Style Clip-On Chuck. 1/4" Female Fitting. Black Clip. (Normally Open). (CH360OP)	<b>\$8.72</b>

## Lock On Air Chucks

Ascot No.	McGee No.	Description	Price
478-05265	5265SH	Lock-On Air Chuck. Specially Designed To Lock Onto The Cap Of A Standard Bore Valve Stem When The Sliding Sleeve Is Pushed To Forward Position	<b>\$14.50</b>

## Truck Service Gauges



- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

Ascot No.	McGee No.	Gauge Type	Price
476-10135	GA135	Angle Chuck With Nylon Bar	<b>\$8.52</b>
476-11135	GA135S	Same As Above, Angle Chuck With Metal Bar	<b>\$11.16</b>
476-10155	GA155	Straight-On With 30° Reverse Chuck	<b>\$13.99</b>
476-10165	GA165	Same As Above, Straight-On With 30° Reverse Chuck, Black Epoxy Finish	<b>\$10.64</b>
476-11155	GA155S	Same As Above, Straight-On With 30° Reverse Chuck, Metal Bar	<b>\$18.66</b>
476-10185	GA185	Dual Foot Service Gauge With Nylon Bar, 180° Chuck, Chrome Plated	<b>\$10.38</b>
476-01046	7285E	Externally Adjustable Metal Bar Truck Gauge - 10-150 psi	<b>\$15.34</b>



# LARGE BORE & AGRICULTURAL VALVE HARDWARE SPECIALS 9

## 5260 - Valve Tool Kit L/B 8 Piece

- Includes a Hex Valve Cap Tool, Valve Stem Refacer, Inside Stem Rethreader, Stem Reseater, Valve Core Tool, Stem Rethreader, Valve Core Extractor and Valve Cap Tool, packed in a handy tacklebox



Ascot No.	McGee No.	TR No.	Description	Price
	5260		Valve Tool Kit L/B 8 Piece	<b>\$139.99</b>

## Core Housing


- Complete with core and cap
- Designated at tire and rim as the CH-8
- Integral part of the system as the CH-8 is removed from the valve assembly with the IN-80A adapter to utilize the larger opening and the fullest flow of the 6185 check valve.



466-00918

Ascot No.	McGee No.	TR No.	Description	Price
466-00918	R520	TR-CH-8	Core Housing	<b>\$13.64</b>

## Turret Valve for Planetary Gear Wheels



465-00690

465-00691

Ascot No.	McGee No.	TR No.	Angle Bend	Offset Inches	Length	Price
465-00690	WH330J690	J-690	2 Bends	9/16"	4-11/16"	<b>\$20.06</b>
465-06911	WH330J691B	J-691	18°	—	8-1/2"	<b>\$39.45</b>
465-00693	WH330J693	J-693	60°	1"	5"	<b>\$22.92</b>
465-00694	WH330J694	J-694	28°	—	3-1/2"	<b>\$29.99</b>



6008B



594TM



TR618A

## Air-Liquid Core Housing and Accessories

	6008B	<b>Tractor Front Wheel Valve</b> Low profile tubeless valve offers minimum protrusion above rim hole. Effective length: 9/16". Chrome finish. Fits .625" or .453" rim hole. Standard Pack: 10/box.	<b>\$1.99 ea</b>
468-00203	594TM	<b>(TR-CH-3) Core Housing</b> Screws into all valves and extensions shown here. Features O-ring seal. Standard Pack: 10 /box.	<b>\$1.10 ea</b>

## Tubeless Type Air-Liquid Valves

These clamp-in valves have a removable 5789 Core Housing to permit fast filling of tires with liquid ballast solution. Fit .625" valve holes.

Ascot No.	McGee No.	TR No.	Straight Length	Price
464-00618	TR618A	618A	1-15/16"	<b>\$2.99</b>

## Large Bore Air Chucks



322

377

H4660A

Ascot No.	McGee No.	Description	Price
478-00377	377	Long Lock-On Air Chuck.	<b>\$22.95</b>
478-00322	322	Large Bore Dual Foot Air Chuck. 45° Chuck For Easy Access To Valve. 1/4" NPT Female Thread.	<b>\$37.32</b>
478-04660	H4660A	L/B Clip-on Air Chuck 1/4" NPT	<b>\$24.95</b>



## Large Bore Caps and Cores

Ascot No.	McGee No.	Description	Price
465-00145	A145	Large Bore Core (Short) Fits 305-32 threads	<b>\$1.45</b>
465-00148	A148	Screwdriver Valve Cap. Fits .482-26 threads	<b>\$1.75</b>
465-00149	A149	Hex Valve Cap fits .482-26 threads	<b>\$1.03</b>
468-00100	655TM	Adapts large bore down to std. (AD1)	<b>\$2.86</b>
468-08007	656	Same as 655TM but cap style (8807W-3)	<b>\$3.45</b>

## Miscellaneous Valves



465-00670	T670	<b>Loader Tire Valve</b> complete with core, hex cap and "O" ring seal. Thread size is 1-1/16-12. Height is 1-25/32".	<b>\$22.99</b>
465-00702	H41	<b>Tubeless Spud (TR-SP-2)</b> , used with all Large Bore Swivel Valves. Fits 13/16" rim hole. Height is 11/16".	<b>\$4.99</b>
465-06702	H42	<b>Straight Valve (TR-J-670-2)</b> equipped with core and hex cap. Height is 1 1/2".	<b>\$8.99</b>
465-06703	H45	<b>Spud and Valve Complete (TRJ-670-3)</b> Consists of H-41 & H-42. Height is 1 5/8".	<b>\$11.99</b>
465-00710	C10	<b>TR-C-10 Large Bore Screw-In Spud.</b> Screws into 1/2" NPT tapped hole in the rim. Can be replaced without dismounting tire.	<b>\$15.99</b>

## Single Bend Swivel Valves



465-00650

- Any other lengths may be ordered
- All valves equipped with core and hex cap
- On lengths over 6", 2 lock nuts are furnished
- Large bore swivel valves can be used with 1441 spud

Ascot No.	McGee No.	TR No.	Bend Angle	Length	Height	Price
465-01418	N1418	—	74°	1-3/4"	1-5/64"	<b>\$14.99</b>
465-00650	WH300J650	J-650	80°	3-1/8"	1-5/64"	<b>\$11.99</b>
465-00653	WH300J653	J-653	80°	2-1/2"	1-5/64"	<b>\$12.06</b>
465-00454	WH454	—	90°	4"	1-5/64"	<b>\$15.00</b>
465-40002	WH45412	J-4000-4-1/2	90°	4-1/2"	1-5/64"	<b>\$16.00</b>
465-00456	WH456	J4000-6	90°	6"	1-5/64"	<b>\$12.61</b>

## Super Large Bore Air-Liquid Valve For Tractor & Grader



R372

T81

H50

6294DUSA

464-00216	R372	(CH-16) Fits T81, C-100 & TR SP 816 Tube Spud.	<b>\$6.00</b>
464-00208	T81	(SP-8) Fits 13/16" Dia. Rim Hole.	<b>\$8.99</b>
464-00082	T82	(-) T-82 Clamp-In Rim Spud - 1/4" longer effective length	<b>\$12.99</b>
466-00910	H50	(TR-F-910) Straight Valve Assembly Components T81 Spud and R372 Core Housing.	<b>\$17.99</b>
	6294DUSA	Euro Chuck L/B Clip on Norm Closed 1/4" FNPT USA (6294E is Open)	<b>\$17.99</b>

## Valve Tools



Ascot No.	McGee No.	Description	Price
469-52000	52000	Valvecapper is 11.5" long—designed to reach the inner valve on dual wheel. One end is for the removal/installation of valve caps and the other end is removal/installation of the core	\$18.99
469-00011	TL645	Cable Valve Fishing Tool. Valve core wrench and deflating pin with flexible cable for fishing valve through rim hole. 24"	\$3.30
469-00992	610	Tubeless Tire and Tire Valve Inserting and Removing Tool. For all sizes of snap-in passenger car tire valves	\$9.68
469-43002	43002	Plastic Valve Puller	\$10.95
469-00014	VT014	Install/Remove Removal Tool. Rubber block adds leverage	\$10.32
469-00040		Valve Stem Puller Angled w/Rubber Boot	\$10.99
469-00850	VT850	Tire Valve Install Tool w/Rim Guard & Ergo handle	\$23.99
	5410	Snap In Valve Puller w/Ergo Low Force	\$21.99

## Core Tools



Ascot No.	McGee No.	Description	Price
469-00612	TL612	Standard Core Tool 8"	\$9.11
469-00021	TL615	Standard Deflator Core Remover	\$1.04
469-00003	5411	Core Tool Screwdriver Handle	\$2.99
469-00005	TL685	Standard and L/B Core Tool	\$1.72
469-00002	4205	4 Way Tool Steel	\$4.95
469-00044	46900044	Core Torque Tool	\$24.99
469-00081	46900081	4 Way Tool - "The Best"	\$5.90
469-00607	TL620	Valve Core Tool Std Bore Screwdriver Type	\$6.99

## Valve Stem Ratchet Wrenches



Ascot No.	McGee No.	Description	Price
469-00018	VSW18	For TR570 series valves	\$23.88
469-00020	VSW20	For TR540 & TR550 series valves	\$26.30
168-00058	NSPTW58	5/8" Preset Torque Wrench for TR540-550 Series Valve Hex Nuts	\$57.25
168-00916	NSPTW916	9/16" Preset Torque Wrench for TR570 Series Valve Hex Nuts	\$57.25
313-00058	58SFHCW	Stubby Flex Head Combi Wrench 5/8" - Ideal for TR540-50 Series	\$19.99
313-00916	916SFHCW	Stubby Flex Head Combi Wrench 9/16" - Ideal for TR570 Series	



## Metric Rim Hole Valve MS Series

(9.7mm Valve Hole)

468-00707

- Some imported trucks will have steel wheels that incorporate the 9.7mm valve hole (.390")

Recommend installation torque 100 in - lbs



McGee No	Ascot No	ETRTO	Bend	A	B	Price (ea.)
60MS00			0	2-3/8"		\$4.78
60MS27	462-06027		27°	1-3/16"	1-3/16"	\$3.75
70MS27	462-07025	V3-20-5	27°	1-3/16"	1-9/16"	\$3.74
80MS27	462-08027	V3-20-7	27°	1-3/16"	2"	\$3.93
90MS27	462-09027	V3-20-4	27°	1-3/16"	2-3/8"	\$4.43
115MS27	462-11527	V3-20-6	27°	1-3/16"	3-3/8"	\$4.04
41MS00	462-04100	V3-20-1	STR	1-3/16"	—	\$3.66
70MS7	468-00707	—	7°	1-19/32"	1-1/8"	\$9.43

70MS7 - Long thread for thicker wheels on motor coaches

## Tubeless Valves for Aluminum Disc Wheels

For drop-center aluminum disc wheels with 5/8" bottom valve hole



Ascot No.	McGee No..	Effective Length	Price ea.
463-00509	TR509	4-3/4" Straight	\$3.78
463-00510	TR510	5-1/2" Straight	\$3.43
463-00511	TR511	4-1/4" Straight	\$4.25
468-05093	TR509-3	Replacement Rubber Grommet	

## Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Alcoa aluminum 16" wheels
- Front and rear wheels
- Chrome finish
- Dual seal cap included

Ascot No.	McGee No.	Description
462-01600	VS902WP	Ford "F" Series Valve



\$3.09 ea.

## Ford "F" Series Truck Valve

- Ford "F" series with dual wheels
- Accuride steel 16" x 6" wheels
- Front and rear wheels
- Nickel finish
- Includes dual seal cap

Ascot No.	McGee No.	Description
462-02416	TR416MC	Ford "F" Series Valve



23° bend



Hex bottom for tightening



## Tubeless Truck Clamp-in Valves Dill - with U.S.A. made grommet!

Straight clamp-in valves used on both demountable and non-demountable rims. For .625" diameter valve hole.

McGee #	Effective Length	Cost Each	100 Ea.
TR500	2"	\$1.78	\$1.40
TR501	1 1/2"	\$1.78	\$1.40
TR501IV	1 1/2"	\$1.31	\$1.22
TR570	3 1/8"	\$1.84	\$1.44
TR571	3 3/8"	\$1.88	\$1.54
TR572	3 3/4"	\$2.00	\$1.56
TR572IV	3 3/4"	\$1.82	\$1.33
TR57213	13° bend in valve	\$2.29	—
TR573	4 3/8"	\$2.50	\$1.92
TR573IV		\$2.00	\$1.90
TR57313	13° bend in valve	\$1.98	—
TR573HT13	13° bend in valve high temp	\$2.42	—
TR574	5"	\$2.32	\$1.83
TR575	1-1/8"	\$1.62	\$1.59

IV is Ascot branded product.

**Remember - Bending a valve after it is in the wheel will often ruin the grommet and will cause a valve leak.**

## Truck Grommets



McGee #	Rim #	Fits	Used On
5953	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series
RG15S	RG-15	.625 Valve Hole	TV-500 Series, TV-570 Series red grommet 288°
G160	RG-22	.812 Valve Hole	H-41, T-81, T-30, DS-385, DS210
5093	RG-46	.625 Valve Hole	TV-509, 510, 511
G174	RG-48	.625 Valve Hole	TV-513, 515
G170S		.625 Valve Hole	Heat-Resistant Grommet for TV-570 Series (400°) green
59765	RG-54	.453 Valve Hole	TV-416, 416L, 6008
525	RG-39	.625 Valve Hole	TV-416, 416L
G550	RG-70	.9975 Valve Hole	Fits TV-550 Series - 400°
0330	RG-60		TR-540 Series Valves - 400°

## Tire Valves - 540 Series

O-ring seal valves for Alcoa truck wheel (9.7MM Valve Hole)

Many production Alcoa aluminum wheels are manufactured with a 9.77MM valve hole that requires an O-Ring tire valve. Valves have a high temperature resistant O-Ring and a heavy duty metal valve cap.



Valve TR No.	A Height	B Length	C Bend Angle	Price ea.	100 ea.
TR542	1.25	-	-	\$2.70	\$1.47
TR543	2.40	-	-	\$2.95	\$1.69
TR543D	.98	1.38	60°	\$3.15	\$1.69
TR543E	.98	1.38	75°	\$2.98	\$1.69
TR544	2.90	-	-	\$4.46	\$1.87
TR544D	.98	1.94	60°	\$3.47	\$1.87
TR545	3.50	-	-	\$3.58	\$1.99
TR545DL	3.50	Dill	--	\$5.75	\$2.38
TR545D	.98	2.6	60°	\$2.10	\$1.89
TR546	4.25	-	-	\$3.99	\$2.49
TR546D	.98	3.35	60°	\$3.30	\$1.99
TR546E	.98	3.35	75°	\$3.99	\$1.99
TR546G	.98	3.35	36°	\$3.65	\$2.96

## Metric Clamp-In Valves 550 Series

Popular on all new Alcoa wheels!

Compatible with aluminum wheel designs with .389 valve hole.

- Viton grommets offer a greater temperature range, a better seal, and a longer service life — Maximum temperature 250°
- Easier installation with screwdriver slot.
- Recommend installation torque 45 in - lbs.



McGee #	A	B	C	Price ea.	100 ea.
TR553	2.31	-	-	\$4.03	\$2.89
TR553C	0.93	1.38	45°	\$4.03	\$2.89
TR553E	.98	1.38	75°	\$4.03	\$3.01
TR554D	.98	1.94	60°	\$4.03	\$2.96
TR555DL	.98	2.6	60°	\$4.03	\$2.07
TR555E	.98	2.6	75°	\$4.03	\$2.39

## 5-Gallon Cheetah Bead Seater

473-00500 CH5

- Makes seating the most difficult bead safe, simple
- 5-gallon capacity
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Fill tank from any service station chuck or service truck air compressor
- Made in Taiwan



**\$259.99**

## Bead Bazooka

- Ultra compact design for fitting in truck cabinets
- More powerful than previous design

GBBVRK repair kit available



Ascot No.	Description	Price
473-00103	3 Liter Cars & SUV Tires	\$329.99
473-00106	6 Liter Car & Commercial Tires	\$399.99
473-00110	10 Liter Car & Commercial Tires	\$459.99

## 5-Gallon Bead Seater

- 5-gallon capacity
- Equipped with a butterfly valve for maximum air discharge
- Designed for commercial use on large truck tires, passenger and ATV tires to 24.5"
- Made in Taiwan
- Parts interchangeable with competitive models



**\$189.99**

473-01500  
5-Gallon Bead Seater

## Jet Pak Bead Seater Upgrade Device

- Faster and easier than standard ball or butterfly discharge valve operation
- Discharges tank with the press of a button
- Safety cover prevents accidental trigger release
- Two port sizes available: CH1.5JP (1.5") and CH2.0JP (2") to fit any standard bead seater in a variety of tank sizes
- Attaches easily to existing pipe nipple, replacing manual discharge valve
- Includes our new improved Jet Barrel (VP 3.103 or VP 2.103) for greater air volume delivery • Comfortable handle assures firm grip and ease of use
- All internal components can be removed and serviced if required



Ascot No.	Mfg. No.	Description
473-00020	CH-2.0JP	Jet Pak Bead Seater Upgrade Device - 2" Port Size
473-00015	CH-1.5JP	Jet Pak Bead Seater Upgrade Device - 1.5" Port Size

## Double Seal Cap

- Reduce pressure check time by 65%
- Designed for high pressure truck tire service
- Inflate, deflate or gauge directly thru the DS-1 saving time during inflation and pressure checks



Now approved by UPS and Ryder

Visit McGee resource page for details or link at:



Ascot #	McGee #	Description	Price
468-04191	DS1	Double Seal Cap - Haltec	\$ .77
468-02222	AE1	Alligator Double Seal Cap	\$ .79
468-06541	6541N	Dill USA Made Double Seal Cap	\$ .86



TR555D import \$1.85 each!  
Use TR550 series for better seal than TR540 series

MADE IN USA

## Air-Flexx Valve Extensions

Air-Flexx valve extensions are flexible but rigid enough to be used without a rim holder, clamp or stabilizer saving time and money. The extension withstands severe cold and heat without becoming brittle. The plastic casting will not corrode. The pin in extension opens the tire valve only when checking pressure or inflating. If the extension is cut in half or broke no pressure is lost from the tire.

**Sold as Pack 2**

AF0085GE	Valve Extension Air	Flexxible 3-5/16" 2/Pk	<b>\$31.04</b>
AF0105GE	Valve Extension Air	Flexxible 4-1/8" 2/Pk	<b>\$28.24</b>
AF0145GE	Valve Extension Air	Flexxible 5-11/16" 2/Pk	<b>\$25.28</b>
AF0185GE	Valve Extension Air	Flexxible 7-1/4" 2/Pk	<b>\$26.60</b>
AF0215GE	Valve Extension Air	Flexxible 8-7/16" 2/Pk	<b>\$27.76</b>



## Chrome Hi-Performance Valve

### Perfect for Custom Wheels

Chrome plated valve and sealing cap. Especially suited to custom wheels. Includes grommets for .453" and .625" passenger car wheels.

5991B  
462-00800  
3/4"  
**\$1.12 ea.**

## Radial Commander Valve For 15° Disc Wheels

- 23° bend clamp-down valve for .625" valve hole
- Bend allows clearance of brake drum for tire service **\$1.98 ea.**

Ascot No.	Part No.	Description
462-01147	N1147	Radial Commander Valve Dill



## Quality

Quality snap-in valve stems are made with EPDM synthetic rubber rather than natural rubber to meet SAE ozone requirements. EPDM rubber also has a broader temperature range than natural rubber and will remain flexible in extremely cold weather.

Good quality valve stems conform to SAE J1205 - J1206 standards setting performance criteria for heat resistance, aging and ozone resistance



Weathered Valve

**Caution:** For maximum rim thickness of .205 (<sup>13</sup>/<sub>64</sub>" ). Not to be used with metal valve extensions.

Maximum air pressure 80 psi. Light truck replacement valve.

## Enkei Valves

- A high performance "No Show" type chrome plated valve that installs from the outside
- A rubber washer and nut are on the inside
- Fits .453" diameter hole



Ascot No.	McGee No.	Description	Price
462-06010	TR6010	3/4" Length, Standard	<b>\$2.04</b>
462-06020	TR6020	Bent at 45° Angle	<b>\$2.15</b>
462-06030	TR6030	1-1/4" Length, Standard	<b>\$2.75</b>
462-06040	TR6040	1-3/4" Length, Standard	<b>\$4.79</b>

*Quality valves assure trouble free service!*

## TR416 Clamp-In Tubeless Tire Valves

- Nickel plated metal valves can be installed in all passenger cars, light trucks and industrial rims with .453" or .625" valve holes
- Rubber grommet forms a seal when valve is clamped to rim by tightening hex nut
- Maximum inflation pressure is 130 psi
- Includes 2 rubber grommets

3640 - 1 1/4"

Ascot No.	McGee No.	Eff. Length	Price
462-00416	TR416 (3640)	1-1/4"	<b>\$1.14</b>
461-01416	TR416L (3641)	2"	<b>\$1.27</b>



## 1/8" Rim Hole Cleaning Brush

44078 \$6.99

Available in 1/4" and 3/8" also!



## Chrome-Sleeve Snap-in Type Tubeless Tire Valves



- Standard snap-in type tubeless tire valves are fitted with an attractively designed hexagon valve cap and chrome sleeve to cover the valve stem area
- Available in two lengths to fit .453" valve holes.

Ascot No.	Mfg. No.	Eff. Length	Price
461-41211	412SC	7/8"	<b>\$.65 ea</b>
461-41311	413SC	1-1/4"	<b>\$.75 ea</b>
461-41811	418SC	2"	<b>\$.95 ea</b>

## High Pressure Snap-In Valves — Dill OE

- Tubeless snap-in type valves for high pressure applications
- Maximum cold inflation pressure is 80 psi
- For .453" or .625" rim holes
- Do not use on tire rims that exceed .205" in thickness



Ascot No.	TR No.	Eff. Length	Valve Hole Dia.	Sale Price
461-00600	TR600HP	1.27"	.453"	<b>\$.84</b>
461-00602	TR602HP	2"	.453"	<b>\$.99</b>
461-00801	TR801HP	1.25"	.625"	<b>\$1.03</b>
461-00802	TR802HP	2"	.625"	<b>\$1.49</b>

TR600HPiV import - 100 each - **\$.39 ea**  
 TR600HPC Chrome Available

## Dill – OE - Stem Snap-In Tubeless Tire Valves



Made with special rubber compound to resist ozone damage and prevent premature deterioration caused by rim hole compression, heat, cold. Maximum inflation pressure is 65 P.S.I.

Valve Hole	McGee No.	Effective Length	Standard Pack Box	50 Pk Price
.453	TR412	7/8"	500	<b>\$.36</b>
.453"	TR413	1 1/4"	500	<b>\$.38</b>
.453"	TR414	1 1/2"	500	<b>\$.44</b>
.625"	TR415	1 1/2"	500	<b>\$.48</b>
.453"	TR418	2"	500	<b>\$.58</b>
.453"	TR423	2 1/2"	500	<b>\$.65</b>
.625"	TR425	2"	500	<b>\$.80</b>

Special prices on boxes of 500 each.



413 414 418 423 415 425



Machine Year Month Day

Snap-in tire valves have become a commodity even though they are critical in maintaining the correct tire pressure. As questions arise regarding the life of rubber components and as an effort to provide traceability for this product line, Dill provides a solution! Each Dill stem has the production data etched on it!

**Now! Economical import stems TR413iV – \$.27 ea. TR418iV - \$.34 ea.**

## RPG Mechanic's Gloves

Black synthetic leather palm with small patches

Features blue spandex on back, neoprene on knuckle, 4cm wide elastic, hook & loop  
 396-10011 - **\$11.45**



## Gemstone Protective Eyewear

- Clear

Y19CFC - **\$2.98 pr.**

Tinted Available (SG2Smoke)



## Leather Palm Short Cuff

Part #112  
**\$4.49 pr.**



## Cotton Weave Blue Poly Palm Glove

C122 - **\$2.59/pr**  
**\$1.79/pr. per doz**



## Black, Ultra Light Polyurethane Palm Glove

- Perfect for handling small parts
- Specify M, L, XL



## Gloves Black Polyester Textured

- CE certified
- Textured latex finish offers excellent grip & superior abrasion resistance
- 13-gauge polyester liner for a flexible fit
- Machine washable

Textured Grip



ASBCP - **\$19.99 12/pk**

## AS5246 Razor Blade Scraper with Offset Handle \$9.99

- Strong, solid handle ideal for stripping paint, caulk, labels, overspray, gasket material, urethane and glue
- No sharpening needed, just replace the blade
- Protective cover keeps blade sharp and prevents cuts



- Includes one standard single edge blade
- RB100 Razor blades 100/bx \$6.99

## Micro Diamond Nitrile Gloves

Call for current pricing and availability

- 100 per box
- Texture Finish
- Heavy Duty Available
- 6 mil Thickness
- Powder Free



Ascot No.	McGee No.	Size	Color
396-00302	32806BK240R3	Medium	Black
396-00303	32806BK240R4	Large	Black
396-00304	32806BK240R5	X-Large	Black
396-00402	32806OR240R3	Medium	Orange
396-00403	32806OR240R4	Large	Orange
396-00404	32806OR240R5	X-Large	Orange
396-00803	BLKL	Large	Black
396-00804	BLKXL	XL	Black
396-00805	BLKXXL	XXL	Black

## High Visibility Dual Color Leather Double Palm Gloves

### Split leather double palm

- High visibility green and orange colors
- Half fleece lining
- 12 pairs per package

396-55223 - **\$4.99/pr**



## C-Series Low Pressure Hose Reels

- Reels ideally suited for plant maintenance, service trucks or other industrial functions
- Standard hose for air and water
- Single set screw to access spring casing
- Drive spring mechanism lubricated for life
- One piece combination latch, spring arbor, main bearing and spool support for fewer moving parts
- Brass swivel reduces corrosion potential
- Durable powder coated finish




## HOSETRACT

Ascot No.	McGee No.	Operating Pressure	Hose ID	Hose Length	Ship Weight	Price
125-35000	LC350	300 psi	3/8"	50'	54 Lbs.	<b>\$359.99</b>
125-55000	LC550	300 psi	1/2"	50'	60 Lbs.	<b>\$389.99</b>

## Prevost Flexair Hose

McGee No.	Description	Price
RISB3850	3/8" hose with Ind 1/4" fitting 50 ft	<b>\$61.99</b>
RUSB3850	3/8" hose with Auto 1/4" fitting 50 ft	<b>\$53.99</b>

Each hose includes 1/4" Prevost coupler and nipple



Coil Hose

## Coil Hoses

Unlike a standard hose that lies flat and can be stored by loosely wrapping it or mounting it on a hose reel. Recoil hoses are designed in a tight coil cord similar to a telephone cord, retracts when released, and compresses for easy storage. Our recoil air hoses are ideal for manufacturing plants or at home workshops that often prefer recoil hoses since they take up less space and can be quickly and easily stored.

		Length	Male NPT Both Ends	Price/ ea.
14X14X14X25	Recoil Hose 1/4" x 25' w/ 1/4" Fitting Blue 150 PSI	25'	1/4"	<b>\$32.20</b>
14X14X14X50	Recoil Hose 1/4" x 50' w/ 1/4" Fitting Blue 150 PSI	50'	1/4"	<b>\$48.42</b>
6128A	Coil Hose 1/4" x 25' w/ 3/8" Swivel Fitting Blue	25'	3/8"	<b>\$24.00</b>
16751	Recoil Hose Repair Kit Nylon Hose Kit			<b>\$16.81</b>
16744	Recoil Hose 3/8" x 25' w/ 1/4" NPT Yellow	25'	3/8"	<b>\$67.82</b>

**McGee Company offers free assembly of air hose to your required length!**



## Air Hose

- Rubber Air Hose
- 1/4", 3/8" & 1/2" Multi Purpose Air Hose Assemblies Smooth cover, 300 PSI W.P., 1,200 lb. burst. Limited oil resistance tube & cover. Red.

Made in the USA



Mfg. No.	Description	Price
W64RJ25	25', 3/8" Hose, 1/4" MNPT	<b>\$44.99</b>
W64RJ50	50', 3/8" Hose, 1/4" MNPT	<b>\$83.99</b>
W84RJ25	25', 1/2" Hose, 1/2" MNPT	<b>\$70.49</b>
W84RJ50	50', 1/2" Hose, 1/2" MNPT	<b>\$119.99</b>

## PREVOST 1/4"

### Automotive Style Couplers

- One hand push button design - red
- Fits all 1/4" automotive style adapters
- Longer lasting

URC061201 (red)

IRC061201 (blue)



Constructed of high impact tough composite material. Smooth finish will not scratch and will not hang up like traditional couplers. Press the button and the downstream air releases, and when the coupler is discharged it automatically releases adapter or hose, preventing dangerous hose whip. Use with any automotive nipple. Industrial use with 513811, 513911, and 11E.


Mfr. No	Description - Automotive	Price
URC061201	1/4" FPT Automotive Coupler	<b>\$22.99</b>
URC061251	1/4" MPT Automotive Coupler	<b>\$24.99</b>

Use with industrial - blue button

Mfr. No	Description - Industrial	Price
IRC061201	1/4" FPT Industrial Coupler Female	<b>\$29.99</b>
IRC061202	1/4" x 3/8" FPT Industrial Coupler	<b>\$24.99</b>

## Couplers & Nipples

- Steel plated couplers with hardened steel balls and stainless steel springs
- Plugs heat-treated to reduce wear on critical mating surfaces
- Interchange with Tru-Flate 10 and 100 type series as well as units produced by other manufacturers
- Maximum working pressure 300 psi.



131-61523 131-61524 131-61539 131-62523 131-61579

### Automotive Series

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
<b>COUPLERS</b>							
131-61523	D-13	785	C2	3504	Female	1/4"	<b>\$5.65</b>
131-61524	D-12	786	C1	3503	Male	1/4"	<b>\$7.93</b>
131-62523	D13R	--	--	3505	Female	1/4"	<b>\$6.62</b>
<b>ADAPTER PLUGS</b>							
131-61539	D-3C	784	CP2	3507	Female	1/4"	<b>\$1.82</b>
131-61538	D-2C	783	CP1	3506	Male	1/4"	<b>\$1.66</b>

### Industrial Interchange

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
<b>COUPLERS</b>							
131-61573	102	715	C20	514212	Female	1/4"	<b>\$6.16</b>
131-61574	103	716	C21	514112	Male	1/4"	<b>\$6.58</b>
<b>ADAPTER PLUGS</b>							
131-61578	110	727	CP21	513811	Male	1/4"	<b>\$1.49</b>
131-61579	109	728	CP20	513911	Female	1/4"	<b>\$1.73</b>



133-61563 133-61471 133-61569 133-01855 1/2" Nipple - 1/4" NPT

### Automotive Series

Ascot #	Dill No.	Milton No.	Amflo No.	McGee No.	Thread	NPT	Price
<b>COUPLERS</b>							
133-61563	D-17	1815	C10	3512	Female	1/2"	<b>\$15.71</b>
133-61564	D-16	1816	C9	3511	Male	1/2"	<b>\$13.98</b>
133-61471	D-17R	--	--	D17R	Female	1/2"	<b>\$15.87</b>
<b>ADAPTER PLUGS</b>							
133-61569	D-3F	1818	CP10	3514	Female	1/2"	<b>\$6.24</b>
133-61568	D-2F	1817	CP9	3513	Male	1/2"	<b>\$6.00</b>
133-61474	D-0F	1819	CP9-03	3537	Male	3/8"	<b>\$3.87</b>
133-01855	N/A	1855	N/A	1855MI	Male	1/4"	<b>\$3.51</b>

## Flex Hinge Torque Wrench

**\$399.95**

- 168-60011 (600FHTW)
- Robust construction
- Accurate results +/- 4%
- Adjustable torque settings
- Dual scaled, Ft./Lbs. & N.m. 168-60012 (2 Piece Version)
- Durable storage case
- Every wrench is supplied with calibration certificate
- 2 adapters included: 3/4" to 1"; 3/4 to 3/4"
- Similar to Norbar 12007 & 12007.01



Made in Taiwan

## Micro-Adjustable Torque Wrench

**Now! \$199.99**

- Dual scale, calibrated dual direction
- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set
- Easy-to-read laser marked scale
- Ergonomic comfort-grip
- Most feature quick release buttons which provide good socket retention as well as easy socket removal
- Range: 50-250 ft./lbs.
- Accuracy: ± 4% clockwise ± 6% CCW of indicated value, CW, from 20% to 100% of full scale



Ascot No.	Description
168-12250	1/2" Drive Micro-Adjustable Torque Wrench

## Lt Spare Tire Removal Tool Set


- Lower spare tire in 10 seconds
- Eliminates hunt for customer's tool
- Hanger included
- Do not use impact wrench
- 7 piece kit
- Replacement tools available



**Hot Deal!**  
**\$89.99**  
**#96090A**



## Tubeless Tire Irons



- Use C bar with the B extension bar for easier use on large, wide-base truck tires
- Use on standard and large truck tires, including industrial, farm, buses and tractors

Ascot No.	McGee No.	Description	Length	Price
402-00900	T9A	Small Tire Mount/Demount	9"	<b>\$22.57</b>
402-33220	T20A	Curved Tire Mount/Demount Spoon	30"	<b>\$31.44</b>
402-33219	T19A	Straight Spoon	30"	<b>\$31.44</b>
	T45A	Tubeless Mount/Demount	37"	<b>\$66.26</b>
402-34645	T45AC	Classic T45 Truck Tire Tubless Iron	37"	<b>\$76.95</b>
402-45004	T45HD	HD Truck Tire Tubless Iron	41"	<b>\$94.72</b>
402-46001	T46A	Med. Duty Mount/Demount Iron	36"	<b>\$64.20</b>
402-46002	T46B	Mount/Demount Iron	36"	<b>\$76.08</b>
402-46003	T46C	Offset Bar For Deep Well Tires	22"	<b>\$52.67</b>
402-33223	T23A	Lock Ring Tool	30"	<b>\$30.65</b>
402-34648	T48A	Lock Ring Tool	37"	<b>\$65.03</b>

## Heavy Duty Truck Torque Wrench

168-12017 4AR1- **\$589.99**



- Robust construction gives accurate results to +/-4% even in arduous work conditions
- Supplied with a calibration certificate
- Break back action gives an unmistakable signal
- Break angle improves accuracy by reducing the possibility of overtightening
- Dual scaled, Nm and ft./lbs.
- New handle - more comfortable and guides operator's hand to correct position
- Now split for ease of transportation and storage

**169-03013 - 1" Female x 13" Socket Extension!**  
**03013 - \$59.99**

## Duck-Billed Bead Breaking Wedges – Fiberglass Handled



Ascot No.	McGee No.	Handle No.	Length	Weight	Price
424-35429	TG11E	TG11EH	32"	9.1 Lbs.	<b>\$139.99</b>

## Golden Tool Tubeless Truck Tire Mount/Demount Tool

- Demounts/mounts 17.5" to 24.5" tires
- Use on all tubeless truck tires including super single/duplex tires, radial and bias
- Eliminates the need to lift tire and rim to remove the bottom bead, preventing possible strain or even serious injury




Ascot No.	McGee No.	Description	Price
448-00100	TNT100	Complete Tool	<b>\$574.99</b>
448-12320	44812320	Economy Complete Tool (AME)	<b>\$399.99</b>

TNT200 for super singles

## Universal Demount Tool Kit 20415

- Safe, simple, fast, economical, and the most universal tire demounting system on the market
- Works as a hand-held tire machine and shines where other tools fall short
- Tackles the hard 19.5 reverse hubs and grader tires and can be used on all tire sizes from 10" ATV tires and up
- Great for agricultural tires, one-piece grader, loader, forestry and backhoe tires



20408 - Tool Demount Pneutek Impact Driven (Tool Only)

Ascot No.	Mfg. No.	Description	Price
402-20415	20415	Tool Demount Pneutek Impact Driven	<b>\$949.99</b>

## T115 Truck Tire Changing Stand **\$295.96**

Stand handles wheels or open rims 16.5" to 24". Double-slide adjustment with locking device prevents twisting so it stays aligned with the wheel or rim. Stand is the ideal height for driving off beads or demounting tires.



## T950 IronMan™ Ergonomic Wheel Lifting Bar **\$89.99**

Reduces back strain. Easily and safely lift heavy, awkward truck tire and wheel assemblies. Extremely useful in outdoor conditions – when truck tire and wheel assemblies can become wet and slippery. Standard sizes including 22.5" and 24.5" wheels, plus European (which have 1" lug holes), Super Wide and even the Super Single

## KenTool Porkchop™ Wrenches

- Holds outer cap nut on dual wheels while turning inner nut
- Lip fits in hole to secure wrench in place
- Fits standard and metric cap nuts



Ascot #	McGee #	Description	Size	Weight	Price
406-30609	TX9	SAE	1-1/2"	.4 Lbs.	<b>\$24.99</b>
406-30610	TX10	Metric	35 mm	.4 Lbs.	<b>\$24.99</b>
406-30612	TX12	Metric	41 mm	.4 Lbs.	<b>\$24.99</b>

# TIRE MOUNTING COMPOUNDS

## Murphy's Concentrated Tire & Tube Mounting Compound — In Stock

- Versatile formula – dilutes to any strength your job requires
- Approved by major tire companies world-wide
- Made from natural, renewable resources
- Totally safe for all tires
- Economical when diluted
- Ultra-thick concentrate for excellent performance when packing beads

McGee No.	Mfg. No.	Description
MP8	2000	Murphy's Concentrated Tire & Tube Mounting Compound, 8 lb. Pail (4 per case)
MP25	2005	Murphy's Concentrated Tire & Tube Mounting Compound, 25 lb. Pail
MP40	2008	Murphy's Concentrated Tire & Tube Mounting Compound, 40 lb. Pail



432-02005  
Murphy's Concentrated Tire & Tube Mounting Compound, 25 lb. Pail

**MP25 - \$54.99**  
Pallet Prices Available!

## Murphy's Liquid Lubricant

- Ready to use liquid for easy application
- Designed to assist in mounting rubber tires and tubes on all types of wheels
- Easy clean up and non-toxic
- Contains rust inhibitor to help fight rust

McGee No.	Mfg. No.	Description
MPL1	2020	Murphy's Liquid Lubricant, 1 Gallon (4 per case)
MPL5	2023	Murphy's Liquid Lubricant, 5 Gallons

433-02020  
Murphy's Liquid Lubricant, 1 Gallon



**Special!**  
MPL1 - \$14.99

## Tire Bead Lubricant

- Dries fast
- Prevents rim slippage
- Prevents rust

A liquid bead lubricant for easier mounting of tires.

**435-07001 (TL1)**  
**5 gallon version MPL5**

**TL1 \$14.49**



## Ascot Tire and Tube Mounting Compound



AS40



AS25

**AS25 - \$44.95**

- Makes tire mounting and dismounting faster and easier
- Now with rust inhibitor
- Approved by major rubber companies
- Lubricates all rubber parts, stops rubber squeaks

432-00750 **#75 - Mounting Paste 7.7 lb. - \$19.49**  
432-01750 **#75N - Low Profile Pail**

## The Original Euro Paste



Eases mounting of stiff, low-profile tires. Aids in faster bead sealing during inflation. Preferred when servicing tires on ABS-equipped or HP vehicles. Prevents vibration complaints as a result of tire moving on wheel after balancing.

McGee No.	Description - Murphy's Private Label
ASC8	Tire/Tube Mounting Compound, 8 Lbs. Pail
AS25	Tire/Tube Mounting Compound, 25 Lbs. Pail
AS40	Tire/Tube Mounting Compound, 40 Lbs. Pail

McGee low cost lubes available - PL Series


## No Rim Rust

- Protects tires. Tire bead won't fuse to rim.
- Helps prevent corrosion on rims and rigs.
- Helps you comply with OSHA Regulation 3086.




Ascot No.	McGee No.	Description	Price
435-00015	FL41	4-1/2 Lbs. Pail	<b>\$59.99</b>
435-00125	FL25	25 Lbs. Pail	<b>\$239.97</b>
435-01120	FL120-1	120 Lbs. Drum	<b>Call!</b>
435-06002	0252539	Ultra Black Lube - 25 lb pail Ryder Approved!	<b>\$129.99</b>
Generic Version	AR25	McGee 25 Lbs. Pail	<b>\$139.97</b>

## Tire Swabs and Brush



437-00001



437-00002



437-00003



437-40006

**Now!**  
**\$1.99 ea.**  
000491

Ascot No.	McGee No.	Description
437-00001	000491	Tire Swab - 11" OAL X 2" Diameter
437-00002	TS2	Tire Swab - 15" OAL X 2" Diameter
437-00003	TS3	Tire Swab - 18" OAL X 3" Diameter
437-40006	73	Tire Lubricating Brush



**EZ CAM™ XR**

**As Low as \$20.99 for 81250**

Front Adjustment range:  
Camber ±1.75°

Required: 1 per axle

**APPLICATIONS**

See application charts, pages 7-70 for years.

**81240 pr (10mm)**

Fiat

**81250 pr (12mm)**

Buick, Chevrolet, Cadillac, Daewoo, Dodge, Eagle, Fiat, Ford, Geo, GMC, Hyundai, Isuzu, Kia, Mazda, Mercury, Mitsubishi, Nissan, Olds, Plymouth, Pontiac, Porsche, Saab, Saturn, Suzuki, Toyota, Volkswagen, Volvo

**81260 pr (14mm)**

Acura, Buick, Chevrolet, Chrysler, Dodge, Ford, Honda, Hyundai, Infiniti, Jeep, Kia, Mazda, Mercedes Benz, Mitsubishi, Nissan, Olds, Pontiac, Plymouth, Saturn, Scion, Subaru, Toyota, Volvo

**81270 pr (15mm)**

Lexus, Scion, Subaru, Toyota

**81280 pr (16mm)**

Acura, Buick, Cadillac, Chevrolet, Chrysler, Dodge, Eagle, Ford, Honda, Hyundai, Kia, Lincoln, Mazda, Mercury, Mitsubishi, Oldsmobile, Pontiac, Saturn, Toyota

**81290 pr (17mm)**

Lexus, Pontiac, Scion, Toyota

**81295 pr (18mm)**

Acura, Honda

It is easy to find out if the camber kit that will fit your aftermarket strut with only two measurements:

Part No.	Cam Dia. (A)	Bolt Size (B)
35077	1.3" (33mm)	M14 x 80mm
82110	1.5" (38.1mm)	M16 x 80mm
83170	1.49 (37.85mm)	M14 x 80mm

## 81240, 81250, 81260, 81270, 81280, 81290, 81295 **EZ Cam™ XR**

### FOR DOMESTIC/IMPORT TWO BOLT STRUTS

EZ Cams™ make non-adjustable two bolt struts adjustable up to ±1.75° camber change. Head markings show where the cam is for maximum change and an easy-to-manipulate toothed washer lets you set positive or negative change. Simply remove the upper OE bolt, loosen the lower bolt, install and adjust the EZ Cam™ to the desired change and then tighten everything to specification. An easy fix for camber issues and a perfect companion sale for any strut job. Save time, money and effort by making aligning two bolt struts a one man job without grinding. Keep one of each in stock, measure the OE threads, replace the OE bolt with SPC's EZ Cams™ to make your alignment jobs fast and profitable.

**Part No. 81240 (pr)**  
For replacement of 10mm bolts

**Part No. 81250 (pr)**  
For replacement of 12mm bolts

**Part No. 81260 (pr)**  
For replacement of 14mm bolts


**Part No. 81270 (pr)**  
For replacement of 15mm bolts

**Part No. 81280 (pr)**  
For replacement of 16mm bolts

*This kit may also be used on GM vehicles equipped with aftermarket slotted struts with the addition of our adapter plate, #81286 included with cams.*

**Part No. 81290 (pr)**  
For replacement of 17mm bolts

**Part No. 81295 (pr)**  
For replacement of 18mm bolts



US Patent Nos.  
8,544,861 • 8,469,375 • 10,450,005  
D783,393  
China Patent No.  
201630012294.X

**NO Special Tools  
NO Grinding Necessary**

**Got Aftermarket Struts with a Slotted Hole? We have the answer!**



**Spreader**

## 37975 STEERING KNUCKLE SPREADER



Use this tool to safely and easily expand steering knuckles. This tool is perfect for single bolt strut vehicles. Pry bars can damage the knuckle, but this tool allows safe expansion with the tool adjustment nut. Designed to operate within a 4.4 - 10mm range, this expansion tool will fit most makes and models.



**\$53.99**

**Truck Axle Shims**

**As Low as \$7.29 each**

Ordering one Part# supplies **SIX SHIMS** in a box. When placing order spring pad length and width is needed.



	COST	COMPRESSION STRENGTH	HARDNESS
ALUMINUM ALLOY	\$\$	★★★	★★★
ZINC ALLOY	\$\$\$	★★★★	★★★★★
MANGANESE BRONZE ALLOY	\$\$\$\$\$	★★★★★	★★★★★



Specialty Products carries Truck Axle Caster Shims in three different alloys, giving the technician the opportunity to match price point and mechanical requirements to meet their customer's needs. Choose from Aluminum, ZINC and Manganese Bronze Shims.

## Hub-Centric Wheel Nuts

Extended threading allowing Skirt Nut to go down into Hub-Piloted Disc Wheel an extra 3/16" (5mm) into stud hole




Ascot No.	Mfg. No.	Description	Price
491-02906	GL-2906 333SN6	<b>Haltec 6mm Sleeve Nut</b> • Steel Steers	<b>\$8.62</b>
491-02919	GL-2919 333SN19	<b>Haltec 19mm Sleeve Nut</b> • Aluminum Steers • Steel/Steel Drives • Steel Outer/Aluminum Inner Drives	<b>\$10.49</b>
491-02928	GL-2928 333SN28	<b>Haltec 28mm Sleeve Nut</b> • HD Aluminum • Super Single • Wide Base • Aluminum Outer/Steel Inner Drives	<b>\$13.49</b>
491-02939	GL-2939 333SN39	<b>Haltec 39mm Sleeve Nut</b> • Dual Aluminum Drive Axle	<b>\$10.39</b>



Ascot No.	Description	Price
491-00133	33mm Hex X 1.5mm Thread Made in USA Two Piece Elongated Neck	<b>\$13.99</b>
491-01133	33mm Hex Nut Replaces Standard Nuts on 11.25" Hub Piloted Wheels	<b>\$9.49</b>

By filling the void between the stud hole, "clocking" is eliminated, and problems caused by clocking, such as wheel offs and wheel hub vibrations, are eliminated.

- Stops rim from shifting forwards or backwards
- Eliminates "clocking" caused by standard wheel nuts not filling wheel hole completely



**BULK DISCOUNTS AVAILABLE!**

McGee No.	Mfg. No.	Similar To:	Sale Price
891RZ (RH)	GL-2001	Budd-37891/2	Euclid-5552-R/L <b>\$1.33</b>
892LZ (LH)	GL-2002	Nuturn-W-13/14	Batco-13-3012-R/L <b>\$1.39</b>
888RZ (RH)	GL-2101	Budd-37888/9	Euclid-5652-R/L <b>\$2.26</b>
889LZ (LH)	GL-2102	Nuturn-W-15/16	Batco-13-3013-R/L <b>\$2.26</b>
995RZ (RH)	GL-2103	Alcoa/Euclid-5995R	Leland W-506 <b>\$5.81</b>
995LZ (LH)	GL-2104	Alcoa/Euclid-5995L	Leland W-507 <b>\$5.81</b>
881M	GL-2302	(1 1/2 Hex) M.W. 88881	<b>\$5.27</b>
333B	GL-2301	(1 1/16 Hex) Budd 106333	<b>\$2.87</b>
Metric Outer Nuts			
GL2009	GL-2009	Hino-9004-21112	Isuzu-1-4233-023 <b>\$6.30</b>
GL2010	GL-2010	(Inner Thread = M30-1.5)	<b>\$6.30</b>

McGee No.	Mfg. No.	Similar To:	Sale Price
336RZ (RH)	GL-1003	Budd-35336/7	Euclid-5735 R/L <b>\$3.39</b>
337LZ (LH)	GL-1004	Nuturn-W107/108	Batco-13-3007-R/L <b>\$3.90</b>
621RY (RH)	GL-1005	Budd-22621/2	Euclid-5568 R/L <b>\$4.40</b>
622LY (LH)	GL-1006	Nuturn-W105/106	Batco-13-3006-R/L <b>\$4.40</b>
988RZ (RH)	GL-1011	Alcoa-5988-R/L	Nuturn-W-486/7 <b>\$3.99</b>
988LZ (LH)	GL-1012	Euclid - 5988-R/L	Batco 13-3026-R/L <b>\$3.99</b>
Grade 8.2			
708RZ (RH)	GL-1001	Euclid-7895R/L	Budd-10708/9 <b>\$1.99</b>
709LZ (LH)	GL-1002	BWP-M128/9	Batco-13-3032R/L <b>\$1.99</b>
Metric			
GL1009 (RH)	GL-1009	Hino-9004-23101	Isuzu-1-42335-005 <b>\$7.99</b>
GL1010 (LH)	GL-1010	(M20 Inner & M30 Outer Threads)	<b>\$7.99</b>

## NS9142 - WHEEL STUD SERVICE KIT \$349.99

- Works on most hubs for installation and removal.
- All sizes of studs.
- Installation done by pushing on the head, eliminating the need for threaded adapters
- Increases ease of use
- Remove and install 10 studs in only 10-15 minutes (compare to 20-30 minutes for more expensive competitive products)
- Can be powered with an impact wrench, no hydraulic power source required.
- No need to remove hub from vehicle.




Ascot No.	Mfg. No.	Description
493-91420	NS9142	Wheel Stud Service Kit

## Nut Loosener Penetrating Blaster - 16PB

A penetrating lubricant that frees everything! Displace moisture by saturating troubled area and allow to stand for a few minutes. 11 oz. spray.



**\$9.99 ea.** **\$14.99**



Ascot No.	Mfg. No.	Description
492-10134	X10-S134Z	3/4" - 10 Stud Installer
492-10158	X10-S158Z	5/8" - 11 Stud Installer
492-10180	2415	1-1/8" (13/16") Stud Remover
492-10340	X10-SR34B	3/4" Stud Remover
492-15000	X10-NR15B	1-1/2" Hex Nut Remover Kit - 3-Piece Kit
	30165	Dual Wheel Lug Stud Remover (combo of Rib Nut and Installer)

REPLACEMENT RIB NUTS		
499-10180	X10-LN18B	1-1/8" (13/16") Rib Nut
499-10341	X10-LN34B	3/4" Rib Nut

HEAVY DUTY DRIVE-ON RIB-GRIP LUG-OFF KITS		
499-10200	X10-LT20B	For Removing Damaged Inner Cap Nuts (1-1/8" Diam., 13/16" Square Head). Consists of 1 Drive-On Tool and 1 Rib Nut
499-10340	X10-LT34B	For Removing Damaged 3/4" Lug Studs. Consists of 1 Drive-On Tool and 1 Rib Nut
499-10660	X10-LT66B	Triple Duty Tool for Removing Damaged Budd Wheel Inner Cap Nuts, 3/4" and 5/8" Lug Studs. Consists of 1 Drive-On Tool and 3 Rib Nuts

## 3-Piece Twist Socket Lug Nut Removal System

- Removal of damaged 3/4" and 19mm, 13/16" and 21mm lug nuts
- Two dual-sided twist sockets have a fluted design which gives the sockets a tight grip to remove the most difficult locking and damaged lug nuts from the socket
- Works with 1/2" impact gun or breaker bar for service calls
- Includes an extrator punch



**\$59.99**



## 1/2" DR Deep Impact Sockets

Ascot #	McGee #	Description	Price
163-01018	1018MD	1/2" Drive x 18mm Deep	\$9.22
163-01019	1019MD	1/2" Drive x 19mm Deep	\$9.78
163-01021	1021MD	1/2" Drive x 21mm Deep	\$9.91
	1023MD	1/2" Drive x 23mm Deep	\$18.33
163-01024	1024D	1/2" Drive x 3/4" Deep	\$9.49
	1024MD	1/2" Drive x 24mm Deep	\$19.65
163-01026	1026D	1/2" Drive x 13/16" Deep	\$9.49
163-01032	1032MD	1/2" Drive x 32mm Deep	\$13.13
163-01034	1034D	1/2" Drive x 1-1/16" Deep	\$12.43
163-01036	1036D	1/2" Drive x 1-1/8" Deep	\$12.27
163-10143	1014MD	1/2" Drive x 14mm Deep	\$6.34
163-10151	1015MD	1/2" Drive x 15mm Deep	\$6.08
163-10161	1016D	1/2" Drive x 1/2" Deep	\$5.23
163-10163	1016MD	1/2" Drive x 16mm Deep	\$15.83
163-10171	1017MD	1/2" Drive x 17mm Deep	\$9.04
163-10181	1018D	1/2" Drive x 9/16" Deep	\$6.35
163-10201	1020D	1/2" Drive x 5/8" Deep	\$5.83
163-01018	1018MD	1/2" Drive x 18mm Deep	\$9.22
163-10222	1022MD	1/2" Drive x 22mm Deep	\$9.01
163-10271	1027MD	1/2" Drive x 27mm Deep	\$2.50
163-10281	1028D	1/2" Drive x 7/8" Deep	\$10.23
163-10300	1030D	1/2" Drive 15/16" Deep	\$9.94
	1030MD	1/2" Drive x 30mm Deep	\$28.30
163-11032	1032D	1/2" Drive x 1" Deep	\$17.17
	1033MD	1/2" Drive x 33mm Deep	\$25.83
163-01036	1036D	1/2" Drive x 1-1/8" Deep	\$12.27
	1042D	Hex 1/2" Drive x 1-5/16" Deep	\$30.87
163-01048	1048D	1/2" Drive x 1-1/2" Deep	\$28.48
	2133MD	12 Point 1/2" Drive x 33mm Deep	\$30.38

## 1/2" DR Flip Socket Sale!

STD. "Flip" Socket & Metric "Flip" Socket

Double-end reversible impact socket. Fits passenger and light truck wheel nuts.

3/4" 19mm 13/16" 21mm 1/2" Sq. Drive

Ascot #	Part No.	Description	Price
	1291D	19mm-21mm Deep	\$12.59
167-12912	1291DT	Flip Thin 19mm and 21mm Thin, Deep	\$11.39
	1246D	3/4"-13/16" Deep	\$10.76
	1246DT	Extra thin 1246D	\$10.49
	1249D	7/8"-15/16" Deep	\$11.16
	0703T	7/8" x 15/16" Deep Thin Wall	\$14.53

## 1/2" DR Extra Thin Wall Impact Sockets

Ascot #	McGee #	Description	Price
163-10172	1017MDT	1/2" Drive x 17mm Extra Thin Wall	\$9.96
163-10174	1017MEDTM	1/2" Drive 17 mm Thin Wall Deep Mercedes Socket - Flower Petal	\$14.15
163-10183	1018MEDT	1/2" Drive X 18mm Extra Thin Wall	\$11.48
163-10191	1019MDT	1/2" Drive x 19mm Extra Thin Wall	\$11.02
163-10211	1021MDT	1/2" Drive x 21mm Extra Thin Wall	\$11.34
163-10223	1022MDT	1/2" Drive x 22mm Extra Thin Wall	\$13.39
163-10230	1023MDT	1/2" Drive x 23mm Extra Thin Wall	\$15.95
163-10241	1024DT	1/2" Drive x 3/4" Extra Thin Wall	\$10.36
163-10282	1028DT	1/2" Drive x 7/8" Extra Thin Wall	\$19.95

## 3/4" DR Impact Sockets and #5 Spline DR Impact Sockets

Ascot #	McGee #	Description	Price
164-02026	2026S	3/4" Drive x 13/16" Square	\$19.98
164-02033	2033MD	3/4" Drive x 33mm Deep	\$23.85
166-04026	4026S	#5 Spline x 13/16" Square	\$59.97
166-04048	4048D	#5 Spline x 1-1/2" Deep w/Inside Lip	\$73.23

## 1" DR Square Impact Sockets

Ascot #	McGee #	Description	Price
165-03021	3021MS	1" Drive x 21mm Square	\$29.84
165-03026	3026S	1" Drive x 13/16" Square	\$22.84
165-03030	3030S	1" Drive x 15/16" Square	\$28.80

## 1" DR Combination Impact Sockets

Ascot #	McGee #	Description	Price
165-03323	3323C	1" Drive 1-1/2" Hex x 13/16" Square	\$45.05
165-03321	3321MC	1" Drive 41mm x 21mm Square	\$52.26

## 1" DR 1-1/2" Budd Wheel Impact Socket

Ascot #	McGee #	Description	Price
165-30481	3048D	1" Drive x 1-1/2" Deep w/Inside Lip	\$43.14
165-30482	3048DR	1" Drive x 1-1/2" Deep - Standard	\$40.49
	3048DT	1" Drive x 1-1/2" Deep - Thin	\$80.18

## 1" DR Metric Impact Sockets

Ascot #	McGee #	Description	Price
165-30302	3030MD	1" Drive x 30mm Deep	\$35.83
165-03033	3033MD	1" Drive x 33mm Deep	\$39.68
	4036MD	1" Drive x 36mm Deep	\$61.30
165-30381	3038MD	1" Drive x 38mm Deep	\$39.36
165-03041	3041MD	1" Drive x 41mm Deep	\$43.33
165-30410	3041MDT	1" Drive x 41mm Deep Thin Wall	\$56.96

## 1" DR SAE Impact Sockets

Ascot #	McGee #	Description	Price
165-03034	3034DT	1" Drive x 1-1/16" Thin Wall Deep	\$2.50
165-03042	3042D	1" Drive x 1-5/16" Deep	\$38.48
165-03044	3044D	1" Drive x 1-3/8" Deep	\$34.32
	3046D	1" Drive x 1-7/16" Deep	\$33.50
165-03052	3052D	1" Drive. x 1-5/8" Deep	\$38.77
165-03056	3056D	1" Drive x 1-3/4" Deep	\$45.51
165-30321	3032D	1" Drive x 1" Deep	\$46.08
165-30380	3038D	1" Drive x 1-3/16" Deep	\$36.34
165-30401	3040D	1" Drive x 1-1/4" Deep	\$38.35
165-30402	3040DT	1" Drive x 1-1/4" Deep Thin Wall	\$42.27
165-03042	3042D	1" Drive x 15/16" Deep	\$38.48
165-30420	3042DT	1" Drive x 15/16" Deep Thin	\$47.17
165-03052	3052D	1" Drive x 1-5/8" Deep	\$38.77


## Impact Extensions & Adapters

Ascot #	McGee #	Description	Price
169-01003	1003E	1/2" Drive x 3" L Extension	\$8.80
169-01005	1005E	1/2" Drive x 5" Extension	\$12.61
169-01020	1020A	1/2" Drive Female x 3/4" Male Adapt.	\$11.96
169-02006	2006E	3/4" Drive x 6" Extension	\$28.86
169-02010	2010ASC	3/4" Drive Female x 1/2" Male Adapt.	\$19.35
169-02030	2030A	Adapter 3/4" Drive Female to 1" Male	\$23.19
169-03013	03013	1" Drive x 13" Extension	\$69.12
169-03020	3020A	1" Drive Female x 3/4" Male Adapt.	\$29.92
169-04010	5008A	#5 Spline Female x 3/4" Male Adapt.	\$49.72

## Locking Lug Master Key Set

The set was designed explicitly for the purpose of removing locking lug nuts on aftermarket wheels. The 16 piece set comes with both standard (SAE) and metric pieces that can be used on Spline, Star, Hex and Fluted Hex fasteners.

**40201283 - \$124.99**



## 1/2" Dr. 4-Piece Flank Bite Damaged Nut Remover Socket Set

**163-22219 - \$44.99**

- New Flank Bite design works on up to an industry leading 90% rounded lug nut
- Also safe for forward tightening of lug nuts without damage
- Includes following sizes: 17mm, 19mm, 21mm, 22mm



## 1/2" Dr. 14-Piece Metric Deep Set

- Set includes the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm



Ascot No.	Mfg. No.	Description	Price
163-01153	1153MD	1/2" Dr 14-Piece Metric Deep Set	<b>\$89.95</b>

## 1/2" DR 5 Piece Deep Thin Wall Flip Socket Set

**McGee #1205D**

- Includes the following 1/2" drive deep thin wall flip sockets:
- 3/4" x 13/16"
- 19mm x 21mm
- 7/8" x 15/16"
- 17mm x 19mm
- 3" extension
- Packaged in a durable plastic blow molded case
- 17mm x 19mm flip socket for European applications
- Equivalent to Grey 1504FW but with an extra socket



Ascot No.	McGee No.	Price
167-12050	1205D	<b>\$44.99</b>

## 1/2" DR 13 Piece SAE Deep Set

- Contains the following sizes: 7/16", 1/2", 9/16" 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Ascot No.	McGee No.	Price
163-01151	1151D	<b>\$109.99</b>



## Half Size Flip Socket

- Set includes the sizes below: 18.5mm x 19.5mm; -21mm x 21.5mm; 21.5mm x 22.5mm; -22mm x 22.5mm - Extractor punch
- Made from durable chromoly steel
- Coated with a rust and corrosion resistant black oxide finish
- Sizes are laser etched on each socket
- Used for chrome lug nut caps to size up 1/2 MM or aids for worn nuts




Ascot No.	Mfg. No.	Price
167-12051	000524	<b>\$59.99</b>

## 1/2" Dr Extra Thin Wall 9-Piece SAE & Metric Wheel Protector Socket Set

Durable outer sleeve and insert protects high polished wheels and lug nuts from damage.

- CR-MO alloy steel for long life
  - Fully guaranteed
  - Heavy duty blow mold case
- Includes 6 SAE Sockets:** 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver), and 1-1/16" (black)
- Includes 3 metric sockets:** 17mm (blue), 19mm (yellow) and 21mm (red)



Ascot No.	Price
163-02849	<b>\$129.99</b>

## 1" DR 7 Piece Metric Truck Set

Contains the following sizes: 17mm, 21mm, 4pts. budd wheel standard length, 27mm, 33mm, 36mm, 41mm deep



Ascot No.	Mfg. No.	Description	Price
165-03197	3197M	1" Dr 7-Piece Metric Truck Set	<b>\$174.99</b>

## 1" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" controlled standard socket, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep



Ascot No.	McGee No.	Price
165-03110	3110	<b>\$309.99</b>

## 3/4" DR 10 Piece Truck Set

Contains the following sizes: 13/16" square socket, 1-1/16", 1-1/8", 1-1/4" thin wall deep sockets, 1-1/2" budd wheel socket, 17mm & 21mm square socket, 33mm, 35mm & 41mm deep sockets



Ascot No.	Mfg. No.	Description	Price
164-02110	2110	3/4" Dr 10-Piece Truck Set	<b>\$239.99</b>
164-02181	2181D	3/4" Dr 8-Piece SAE Deep Set Contains the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"	<b>\$149.99</b>



- Easy to use throw-in bag method
- Proven to increase fuel economy
- Color coded application chart
- Life time balance
- Balance whole wheel-end assembly not just tire and wheel
- Can be injected through valve stem
- Proven to extend tire life
- Flow-thru cap provided in 8oz bags and up
- TPMS friendly
- Download app to find tire size

## How It Works

The balancing beads will be distributed around the tire as it begins to roll through centrifugal force. As the centrifugal force of the balance (heavy spot) increases and pulls up and down on the suspension, the beads will start to move in the opposite direction of the downward and upward through inertia. The beads continue to travel until the complete wheel assembly is balanced.

**Ask us  
about our  
motorcycle  
applications**

Product	Description - Case Quantity Discounts	CASE QTY
45100013	INJECTOR PUMP FOR COUNTERACT	1
TIB4	4 OZ TOSS-IN BAG	92
TIB6	6 OZ TOSS-IN BAG	64
TIB8	8 OZ TOSS-IN BAG	52
TIB10	10 OZ TOSS IN BAG	40
TIB12	12 OZ TOSS IN BAG	36

## Counteract Balancing Beads

Every bag includes:

- Measured bag of Balancing Beads
- Filtered vortex valve core
- Counteract valve cap
- 8oz bags and up include flow-thru cap.



## Eco Balance Drop In Bags!

Eco Balance Beads are made of reusable and recyclable 99.9% tempered glass spheres. Our balancing beads are installed inside the tire, where they won't get knocked off and contaminate the environment like lead weights can.

10 oz. bag **As low as \$6.56**



10 oz. McGee 45101210




Scan QR code or visit [www.counteractbalancing.com](http://www.counteractbalancing.com) to find our application charts.



## Crossfire Dual Tire Pressure Equalization System

Includes four mounting brackets

- A) Installed on the 5/8" or 3/4" drive axle bolts of both disc and spoke wheels. If the wheel has a hub cap, it can be snapped on over the bracket.
- B) Mounts directly on the 1-1/4" lug bolt
- T) Mounts on the 1/4" bolt that secures the hub cap to either a disc or spoke wheel
- H) Mounts directly on lug with a hub-piloted nut



**All sizes  
\$89.99 or less  
Includes brackets  
BH and TA.  
Other sizes available.**



**Under-inflation**  
20% under-inflation can cause a minimum 30% loss of tire life expectancy



**Over-inflation**  
20% over-inflation can cause a minimum 10% loss of tire life expectancy



**Proper-inflation**  
Mounted correctly, Crossfire's yellow indicator verifies that air is flowing freely from one tire to the other, equalizing the load

## Why Buy Crossfire?

When operating dual wheels, an inflation mismatch greater than 5PSI creates significant difference in the circumference of the tires. The tires will travel in the same distance in a single revolution; however, the larger tire will drag the smaller tire. This process results in considerably greater tread wear on the smaller tire.

During testing, the 5PSI differential between the dual wheels created a 5/16" circumference difference between the tires. This circumference difference results in the larger tire dragging the smaller tire 13 feet in a single mile. Over the course of a typical 100,000 mile year the tire is being dragged 246 miles.

Order No.	Desc.	PSI	Ship Wt.	Order No.	Desc.	PSI	Ship Wt.
CF60ST	Equalizer	60	4 lbs	CF95ST	Equalizer	95	4 lbs
CF65ST	Equalizer	65	4 lbs	CF100ST	Equalizer	100	4 lbs
CF70ST	Equalizer	70	4 lbs	CF105ST	Equalizer	105	4 lbs
CF75ST	Equalizer	75	4 lbs	CF110ST	Equalizer	110	4 lbs
CF80ST	Equalizer	80	4 lbs	CF115ST	Equalizer	115	4 lbs
CF85ST	Equalizer	85	4 lbs	CF120ST	Equalizer	120	4 lbs
CF90ST	Equalizer	90	4 lbs	CF125ST	Equalizer	125	4 lbs

## Passenger Tape-on Weights Including Cold Weather Weights

	200576FE	.25 oz.	Low Profile Coated	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	<b>\$32.99</b>
	200576FER Roll	.25 oz.	Low Profile Coated	Roll		Width: 3/4" Depth: 1/8"	Steel 700 pcs	<b>\$48.99</b>
 Black	200576FEBLK	.25 oz.	Low Profile Premium Tape	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 Seg/box	<b>\$61.95</b>
	FSF101CP	.25 oz.	Low Profile Economy Tape	3 oz./strip	48 strips/box	Width: 3/4" Depth: 1/8"	Steel 576 pcs	<b>\$29.95</b>
	145KG	.25 oz.	Low Profile Coated Steel	Roll	White Tape	Width: 3/4" Depth: 1/8"	Steel 700 pcs	<b>\$67.95</b>
	320FE	.25 oz.	Premium Coated Steel	Roll	Double Tape	Width: 3/4" Depth: 1/8"	Steel 1272	<b>\$110.50</b>

### Adhesive Wheel Weight Rolls

- Oversized white paper tape - easy peel
- Easy to tear by hand
- Available in grey steel or black steel
- 3 rolls per case
- WWR4 recommended stand for AVL
- Cold weather tape available



### Adhesive Wheel Weight Roll Stand

- All-metal construction
  - Accommodates three rolls
  - Floor mount
  - Easy to assemble
- 486-31281 **\$159.95**  
Adhesive Wheel Weight Roll Stand



Ascot No.	McGee No.	Description
486-31281	WWR3	Adhesive Wheel Weight Roll Stand

Ascot No.	McGee No.	Description	Case Price
484-51500	AVL315FeB	Black Steel Adhesive Roll: 1/4 oz. Segments (2880 Segments per case)	<b>\$152.99</b>
484-51501	AVL315FeS	Grey Steel Adhesive Roll: 1/4 oz. (2880 Segments per case)	<b>\$149.99</b>
484-61500	AVL415FeB	Black Steel Adhesive Roll: 1/2 oz. (1440 Segments per case)	<b>\$152.99</b>
484-61501	AVL415FeS	Grey Steel Adhesive Roll: 1/2 oz. (1440 Segments per case)	<b>\$149.99</b>

### Truck Tape-On Weights

	300360	.50 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width: 1"	Lead 360 pcs	<b>\$102.95</b>
	300224FE	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/box	Width: 1"	Steel 224 pcs	<b>\$44.50</b>
 Black	300224FE BLK	.50 oz.	Standard Profile Quick Tab with Premium Tape	24 strips/box	Width: 1"	Steel 224 pcs	<b>\$57.95</b>
	420FE	.50 oz.	Standard Profile	Roll	Width: 1"	Steel 640 pcs	<b>\$132.95</b>
	CL6	1 oz.	Standard Profile Quick Tab with Premium Tape	30 strips/box	Width 3/4"	Lead 180 pcs	<b>\$110.95</b>
	1184	1 oz.	Standard Profile with Premium Tape	18 strips	Width 3/4"	Steel 72 pcs	<b>\$39.99</b>
	48410300	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	<b>\$35.49</b>
 Black	48410301	1 oz.	Standard Profile with Economy Plastic Tape	36 strips	Width 3/4"	Steel 144 pcs	<b>\$39.49</b>
	CL12	2 oz.	Standard Profile Quick Tab with Premium Tape	8 strips/box	Width 1-1/4"	Lead 48 pcs	<b>\$66.95</b>
	FSF104C	2 oz.	Standard Profile with Plastic Tape	18 strips	Width 1-1/4"	Steel 54 pcs	<b>\$34.45</b>

### Wheel Cleaner

Stop Using Expensive Wheel Cleaning Solutions

- Water-Based • Non-Petroleum
- Biodegradable • Non-Toxic

A clean wheel is critical to good stick-on wheel weight adhesive.



Ascot No.	Description	Price
48675032	Wheel Cleaner 32 Oz. Spray Bottle	<b>\$8.75</b>
48675017	Wheel Cleaner 1 Gallon Bottle	<b>\$14.95</b>

### Wheel Weight Adhesive Removal Tool

A143252 - **\$74.95**  
Replacement pad - A1432526 only - **\$8.99**

- Lock-off trigger for added safety
- High torque motor to cut through stubborn wheel weight adhesive, body pinstripes, etc.
- Rubber-insulated housing for comfort
- High RPM to prevent pad from bogging down; 3,700 RPM free speed



486-71510	71510 Adhesive Wheel Weight Super Scraper Removes emblems, body side moldings and stick-on wheel weights.	<b>\$9.99</b>
486-33581	3358 KD Heavy Duty Weight Tool - Ideal for all weights, including coated.	<b>\$28.95</b>



3358HD  
486-33581



Scraper 71510  
486-071510

## 40243352 - WHEEL HUB GRINDER \$79.99

- Cleans wheel and hub contact surfaces
- Remove burned in corrosion residues quickly
- 3-25 seconds per hub depending on corrosion thickness
- Fits 1/2" drill



Demo video:



## 25103 - Universal Absorbent Drum-top Pad Pads 20/bx \$49.99

## 26201- PIG WTR RPL OIL ABS MAT WHITE 50 X15 LT-WT RL \$29.99

## 25201 - PIG UNV LT WT ABS MAT GREY 50 X15 RL \$28.99



Use With:	55-Gallon Steel Drum
Color:	Gray
Dimensions:	ext. dia. 22"
Mat Weight:	Light-weight
Fluids Absorbed:	Oils, Coolants, Solvents & Water
Recycled Content:	25% or more Recycled Content
Absorbency:	Up to 3 gal. per box
Absorbency per:	Up to 18 oz. per pad
Dispenser:	Yes
Poly-Backing:	No
Pre-cut Holes:	1 (.75" Dia.), 1 (2" Dia.)
Sold as:	20 pads per box
Weight:	3 lbs.
Composition:	100% polypropylene

## AS32 - SPRAYER W/ VITON SEAL 1.5 LITER \$22.99

- 1.5 liter capacity
- Easy to use compression action sprayer
- Ergonomic design with strong translucent tank with level indicator
- Adjustable spray nozzle
- Great with Ascot bead buster, Skid or other harsh chemicals.



Works great with 790G and ASL1

## 319-01023 AS102L3

## 10" Curved Jaw Locking Vise Grip \$19.99



AS102L3S straight version available



## 95055 - MAGNETIC RETRACTABLE BARRIER MAG-BEAR 25' \$98.99

- Enhanced Safety: Our 25ft Belt with printed "Caution - Do Not Enter" Warning, in a vibrant yellow color, ensures the utmost safety by effectively restricting access to hazardous areas.
- Durable Protection: The sturdy ABS protective case, featuring a striking black and yellow design, provides long-lasting protection for your equipment.
- Ultimate Portability: Designed with portability in mind, this system can be easily moved and set up wherever needed, making it an indispensable tool for technicians on the go.
- Technician Safety First: Prioritizing technician safety, our system helps safeguard them while servicing equipment, preventing unauthorized access and potential accidents.
- Magnetic Strength: Equipped with six super strong magnets on the back and two on the belt end, this system boasts an exceptional magnetic force, ensuring it stays securely in place.



## ASL1- Ascot Liquid Bead Buster \$39.99

- Non-flammable, non-combustible
- Time saving tire bead breaker
- Penetrates rust & corrosion deep into tight spaces
- Cleans, protects, & lubricates
- Displaces moisture
- Dries 10% faster
- Compare to SKID
- 5 and 55 gallon available



ASL1

Ask us about  
Prema soft  
cushion repair

## RAD 100 Series Radial Repair Units

**RL110 Bulk 30 Per Bag - \$44.75**

REMA RAD 100 Series center-over-injury repair units. Due to our fully-integrated blue bonding layer and center over injury design, REMA TIP TOP Radial-Ply repair units are suitable for use with all current vulcanizing systems. For best results, always select the corresponding REMA TIP TOP Stem insert unit.



Ascot No.	McGee No.	Patch Size Inches	(mm)	Qty/Box	Price
575-00110	RAD110	2 x 2-3/4	55 x 75	20	<b>\$54.99</b>
575-00115	RAD115	3-1/2 x 3	70 x 115	10	<b>\$66.99</b>
575-00120	RAD120	4-7/8 x 3	85 x 130	10	<b>\$65.99</b>

## Rema Minicombi Repair Units & Accessories

Part of Rema's renowned Blue Bonding System™, Minicombi features a metal pilot guide for easy installation and seating. Specially designed for tread area punctures on both radial and bias-ply tires, Minicombi should be used with Special Cement BL.



Ascot No.	McGee No.	REMA#	Description(Units/Box)	Price
581-67050	A3	A3	1/8" Minicombi A3 (50/Box)	<b>\$131.88</b>
581-67340	A6	A6	1/4" Minicombi A6 (40/Box)	<b>\$157.99</b>
581-68008	B8MC	B8-MC	5/16" Minicombi B8 (20)	<b>\$111.99</b>



Rema tire tube patches are renowned for their easy application and extraordinary effectiveness. A unique rubber compound allows the patch to stretch evenly and equally in all directions upon inflation, assuring a reliable bond and minimal bulging in any service condition.

Ascot No.	McGee No.	Units Size	Per Box	Price
541-00410	1	1-1/2" Round	30	<b>\$14.99</b>
541-00420	2	1-3/4" Round	30	<b>\$16.99</b>
541-00430	3	2" Round	30	<b>\$21.99</b>

Patch should be 1/2-inch larger in both width and length than the injury.

## Overhose Kit & Connections



## Rema Tip Top Universal Patch

The Hole Solution™  
The only patch you'll ever need for making a nail hole repair. For radial and bias ply passenger or truck tires.



Ascot No.	REMA No.	Injury Size	Qty.	Price
550-26707	UP3	Small Nailhole	100	<b>\$73.99</b>
550-26714	UP45	3/16" Nailhole	300	<b>\$329.99</b>
550-26721	UP6	1/4" Nailhole	50	<b>\$81.87</b>
550-26745	UP8	5/16" Nailhole	50	<b>\$108.99</b>

## Low Speed Tire Buffer with Quick Change Slip Chuck

**15810873 - \$86.98**

- Brass bushings provide performance and durability in tough working conditions
- Includes whip hose and exhaust hose
- Built in regulator
- Lock off throttle to prevent accidental start ups
- Rear exhaust directs air away from work area
- Quick change slip chuck for fast and easy change of buffing wheel
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings
- Equivalent to and has same dynamics as the CP 873k
- Overhose kit also available 175-00873



## High Speed Tire Buffer Kit with Quick Change Chuck

**15811871 - \$82.99**

**15810871 - with Jacobs - \$84.99**

- Lock-off throttle
- Free speed 22,000 RPM
- Includes overhose kit



## Heavy Duty Skiving Air Buffers and Die Grinders — Compare to DOTCO

- #241160** 4000 rpm Heavy Duty Skive Air Buffer with Q/C chuck and exhaust hose \*Spec with industrial needle bearings **\$199.00**
- #117814** HD Retread Shop Die Grinder 25000 rpm .3 hp with collet chuck **\$185.55**



Ascot #	McGee #	Description	Price
173-09165	2500	Quick Change Chuck	<b>\$22.18</b>
173-09201	2510	1 <sup>11</sup> / <sub>16</sub> " x 3 <sup>3</sup> / <sub>8</sub> "-24 Chuck Adap. w/Washer & Nut	<b>\$4.64</b>
173-09202	2511JD	2 <sup>3</sup> / <sub>4</sub> " x 3 <sup>3</sup> / <sub>8</sub> "-24 Chuck Adap. w/Nut & Wheel Spacer	<b>\$6.62</b>
173-09211	2512JD	1 <sup>7</sup> / <sub>8</sub> " x 3 <sup>3</sup> / <sub>8</sub> "-24 Threaded Adap. w/Washer & Nut - Quick Change	<b>\$3.91</b>
173-09212	SLP9212	2 <sup>1</sup> / <sub>4</sub> " long x 3 <sup>3</sup> / <sub>8</sub> " - 24 Threaded Adap. w/Washer & Nut Quick Change	<b>\$5.31</b>
173-09213	2522	1 <sup>15</sup> / <sub>16</sub> " Adap. w/Set Screw for 1 <sup>1</sup> / <sub>8</sub> " Shank	<b>\$3.07</b>
173-09215	2523JD	1 <sup>15</sup> / <sub>16</sub> " Adapter w/Set Screw for 1 <sup>1</sup> / <sub>4</sub> " Shank	<b>\$3.07</b>
173-09216	SLP9216	1 <sup>15</sup> / <sub>16</sub> " Adapter w/Set Screw for 5 <sup>1</sup> / <sub>16</sub> " Shank	<b>\$3.07</b>
173-09400	SLP9400	Overhose Kit	<b>\$24.49</b>
173-00024	S1047XL	Adapter Quick Change XL Thread 3/8" x 1-3/4"	<b>\$6.39</b>
173-00025	S1047	Adapter Quick Change Long Thread 3/8" x 1"	<b>\$6.49</b>
173-00026	S1046D	Adapter Quick Change Double End	<b>\$8.49</b>
173-00027	S104138	3/8" Quick Change Adapter for 3/8" Burrs	<b>\$9.99</b>



## PREMA

### Prema Radial Repairs - Passenger and Light Truck

PREMA Center-Over-Injury Repairs are designed for use in all radial tires. The PREMA Radial Repair is intended for use in HOT or COLD applications. PREMA Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Refer to the PREMA Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate Prema repair material.



Ascot No.	McGee No.	Description	L (in.)	W (in.)	# Plies	Qty/Box	Price
575-05109	PR109	Radial 109	3	1 3/4	1	20	\$28.32
575-05110	PR110	Radial 110	3 1/4	2 1/4	1	20	\$35.34
575-05111	PR110T	Radial 110	3 1/4	2 1/4	1	80	\$127.81
575-05112	PR112	Radial 112	4 3/4	3	1	10	\$27.55
575-15112	PR112B	Radial 112	4 3/4	3	1	40	\$108.40
575-05113	PR113	Radial 112HD	5	3 1/4	1	10	\$32.41
575-05114	PR114	Radial 114	5 1/4	3 1/2	1	10	\$43.68
575-05120	PR120	Radial 120	5	3 1/4	2	10	\$53.04
575-05135	PR135	Radial 135	7 1/2	5 1/2	4	10	\$148.09
575-05140	PR140	Radial 140	7 3/4	4 1/4	3	10	\$126.43

### Pre-Buff Cleaner

PREMA Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing. Contains no ozone depleting chemicals.



Ascot No.	McGee No.	Description	Size	Price
505-00532	PPC32	Pre-Buff Cleaner (Flammable)	32 fl oz	\$19.92
505-00516	PPC16	Pre-Buff Cleaner (Aerosol)	16 fl oz	\$12.45

### Prema Universal Repairs

PREMA Universal Repairs are designed for NAILHOLE REPAIRING of tubeless tires in the CROWN area only. Universal Repairs are available in round or square versions. Install with PREMA Ultra Fast Dry Vulcanizing Cement. Always fill the injury channel with the appropriate Prema repair material.



Ascot No.	McGee No.	Description	L (in.)	W (in.)	Qty/Box	Price
550-00502	PUR2	Universal Round 2	2 1/4	--	50	\$40.52
550-00522	PUS2	Universal Square 2	1 3/4	1 3/4	100	\$54.27
550-00533	PUS3	Universal Square 3	2 1/2	2 1/2	100	\$83.00
550-00534	PUS4	Universal Square 4	3	3	50	\$60.06

### Ultra Fast Dry Vulcanizing Cement

PREMA Ultra Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used in conjunction with PREMA Repair Materials. Contains no ozone depleting chemicals.



Ascot No.	McGee No.	Description	Size	Price
501-00508	PFC8	Ultra Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.	\$14.40
501-00532	PFC32	Ultra Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz.	\$36.04

### Tire Denailer \$11.99

- Blade length 3" • Point diameter 5/16"
- Made in USA

Developed by a tire repairman to probe the injury and push the nail back through the tire. Probe has a recess at the tip to accept the



Ascot No.	Mfg. No.	Description	Price
537-15227	23113IR	Insert Tool Open Needle	\$4.65
537-15230	20000	Insert T Handle Open Needle	\$22.90

Ask us about a tire repair cabinet to keep organized!

### JET Radial Repairs - Passenger and Light Truck

JET Center-Over-Injury Repairs are designed for use in all radial tires. The JET Radial Repair is intended for use in HOT or COLD applications. JET Radial Repairs are designed for use in the crown area of radial tires. Install with JET Fast Dry Vulcanizing Cement.




Repair Unit	Size		Qty/Box	Price
	Inch	mm		
SR110	2 3/4 x 2	70 x 50	20	\$16.62
SR110H	3 1/4 x 2 3/8	80 x 60	10	\$10.49
SR112	4 3/8 x 2 1/2	110 x 65	10	\$12.91
SR114	5 3/4 x 3	145 x 75	10	\$21.58
SR120	5 x 3	125 x 75	10	\$20.89
SR122	6 7/8 x 2 3/8	175 x 80	10	\$28.07
SR124	8 1/4 x 3 3/8	210 x 85	10	\$36.81

Additional sizes - SR133, SR140, SR142

Universal repairs - nail hole injuries in crown area only. Advanced cushion gum for max adhesions.

### Bias or Radial — Universal Repair Units - Square


Repair Unit	Inch	mm	Qty/Box	Price
SSA45	1 3/4 sq	45 sq	100	\$25.37
SSA45T	1 3/4 sq	45 sq	100	\$23.34
SSA55	2 1/8 sq	55 sq	80	\$27.17
SSA55T	2 1/8 sq	55 sq	100	\$37.47



AS - Square

### Bias or Radial — Universal Repair Units - Round

Repair Unit	Inch	mm	Qty/Box	Price
SRA45	1 3/4	45	30	\$7.98
SRA45T	1 3/4	45	100	\$21.70
SRA55	2 1/8	55	30	\$9.75
SRA55T	2 1/8	55	100	\$27.60



AR - Round

### Vulcanized Tubeless Tire Repair Seals

- For emergency repair use only
- String repairs are not designed to be used in lieu of a permanent repair
- Repair a punctured tire in a matter of minutes
- Made from high-strength yarn and butyl rubber



362UBX  
361UBX  
Made in USA

McGee No.	Description	Qty/Box	Price
361UBX	4" Brown String Repair	50	\$13.08
362UBX	8" Brown String Repair	25	\$11.49
370UBX	7" Thin Black String Repair	50	\$11.99



- Clean out small injuries

Rema No.	McGee No.	Description	Price
537-95893	261RT	Reamer	\$9.99

- Used to inspect injuries in tires and to remove small stones and debris

Ascot No.	McGee No.	Description	Price
537-00001	1013P	Black Handle Awl	\$9.99



### #MTK

### Pouch - \$35.95



Includes:

1 ea	GA115 Gauge 20-120 PSI
1 ea	MK White Markal
1 ea	1246D Flip Socket 3/4-13/16 Thin Wall
1 ea	1291DT Flip Socket 19mm-21mm
1 ea	595TM Tread Depth Gauge
1 ea	TL620 Core Tool

McGee Company can help you determine the tire repair items needed to get started. Call for details!



McGee Company does not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.

## RPG Air Powered Tire Repair Vacuum

- Quick change from blow to vacuum function
- KIT INCLUDES: Plastic body gun, dust bag, 2 extension tubes, shop brush, flat tube, tiny tube



**\$49.99**



Ascot No.	Mfg. No.	Description
537-00003	VGB2	RPG Air Powered Tire Repair Vacuum

Aluminum body Rema version available

## Tire Marking Crayons

- Bright Color On Any Tire. Will not melt, soften or rub off in the pocket. A quality crayon that marks on tires, tubes and rubber. Sold 12 per box.



459-54222

Ascot No.	McGee No.	Color	Price	
459-51420	51420	White	<b>\$7.99</b>	The White Markal Crayon in use.
459-51422	51421	Yellow	<b>\$7.99</b>	

## Paintstik® Marker



Permanent, waterproof and fadeproof. Marks on wet tires, withstands retreading temperatures. Nontoxic, contains no lead. Sold 12 per box. Other colors available.

Ascot No.	McGee No.	Color	Price
459-80257	MKWhite	White	<b>\$12.99</b>
459-80258	MKYellow	Yellow	<b>\$13.25</b>

## Wire Brushes

Ideal for buzzout repair of radials



535-08014

535-15463

Copper Center® Wire Wheel Brushes—Wire Fill						
Ascot #	Mfg. #	Dia.	Wire Size	Arbor RPM	Hole	Price
535-15463	15463	2"	.0118"	20,000	1/2"-3/8"	<b>\$9.67</b>
535-15533	15533	3"	.006"	20,000	1/2"	<b>\$14.40</b>
535-15543	15543	3"	.008"	20,000	1/2"	<b>\$12.34</b>
535-15563	15563	3"	.0118"	20,000	1/2"-3/8"	<b>\$11.68</b>

## Knotted Brushes

535-08014	08014	3"	.014"	20,000	1/2-3/8"	<b>\$38.42</b>
535-08034	08034	4"	.0118"	20,000	1/2-3/8"	<b>\$44.51</b>

## Carbide Cutting Tools



Part No.	Description	Prices
BU18T	1/8" Taper Burr (PCC1)	<b>\$10.50</b>
BU14T	1/4" Taper Burr (PCC2)	<b>\$41.75</b>
BU38T	3/8" Taper Burr (PCC4)	<b>\$36.81</b>
BU12B	1/2" Ball Burr	<b>\$33.92</b>
BU732N	7/32" Long Pointed Burr (Use with 1/4" Plug)	<b>\$40.69</b>
BU516N	5/16" Long Pointed Burr (Use with 3/8" Plug) (PCC3)	<b>\$59.79</b>
BU716N	7/16" Long Pointed Burr (Use with 1/2" Plug)	<b>\$134.12</b>

## Rep Boy #3050RB


**\$299.99**

The Rep Boy has a 360° swivel top, adjustable tire spreader, four tilt settings, and a tool bin. The adjustable tire spreader can accommodate all tires from garden service right through to light truck tires. The Rep Boy is versatile enough to be used at the corner service center, high volume tire service centers, or section repair shops.



## Channel Lock Cutters

- Precision made of fine polished, high carbon steel
- Distinctive CHANNEL LOCK Blue comfort grips



CHA358

CHA437

CHA447

A447

A358

A44

Ascot #	McGee No.	Description	Price
319-00358	CHA358	8" Cutting plier with end cutter	<b>\$39.27</b>
319-00447	CHA447	7.75" Curved diagonal cutting plier – lap joint	<b>\$38.00</b>
--	CHA337	7" Lap joint diagonal plier	<b>\$33.79</b>
319-01337	31901337	7.75" Curved Diagonal Cutting Pliers	<b>\$25.34</b>
319-01358	31901358	8" Cutting Plier with End Cutter	<b>\$27.29</b>
319-01447	31901447	7.75" Curved Diagonal Cutting Pliers	<b>\$26.31</b>

## Professional Stitchers

- Corrugated ball bearing sticher with hardened steel wheel and varnished wooden handle



Ascot No.	Part #	Description	Price
536-00001	30	1-1/2" Diameter x 1/16" Face	<b>\$9.99</b>

## Gooseneck Stitchers

The newly designed GOOSENECK STITCHER has been proven to enhance stitching performance, providing ample pressure at all points on the tire without causing muscle fatigue for the tire technician.



Part No.	Description	Price
30GN	1-1/2" x 1/8"	<b>\$9.99</b>
6005GN	2" x 1/4"	<b>\$14.54</b>

Ergonomic design to lessen muscle fatigue and increase productivity.

## Buffing Wheels



33

BC-1

TCW21060SAEN

539-00788

1030G

538-14000 RH140

Ascot No.	McGee No.	Description	Price
539-00033	33	3/8" - 24 Arbor for mounting buffing wheels	<b>\$8.65</b>
539-10001	BC1	36 grit, round-nose buffer wheel, Tungsten Carbide 2 1/2" diameter — use on tires or tubes	<b>\$5.58</b>
538-13000	1030G	2" fine tooth buffing cone—Ideal for passenger inner liners	<b>\$17.50</b>
538-01034	1034T	2" med. tooth buffing cone—Ideal for passenger inner liners	<b>\$20.58</b>
539-00788		(2) No. BC-1 buffing wheels mounted back-to-back on No. 33 Arbor (order item separately)	
538-14000	RH140	Faster, cleaner buffing; avoid burning	<b>\$26.48</b>
	TCW21060SAEN	2" x 1" 3/8" SAE 60g rasp cup	<b>\$23.35</b>



## TPMS Tool Comparison

VEHICLE COVERAGE	ST-1	S57
Universal sensor coverage	<b>EZ-sensor</b> Exclusive	<b>EZ-sensor</b> + Other Programmable Sensors
Triggers/scans/reads/activates/relearns 100% OEM sensors	✓	✓
RELEARN FUNCTIONALITY	ST-1	S57
OBDDI and Sync-ID (OBDDI routines for Ford, Mitsubishi, Suzuki etc.) technologies	✓	✓
Tread depth gauge measurement (PN: 21301)	✓	✓
ECU unlock feature	✓	✓
Clears and retrieves TPMS Diagnostic Trouble Code (DTC) information	✓	✓
Decodes TPMS Diagnostic Trouble Code (DTC) information	✗	✓
HARDWARE & SOFTWARE	ST-1	S57
Keyfob test & PN lookup	✓	✓
WiFi and live update capable	✓	✓
DOT (Department of Transportation) recording	✗	✓
Allows placard pressure adjustments	✓	✓
EZ-sensor® image display capability	✓	✗
ID match function (matches sensor IDs with the ones stored in the vehicle)	✓	✗
Schrader's unique and user-friendly software	✓	✗
Customer/Job management feature	✓	✓
Built-in TPMS tool training	✗	✓
VIN barcode scanner to select Make-Model-Year (US only)	✗	✓
Supports trailer TPMS relearns	✗	✓
Touchscreen	✗	✓
5 years of free software updates	✓	✓

McGee No.	Description	Price
46133560	Dual Band 315 & 433 Mhz EZ Sensor	<b>\$29.99</b>
46133561	Bulk 10 Pack EZ Sensor	<b>\$259.99</b>
46934000	Aluminum Stem for EZ Sensor	<b>\$5.49</b>
VS950	Rubber Stem for EZ Sensor	<b>\$1.94</b>
33700	High Speed EZ Sensor	<b>\$34.99</b>
21355	ST1 Tool with 28 EZ Sensors	<b>\$649.99</b>
21057	S57 Tool w/100 EZ Sensors	<b>\$2249.99</b>

Designed to eliminate multiple sensors required for TPMS work

### APPLICATIONS:

Covers most GM, Chrysler, Honda, Nissan, Toyota, Lexus, Scion, Ford, Lincoln, & Mercury vehicles and some Mitsubishi, Subaru & Suzuki vehicles • Fully programmable • Compatible with Bartec, Schrader and SPX/OTC programming tools • Sensor features Wireless Auto Locate or WAL that allows the vehicle's TPMS system to locate and identify each TPMS sensor's specific location



Angled Stems Available

S57

33560

Ask us about App controlled aftermarket TPMS, banded or valve mounted



Sensors transmit to the app on your phone or tablet



Full Bulletin

## TPMS Profit Center

Remember, replacing the TPMS valve stem (snap-in rubber or clamp-in aluminum) or the TPMS service kit with each tire sale is done for the same reasons a traditional TR-413 snap-in is replaced with each new tire.

More information at [mcgeecompany.com/stems](http://mcgeecompany.com/stems)



**TPC**  
**\$184.99**

- McGee's top 7 stems
  - \* 8 - VS70
  - \* 4 - 1096k
  - \* 4 - VS90
  - \* 8 - VS65
  - \* 8 - 9066K
  - \* 20 - VS950
  - \* 4 - VS20
- Color coded for easy selection
- 52 stems
- Extra dividers to fit your needs
- Heavy duty protective organizing case



How much money are you leaving on the table by not doing TPMS?

	TR413 Valve Stem	TPMS Rebuild 9066k
ASSUMPTIONS	100 Tires per Week	100 Tires per Week
<b>Cost to WD</b>	\$ 0.29	\$ 4.03
Sell price	\$ 1.90	\$ 8.95
Profit per tire	\$ 1.61	\$ 4.92
Weekly profit	\$ 161.00	\$ 492.00
<b>Annual profit (52 weeks)</b>	<b>\$ 8,372.00</b>	<b>\$ 25,584.00</b>

A shop doing TPMS makes over **three** times the amount doing TPMS versus valves alone in addition to pushing their customers to a competitor. **Be TPMS smart**; let McGee Company train you and set you up with the tools to be successful.

## REDI-Sensor™

Simple and Accurate

REDI-SENSOR MULTI-APPLICATION SENSOR



- Installs right out of the box • No programming required, saving you 8-10 minutes per vehicle • Reduces replacement sensor inventory • Adjustable valve stem design
- Fits over 90% of the market • No additional training required • All REDI-Sensors are available in a rubber stem format

### WORKS WITH EXISTING MAJOR TPMS SCAN TOOLS:

If a shop has the tools to handle OE sensors, it's ready for REDI-Sensor. Unlike other sensors that require the purchase of specialized tools and software upgrades, no additional purchases, training or investments are needed with REDI-Sensor.



### S57 Tool Features:

- Schrader's strong OE pedigree, EZ-sensor®, and its latest generation EZ-sensor® GO, provides users with 70% EV coverage for national brands. The OE quality sensors cover some of the most popular EV applications in North America, such as:
  - Tesla 3 (2017 - 2020)
  - Ford Mustang Mach-E (2021)
  - Tesla S (2014 - 2021)
  - Nissan Leaf (2011 - 2022)
  - Chevrolet Bolt (2017 - 2022) and more

McGee No.	Description	Price	Ascot No.
46107001	315MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	<b>\$33.14</b>	461-07001
46107002	315 MHz REDI-Sensor for Honda, Hyundai, Kia, Lexus, Toyota & Scion	<b>\$34.57</b>	461-07002
46107003	315MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	<b>\$34.57</b>	461-07003
46107004	433MHz REDI-Sensor Multi-Application Sensor (Clamp-In Style)	<b>\$34.57</b>	461-07004
7001R	315MHz REDI-Sensor Multi-Application Sensor (Snap-In Style)	<b>\$33.14</b>	461-07011
5001R	433MHz Multi-Application Sensor (Clamp-In Style)	<b>\$34.29</b>	

Covers over 98% of TPMS equipped vehicles



Ask us about our competitor tool trade up program

**\$799.00** Bundle with 12 sensors only\*

24 sensor bundle available

\*Tool sold separately as well

**MaxiTPMS**  
**ITS600K12**

**AUTEL**

Sick of your technicians not being able to read tire DOT codes or read what they wrote down?



ITS600 is the first tool to scan DOT numbers for expiration and recall lookup!



### ITS600 TPMS, Diagnostics, and Tire Service Tool

- Activates, reads and relearns all known sensors
- OBDII relearn for most vehicles with 99% coverage of OE sensors
- Copy By OBD sensor programming & four MX-Sensor program modes; batch program up to 20 MX-Sensors
- Includes wireless Bluetooth vehicle communication interface (VCI)
- Tire pressure placard value reset
- Read/Clear TPMS system codes & view live data
- Free Wi-Fi software updates for the life of the tool



ProUpgrade \$120



#### Integrate with the TBE200 for:

- Precise laser measurement of tread depth & brake disc wear
- Create comprehensive Test Report w/ TPMS health, Tread depth, brake disc wear characteristics, & Repair tips



TBE in action

TBE200 **\$449.99**

## FREE SOFTWARE UPDATES



BASIC FUNCTIONS

**EASY & FAST**

- Activate All Known TPMS Sensors
- Read Sensor ID, Temperature, Pressure
- Read Sensor Battery Condition
- On-Tool OE Sensor Information
- Program MX-Sensor With 3 Programming Options
- Batch Program 1-16 MX-Sensors

**\$360\*** 16 sensor bundle available

**MaxiTPMS**  
**TS508WFK12**


- 1 - Autel TS508 Complete TPMS Tool
- 4 - Metal Valve Stems
- 12 - 1Sensor TPMS Programmable Sensors
- Wifi Version Available



COMPLETE FUNCTIONS

**POWERFUL**

- Same TPMS Features as Quick Mode
- TPMS Status Screen - View System Faults
- Read & Clear TPMS DTCs
- On-Tool DTCs Description
- Program MX-Sensors by Copying ECU Sensor IDs
- On-Tool Relearn Procedure Guide
- Widest Vehicle Coverage For OBD Relearn
- Tire Pressure Placard Valve Reset



### AUTEL TPMS TOOL

- The MaxiTPMS® TS508 is a new generation TPMS diagnostic & service tool specially designed to activate all known TPMS sensors, read TPMS sensor status, check TPMS system health condition, program MX-sensors and conduct TPMS relearn
- With Quick Mode and Advanced Mode options, you can save time and energy by choosing the most suitable way to complete TPMS work



TS508K

FREE SOFTWARE UPDATES  
ACTIVATE ALL KNOWN TPMS SENSORS

### 46130100 - PRE-PROGRAMMED TESLA BLUETOOTH TPMS SENSOR

- The MX-Sensor BLE is a pre-programmed Bluetooth Low Energy (BLE) sensor that offers "fit & go" capability for:
  - Tesla Model 3 2021-2023
  - Tesla Model S 2021-2023
  - Tesla Model X 2021-2023
  - Tesla Model Y 2020-2023
  - All Tesla models older than the years above use our standard Ascot by Autel MX Sensor 1-Sensor
- Built to meet or exceed industry standards and tested to endure extreme temperatures, the MX-Sensor BLE is also programmable with Autel tools for the latest BLE-equipped vehicles
- The MX-Sensor BLE is warranted for two years



Dill OE Tesla sensor available

**\$49.99**

### AUTEL MX-SENSOR PROGRAMMABLE UNIVERSAL TPMS SINGLE SENSOR

Metal stems available in Black, Titanium, Chrome, & Rubber

- Combines 315MHz & 433MHz frequencies into a single sensor • 98% vehicle coverage • The exclusive MX-Sensor patented PRESS release valve allows rubber and metal valve stems to freely interchange by hand without requiring a tool • Built to match or exceed OEM sensors in frequency strength and durability
- 100% ID cloneable with no relearn required • Quickly update during installation with an Autel wireless programming tool



Qty discounts available!

Ascot No.	McGee No.	Description	Price
461-20326	1-Sensor	Autel MX-Sensor Programmable Universal TPMS Single Sensor	<b>\$27.99</b> Quantity breaks available

# POPULAR TPMS KITS AND STEMS

Stem Base:  VS15, VS950, VS950S  VS20  VS30, VS90, VS45  VS1010  VS65\* \*VS925A & VS925C(silver), VS280SB & VS925B(black)

Ascot No.	McGee No.	Schrader Version	Description	Price
469-01030	1030K	SH20017AK	Siemens Kit for VW (Fits 1053 Sensor) (Orange)	\$3.48
469-01050	1050K	SH20013AK/ SH20030AK	Siemens Kit for Chrysler (White) SH20013AK includes bottom ball	\$3.35
469-01060	1060K	20001/20002/ 20135AK/20096AK	Fits Schrader SH20096 (Red)	\$1.88
469-01070	1070K	20004/20116AK/ 20115AK/20107AK	Fits Dill 9076, 9107, 9115, 9116 (Blue)	\$1.75
469-01080	1080K	20003/20007/ 20117AK/20028AK	Fits Dill 9028, 9034, 9064, 9081, 9117, 9161 (Green)	\$1.75
469-01090	1090K	-	Compatible with Beru Sensors (Grey)	\$3.60
469-20036		SH20036AK	Entire Valve (Schrader 20036) for Hyundai, Kia, Honda (Dill 1096)	\$9.42
469-01100	1100K	SH20032AK	Compatible with Pacific Sensors for Toyota/Lexus (Purple)	\$3.18
469-01110	1110K	SH20006AK	Compatible with Pacific Sensors for Toyota (Teal)	\$3.18
469-01130	1130K	SH20030AK	Compatible with Schrader 20005 (Burgandy)	\$2.95
469-20025	2000K	-	TRW Kit for Honda, Acura	\$3.75
469-20010	2010K	SH20015AK	Compatible with Schrader Sensors for Volvo (non-stock) (Lt. Brown)	\$1.92
469-20030	2030K	SH20016AK	Dill Sensors 9154, 9204, 9214	\$1.95
469-02040	2040K	SH20019AK	Kit for Honda Civic (Lt. Blue)	\$2.13
469-09250	VS925A	-	Aluminum Metal Replacement Valve for GM Snap-In	\$4.43
469-09251	VS925C	-	Chrome Metal Replacement Valve for GM and Ford Snap-In	\$4.53
469-00950	VS950	SH20018	Rubber Snap-In Replacement Valve for GM & Ford fits Schrader 46133500 (ea)	\$1.94
469-17208	VS950IV	VS950IV	Rubber Snap-in like VS950 for GM & Ford (Import)	\$ .99
469-09305	VS950SC	-	Chrome Replacement Valve for GM and Ford Snap-In	\$2.63
469-34000	46934000		Alum Stem for Schrader 46133500 dual band	\$5.50
469-20020	-	SH20020	Replacement Stem Chrysler, Uses Kit 1050K	\$2.29
469-90660	9066K	-	Complete Replacement Stem Chrysler with Kit (9066B-Ball joint only)	\$4.48
469-07020	7020K	-	Accessory Kit for Redi Sensor	\$3.95
469-00770	VS70	-	Available on the following vehicle in various forms: Years 2010 to 2014 (Acura, Cadillac, Chrysler, Dodge, Honda, Hyundai, KIA, Mazda, Nissan) the sensor most associated with the VS-70 is 7001/HP or 7002.	\$8.53
469-00080	VS80	-	Replacement Rubber Stem Kit Dill Redi 7001-R	\$5.65
469-00090	VS90	-	Key at base attaches via press clip; Fits Dodge Dart, Mitsubishi Mirage	\$5.53
469-17436	1743016	-	Smart Sensor Snap-In Valve for ITM, Cub, 31Inc, Pilot	\$3.34
469-20014	-	SH20014AK	Kit Fits EZ Sensor 34000 Stem	\$2.13
	VS1010	-	Fits Hyundai Sante Fe Snap-In 7mm	\$2.62
	VS65	-	Base of stem is square Snap-In Fits Dodge Rams, Jeep Cherokee	\$3.94
	VS65IV	-	Base of stem is square Snap-In Fits Dodge Rams, Jeep Cherokee Import	\$2.43
	VS35	-	Dill TPMS clamp-in valve Dodge Ram	\$7.54
	VS965	-	Replacement valve stem for Hyundai / Kia	\$4.27
469-00919	VS919	-	Replacement TPMS stem for 19.5 Trk Wheels, parallel key	\$3.72
	VS241	-	2017 Ford F350 Super Duty dually aluminum	\$6.24
	VS20	-	Rubber Valve Stem for 2015 and newer GM and Ford	\$2.67
469-20280	RV1000	-	Autel MX-Sensor Rubber press release stem	\$3.25
469-20279	MV1000	-	Autel MX-Sensor Metal press release stem	\$3.08
469-20281	CV001	-	Autel Black MX-Sensor Black Metal Valve	\$4.17
469-20282	CV002	-	Autel MX-Sensor Titanium Grey Metal Valve	\$4.17
469-20283	CV003	-	Autel MX-Sensor Chrome Valve	\$9.95
469-17393	VS920	-	.625" valve hole square found in Ford Super trucks/sprinters (VS919 Parallel key)	\$4.47
469-17398	1750398	-	Short Snap in good for custom applications parallel key	\$1.48
	VS490	-	Tesla OEM stem uses T20 screw, aftermarket wheel compatible OE Sensor available PN:2547	\$7.90
	VS15	-	Replacement Valve for Toyota Corolla	\$4.20
	VS312	-	Replacement Clamp in Stem for Toyota TPMS Adapter w/Bent 0.3 90"	\$6.40
	DA543E	-	Valve for GM	\$11.97
	2045K	-	TPMS Accessory Kit Honda Acura TPMS Valve Stem Assy Short TRW	\$2.53
	1096K	-	Ball-seat valve stem assy w/ internal shear ring 43mm	\$7.96



## 18-Drawer Metal Storage Cabinet

- CABINET SIZE: 33-3/4" (W) x 11-3/4" (D) x 10-3/4" (H)
- DRAWER SIZE: 4-7/8" (W) x 11-1/4" (D) x 2-3/4" (H)
- Modular drawer design for efficiency and organization
- Heavy-duty, welded steel construction provides strength and stability
- Drawers feature stoppers to prevent accidental pulling or spilling
- Full-width handles and easy glide runners
- Shipped fully assembled and ready to use
- WEIGHT: 45 lbs.



*Great for wheel weights or misc parts*

*Comes with stickers with lug nut labels to add!*

Ascot No.	Mfg. No.	Description
719-00018	18D	18-Drawer Metal Storage Cabinet

## Heavy Duty Tire Repair Cabinet




Features sliding storage drawers with rollers.

- SIZE: 19.6" x 10" x 26"
- 2 shelves inside (3 storage levels)
- 2 tool hook sets on two inside doors
- 2 sliding storage drawers with rollers
- Switch-to-open handle
- Optional shelf available
- WEIGHT: 36 lbs.

*Ask us about fully outfitted Jet Tire repair cabinet PCAB1*

Ascot No.	Mfg. No.	Description
719-12001	TBG-WC12001	Heavy Duty Tire Repair Cabinet
719-12011	TBG-WC12001-01	Optional Shelf for Tire Repair Cabinet

## 32-Bin Metal Storage Cabinet



Wheel weight label stickers available

- CABINET SIZE: 33-3/4" (W) x 8-1/2" (D) x 19-1/4" (H)
- DRAWER SIZE: 4" (W) x 8-3/8" (D) x 4-1/2" (H)
- Keeps your tools and accessories organized and accessible
- Heavy-duty, welded steel construction provides strength and stability
- Hemmed bin fronts for retaining parts
- Mounting holes located in the top and bottom
- Shipped fully assembled and ready to use
- WEIGHT: 37 lbs.

Ascot No.	Mfg. No.	Description
719-00032	32B	32-Bin Metal Storage Cabinet

## Lug Nuts



**Sold in box of 20**

Ascot No.	McGee No.	Description	Price Ea	Price Pack 20
491-11001	LN01	14mm x 2 Big Bulge; Ford 13/16" Hex	\$ 2.78	\$ 55.50
491-11002	LN02	12mm x 1.50 Bulge Acorn; Accura/Honda - 3/4" Hex	\$ 1.05	\$ 21.00
491-11003	LN03	14mm x 1.50 Duplex Bulge; Dodge/Jeep/Ram - 7/8" Hex	\$ 1.70	\$ 34.00
491-11004	LN04	14mm x 1.50 Duplex Bulge; GM - 7/8" Hex	\$ 2.05	\$ 41.00
491-11005	LN05	9/16"-18 Duplex Bulge; Dodge/Jeep/Ram - 7/8" Hex	\$ 1.70	\$ 34.00
491-11006	LN06	1/2"-20 Bulge Acorn; 13/16" Hex	\$ 1.05	\$ 21.00
491-11007	LN07	12mm x 1.25 Bulge Acorn; 13/16" Hex	\$ 1.05	\$ 21.00
491-11008	LN08	12mm x 1.50 Bulge Acorn; 13/16" Hex	\$ 1.05	\$ 21.00
491-11009	LN09	12mm x 1.25 Bulge w/ Washer - Nissan - 13/16" Hex	\$ 1.98	\$ 39.50
491-11010	LN10	12mm x 1.50 Bulge w/ Washer - Toyota - 13/16" Hex	\$ 1.85	\$ 37.00
491-11011	LN11	14mm x 1.50 Duplex Mag w/ Washer - Toyota 7/8" Hex	\$ 3.28	\$ 65.50
491-11012	LN12	12mm x 1.50 Chrysler; Mag - 3/4" Hex	\$ 2.68	\$ 53.50
491-11013	LN13	1/2"-20 Bulge Acorn; 3/4" Hex	\$ 1.05	\$ 21.00
491-11014	LN14	12mm x 1.50 Ford; 3/4" Hex	\$ 1.45	\$ 29.00
491-11015	LN15	12mm x 1.50 Bulge Acorn; 3/4" Hex	\$ 1.05	\$ 21.00
491-11016	LN16	12mm x 1.25 Bulge Acorn; 3/4" Hex	\$ 1.05	\$ 21.00
491-11017	LN17	12mm x 1.25 Cone Lug Bolt - 19mm Hex	\$ 1.95	\$ 39.00
491-11018	LN18	14mm x 1.50 Ford; 13/16" Hex	\$ 2.40	\$ 48.00
491-11020	LN20	14mm x 1.50 Short Truck 7-Spline Lug Nut	\$ 1.19	\$ 23.88
491-11021	LN21	12mm x 1.50 Spline 6-Sided Lug Nut	\$ 1.13	\$ 22.50
491-11022	LN22	12mm x 1.25 Spline 6-Sided Lug Nut	\$ 0.91	\$ 18.13
491-11023	LN23	1/2"-20 Spline 6-Sided Lug Nut - Black	\$ 1.23	\$ 24.50
491-11024	LN24	14mm x 1.50 Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black	\$ 1.33	\$ 26.63
491-11025	LN25	12mm x 1.50 Bulge Acorn 2 Pc. Lug Nut - 3/4" Hex - Black	\$ 1.33	\$ 26.63
491-11026	LN26	12mm x 1.50 Spline 6-Sided Lug Nut - Black	\$ 2.41	\$ 48.13
491-11027	LN27	12mm x 1.50 Spline 6-Sided 2-Pc. Lug Nut	\$ 2.41	\$ 48.13
491-11028	LN28	12mm x 1.50 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	\$ 0.76	\$ 15.25
491-11029	LN29	14mm x 1.50 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	\$ 0.76	\$ 15.25
491-11030	LN30	1/2"-20 Open End Bulge Acorn Lug Nut - 3/4" Hex - Zinc	\$ 0.76	\$ 15.25
491-11031	LN31	14mm x 1.50 Black Ford Heavy Duty Lug Nut	\$ 3.56	\$ 71.25

## SP012 12,000 lbs. capacity SHOCKWAVE™ EQUIPPED OPTION



Model Shown:  
SP012U7T5RD  
SHOCKWAVE  
equipped lift

LOW  
CEILING  
MODEL  
AVAILABLE

2X faster rise and descent

Three-stage arms add reach

Thread-up truck adapters with stackable inserts

Three higher rise and extended height options – add up to 3' of height!

## Shockwave Inground Smartlifts

- 10,000-12,000 lbs capacity models available
- High efficiency power and air per lifting cycle, selected in key lead projects
- Reduces space usage and allows more lifts
- Trio three stage arms for pinpoint location
- Shockwave or standard available
- New wide inground (SL210W or SL212W) futureproofs your business, as they can service electrical vehicles.



SL210W

## Higher weight capacity lifts available!

*Price is just the tip of the iceberg when evaluating equipment purchase. Beware of hidden future problems.*



## New AR022

- Alignment ready runway lifts 22,000 lbs. capacity
- Robust open front design
- Air locking rear steer plates
- LED runway lighting system



## CALL FOR PRICING


## SPOA10-A

- 10,000 lbs. capacity AV arms lift and service practically all roadgoing vehicles on ONE LIFT, including:
  - Battery Electric
  - Exotic Low Profile
  - Truck Frame
  - Unibody Cars & SUVs
- THE HIGHEST CAPACITY LOW-PROFILE LIFT AVAILABLE With the industry's lowest profile arm height available of any 10,000 lb. capacity two-post lift, technicians can easily spot lower profile vehicles without worry.
- THE LOWEST ADAPTER HEIGHT IN THE INDUSTRY The outer arm and adapter height are the same measurement reducing any possibility the arm makes contact with vehicle underbodies. The adjustable, low adapter height allows the needed reach to easily spot, lift and repair unibody, exotic and battery electric vehicles.
- Round or Truck adapters available
- Shockwave available

## MORE INFO:



Shown SPOA10-AV



## Mach Flex Mobile Column Lifts

- New higher column capacity 18,800 lbs
- Easy to use intuitive remote control operation
- Control all columns from anywhere in the bay with remote included with purchase.
- Includes LockLight™ on each column
- Vehicle Height and Weight digital display gauges



2, 4, 6, & 8 column configurations available!




SM301 - 30,000 LBS.  
LIFTING CAPACITY




**MCGEE COMPANY**  
 offers turn key solutions for your shop or dealership equipment needs, lubrication systems, and compressed air including free CAD design!  
**Call today for pricing**  
**1-800-525-8888**

**Our experts can help you design your air piping systems, lift installations, and lubrication systems to fit your needs.**



The World's Most Trusted Lift™ A DOVER COMPANY


### Rotary Symmetric / Asymmetric



**Benefits of True Asymmetric Lifting:**

- When the lift is loaded properly, doors can be opened and the vehicle is positioned a minimum of 24" away from the nearest obstruction.
- With true asymmetrical lifting, the columns are rotated 30° to place the approximate center of gravity of the vehicle in line with the optimum load capability of the column, reducing unnecessary wear and tear on the column, carriage and bearings.
- Asymmetrical lifting provides more clearance at the rear of the columns (the open door contact point) approximately 117" vs. 103".

### Versymmetric®\* / 2-in-1 Lift



**Pitfalls of Versymmetric / 2-in-1 Lifting:**

- When the lift is loaded, long vehicles that should be loaded symmetrically extend too far forward, leaving no room for work benches or walking area. Asymmetrical lifting positions the vehicle too far back, which intrudes into the drive-through area or even an exterior bay door.
- Versymmetric lifting places the approximate center of gravity of the vehicle in front of or behind the optimum load capacity of the lift. By doing so, wear and tear on the column, carriage and bearings is increased.
- No spotting dish makes vehicle positioning "Guesswork".
- The front arm is offset 5" which requires short wheelbase vehicles be pulled further forward to clear the front tire, which reduces the clearance to open doors.



Versymmetric and 2-in-1 style lifts have short arms on the front and long arms on the rear. This is done to accommodate the pick up points of vehicles that are shifted to the rear in order to improve open door clearance for the technician getting in and out of the car. In a symmetric load condition the vehicle is centered fore and aft (not shifted to the rear). The short front arms are unable to reach the pick up points in the symmetric load condition. This can be easily demonstrated by picking up an F350 as shown.

LIF\_019\_vs\_vsy\_2006.02  
 ©2006 Rotary®. Printed in U.S.A., All Rights Reserved. Unless otherwise indicated, ROTARY, DOVER and all other trademarks are property of Dover Corporation and its affiliates.

\* VERSYMMETRIC is a Registered Trademark of Challenger Lifts, Inc.



or



### LT33A Air Hydraulic Lift Table 3,300 lbs capacity

- Prepare for the future with the capacity and capability of the new LT33A mobile lifting table.
- GET READY TO SAFELY SERVICE ELECTRIC VEHICLES
- Rotary's LT33A lift table is designed and built by the maker of the most trusted lifts in the vehicle service industry. Modeled to service batteries on hybrid and electric vehicles, boost your service options today.
- Experience the ultimate flexibility in lift positioning and ease of use with these patent-pending features.
- The LT33A single section scissor lift design has a wide, stable base to help technicians securely and efficiently remove, and install heavy vehicle components from electric battery packs, engines, and transmissions. Multi-position column locks



### SHOCKWAVE Equipped Lifts

- 2X Faster rise and descent than standard lifts
- DC powered which reduces installation/operating costs
- Two standard Group 24 batteries charged by the 110v that runs the lift removes the need for expensive 220v wiring and can operate during power loss
- Spotline motion activated laser helps spot vehicles the first time
- Available on lifts from 7,000-20,000 lbs



### Inground Smartlifts

- 10,000-12,000 lbs capacity models available
- High efficiency power and air per lifting cycle, selected in key lead projects
- Reduces space usage and allows more lifts
- Trio three stage arms for pinpoint location
- Shockwave or standard available
- New wide inground (SL210W or SL212W) futureproofs your business, as they can service electrical vehicles.



SL210W

### Smartlift Green Features

- Uses only 19 quarts "Bio-Fluid"
- An entirely closed system housed in a recycled polymer composite containment which protects the environment and the lift
- The Smartlift uses only .045 kWh of electricity and .01 cfm of air per lifting cycle
- Steel components and housing can be recycled again at the end of the lift's lifecycle





## Wheel Arm for lifts 92100 - \$109.99



- 100 lbs Capacity
- Set of two arms
- Comes with 2 magnetic tool trays, hex key, and mounting shims



Wheel arms hold tires at the lift arm height – great for tire rotations and brake jobs



## Air/Electric Utility Boxes



- Two 110v electric outlets and air connections mount easily to any column and provide quick access to utilities.
- The filter/regulator/lubricator extends the life of your airtools.

**FA5911BK (with filter/regulator/lubricator)**  
**FA5910BK (without filter/regulator/lubricator)**

## COB Rechargeable Work Light TWL3007E - \$19.99



Magnetic Swivel Bottom

## Rubber lift pad for any lift available!



Ascot No.	Mfg. No.	Description	Application
309-00003	JOK03M	Rubber Lift Pad - 5" Round	Nussbaumlifts
309-00005	JOK05M	Rubber Lift Pad - 4" x 5"	BenPearsonlifts
309-00007	JOK07M	Rubber Lift Pad - 5" x 5"	Forward,Worth,American, Gemini, Grand, Tuxedo, Eagle, & Whip lifts
309-00009	JOK090	Rubber Lift Pad - 4" x 4"	Challenger CL9 and CL10 lifts
309-00022	JOK22D	Rubber Lift Pad - 3.25" x 4"	Rotary SPO10, SPO12 lifts
309-00014	JOK140	Rubber Lift Pad - 5.25" Round	Challenger CL10, Quality lifts
309-00011	JORB-1	Rubber Block 1.5"	Rotary Airjacks and all Mid-Rise pad lifts
309-00013	JORB-3	Rubber Block 3"	Rotary Airjacks and all Mid-Rise pad lifts



Each LOCKLIGHT™ includes:

- Indicator light assembly
- Pressure switch
- Mounting Bracket
- 10' of electrical wire

- Compatible with most surface and inground lifts using electric/hydraulic power units
- Retrofits to most existing lifts
- 110v and 220v configurations

**Part #FA834/110v**  
**Part #FA835/220v**



## Norco 1/2 ton transmission Jack

- Fully adjustable universal saddle with adjustable corner brackets and safety chain, 72" raised height
- Safety overload system prevents jack from being used beyond rated capacity
- Foot operated pump and lowering pedals
- Two-stage flash chromed rams inhibit rust from entering hydraulic system
- Wide base with polyurethane wheels to protect floors.



72500E - \$1,199.99

Ask us about fuel tank saddles

## Door Defender™

Rotary's new door defender allows technicians to easily enter and exit the vehicle without damaging their customer's vehicles. The door defender is a low profile solid rubber guard designed to fit over the two-post lift carriage. The N823 door defender kit includes: 1 door defender, adhesive to attach to the lift, a Rotary decal and instructions.

Model #N823



## Norco under hoist stand 3/4 ton

- Lightweight, slender design makes handling easy, even in close quarters
- Quick adjust spin handle with thrust bearing eliminates wear and provides ease of turning under load
- Extended height 81"

81033A - \$174.99

## CPH001 LED Rechargeable Headlamp \$24.99

- Hands free on/off of main light
- ABS silicone band (lightweight)
- COB high, low, and flashing with 3W Led High/low spot
- USBC charging 3-4 hrs with working time 3-8hrs
- Waterproof and shockproof



RA, TA, and Trio adapters for Rotary and other brands available, call for pricing!

2019 Chevy & GMC pickups require a specially designed adapter to properly and safely engage the truck's newly designed wider frame.

McGee is stocking for Rotary and Challenger.



FJ6258KIT (Set of 2)  
 FJ6257KIT (Set of 2 for Trio)

## Lifting jack pads for Tesla models TJP4 - \$24.99

- Set of four in convenient carrying case
- Protect the vehicle, battery and paint from damage
- Can be used with floor jack or 2-post lifts
- Top piece fits into designated factory lifting points



FJ6259KIT (Set of 4)

## Oil King

- Large 25 gallon capacity with sight gauge
- Convenient tool trays and filter areas
- Large offset collection pan with screen
- Oversized tires to get over hoses and rough floors



**\$739.99**  
238866

Splatter pads available



## Graco

AIR DIAPHRAGM PUMPS

3/4" **241906** 15 GPM **\$659**

1" **647731** 40 GPM **\$899**

McGee Company has Graco service and parts!

## 8-1 Drain Plug Wrench

**\$18.33 - 31301219**



31301219

## Maintenance & Installation Available!

### Graco LDX Hose Reel

**\$319** HEL010 Air 3/8" x 50'  
**\$419** HEM004 OIL 1/2" x 35'



\*Required inlet hose kit sold separately.

218547XX for air or 218549X for oil

- Designed for light duty applications
- Enclosed for safety and protection, extended hose life
- 5 year warranty



## Whip your shop into shape with stackable fluid storage & dispensing systems

Dual wall options available



## 225006 Fire-Ball® 300 Series 50:1

120 lb. (54 kg) Grease Pump Portable Package with Caster Base

**\$1589**



## 242056 1/4" Non metered Grease Valve **\$185** 242058 3/8" Non metered Grease Valve **\$219**

For heavy-duty applications, this non-metered dispense valve is designed to perform in heavy equipment shops, fleet maintenance shops, and municipal garages. Typical applications include service shops, Heavy-duty dealerships, Fast lube centers, Automotive dealerships, In-plant, Lube trucks and Mining.

- Pressure-assisted trigger for ease of operation
- Easy top adjustment with locking nut
- Rugged design to withstand harsh environments



## 202577 Zinc Plated Steel Z-Swivel 1/4"-18 NPT **\$129** 224569 Zinc Plated Steel Z-Swivel 3/8"-18 NPT **\$159**



## Heavy Duty & High Quality



SDL25B 50' AIR **\$549**  
SDM33B 35' OIL **\$599**  
SDM65B 50' OIL **\$649**



PM8 Preset



- ELECTRONIC
- PRESETTABLE

273156 — Rigid Extension **\$879**  
273157 — Flexible Extension



EM8

25C903 — **\$459**  
Rigid Extension  
25C904 — **\$459**  
Flexible Extension  
• ELECTRONIC  
• LIGHTWEIGHT

## Did you know we design complete systems for your needs?

It doesn't matter the size of your shop, we have the right solution for you. We can design at your location with tablets to give you an idea for a new system or an upgrade before we bring it back to design in CAD. Call today for your time and money saving system from the Graco pros at McGee Company.



**1-800-525-8888**

## Graco Pumps & Accessories



**24G576**  
LD Series  
3:1 **\$539**

Affordable and full featured LD series is designed for lower volume applications.



**246775**  
Fireball 225  
3:1 **\$789**

Introducing Graco's classic Fire-Ball design as a 3:1



**203876**  
Fireball 300  
5:1 **\$1049**

This pump has been the "crown jewel" of Graco since the 1950s and is the pump of choice in the most demanding environments.

## Tank Gauges

Numbers decrease as fluid level lowers indicating how many inches are left until the tank is empty. For use with oil, waste, diesel fuel, antifreeze and other fluids with a high flash point.



**008164**  
new oil gauge  
**\$249**

**\$249**  
008566 used oil gauge





## Quincy QT® Compressors "Rated #1"

Meticulously designed for maximum productivity. Completely rebuildable with stainless steel valves and heavy duty cast iron crank case and cylinders. Leading the industry with the most CFM per brake horse-power. Includes ASME receiver, enclosed belt guard, EPAct high efficiency motor, and loadless auto stop/start.

Part No.	HP	Electric Spec.	ACFM at 175 PSI	Tank Size	Price
2021116649	5.0	230V 1PH	15.2	60 Vert	<b>\$1,879.00</b>
2020040701	5.0	230V 1PH	17.2	80 Vert	<b>\$2,991.00</b>
2020040716	7.5	230V 1PH	23.6	80 Vert	<b>\$3,399.00</b>
2020040776	10.0	230V 3PH	36	120 Vert	<b>\$4,898.00</b>

### 5-year True Blue Warranty on Rotary Compressors



- Only the World's Finest Compressors come with an industry leading warranty! Quincy Compressor offers 5-year coverage, True Blue Warranty
- Other companies say they offer the best machine, but only Quincy can prove it. We back our most reliable air compressors with an industry leading warranty of
  - 5-year Airend Warranty
  - 5-year Drive Motor
  - 5-year Heat Exchanger
  - 5-year Separator Tank
  - Recip Compressor Optional NO BULL Warranty 3-Year Pump / 2-Year Package Warranty
- Please refer to instruction manual and warranty statement for recommended service intervals and requirements.



### Proper Piping for Compressed Air

- 100% aluminum for compressed air, copper ok as well.
- Aluminum offers excellent mechanical resistance to pressure and to impacts.
- The upgraded design of the new PPS1 aluminum fitting is more compact, lighter and more resistant.
- The aluminum alloy used, combined with epoxy paint on the outside and a treatment on the inside, protects the pipe against the risks of oxidation and corrosion.
- Simply insert the pipe into the fitting and then tighten the PPS1 fitting.



### 2020014002 Service Truck Compressor Gas Honda 13HP 30 Gal Horiz - **\$3399.99**

- Quincy QT-7.5 Splash Lubricated Reciprocating Air Compressor
- 13 HP, Honda Gas Engine
- 30-Gallon Horizontal
- 23.6 CFM @ Max PSI , 160-175 working PSI, Honda Gas-powered
- Cast iron pump w/aluminum head has 50,000 + Pump Life



Ask about our Energy Audits for rebates from energy companies

### Lubricants

McGee Company stocks a variety of lubricants in various weights to fit your needs. Make sure you have the appropriate weight lubricant in your system to protect against high temperatures and frictional wear of bearings and cylinders that reduces the life of your compressor. McGee Company carries Quincy specific Quin-Cip/Quin-Syn through our house brand.



Part No.	Description	Price	Appl.
2024600602	10 weight gal.	<b>\$58.70</b>	Cold < 32°
2024600702	20 weight gal.	<b>\$58.70</b>	Warm < 68°
2024600802	30 weight gal.	<b>\$58.70</b>	Hot > 85°

### 4152051929 High Performance Series 101-10000

#### Quiet Rotary Screw Air Compressors

- Quiet operation - lowest noise levels available
- 100% continuous duty operation
- Compact design in a complete package
- Simple and low cost maintenance
- Clean dry air
- Lower operating costs
- Proven design by a world leader in compressor technology
- 21.2 cfm @ 150 psi
- 208/230/460 - 3 ph



Pictured with dryer

5HP to 15HP Available  
208/230/460V  
3PH

4152051929 **\$7,597.88**



60-Month Financing Terms\* \$161/mo

\*Details: Payment terms based on 60 months. One time origination fee. \$1,500 minimum. Pricing effective through July 31, 2024. Subject to credit approval. Subject to change without notice. All plans offered through Great America.

## ELIMINATE WATER!

### Where Water Comes From

The atmospheric air entering a compressor intake contains water vapor. Because of the effects of compression, most of this water vapor turns into troublesome liquid water in your air lines.



RAD0025A1	25CFM 120V Refrigerated Dryer	<b>\$1,539.00</b>
RAD0055A1	55CFM 120V Refrigerated Dryer	<b>\$1,875.00</b>
RAD0075A1	55CFM 120V Refrigerated Dryer	<b>\$2,987.63</b>

### Auto drain!

- Electric Operated Drain Valve 1/2"
- 1/4" NPT Inlet & 1/2" Female Pipe
- 300 Maximum Working Pressure
- 110 Volt w/6Ft Power Cord
- Y-Strainer & Ball Valve Included
- Adjustable Timer For Blow Down
  - » 1/2 Second - 45 Minutes Interval Time
  - » 1/2 Second - 10 Seconds Discharge Time

2523J - **\$119.95**



## Why Coats?

All equipment installed and training by a factory tech · In stock at multiple McGee locations · Extended warranties · Building equipment since 1947 in TN · General repair to HD, AG, and Industrial options



### MAXX50 - Good!

- Wheel Handled - Alloy, Steel for Car & Light Truck
- Rim Diameter - 6-24"
- Max Tire Diameter - 50"
- Max Rim Width - 16"
- Bead Loosening Width - Up to 22" Wide
- Wheel Clamping System - 4 Clamps, Air Cylinder Operated
- Bead Seating Air Volume - 5.4 Gallons in Tower
- Air Drive System - Up to 4 HP\*
- Electric Drive System - 110V Electric Motor
- Footprint - 74"w x 81"h x 44" d
- Ship Weight - 750 lbs, Low Center of Gravity for Stability
- Warranty - 3 Years Parts, 6 Months Labor
- Part Numbers -  
Electric 110V: 800MAXX50  
Air: 800MAXX50A

\*Max air motor HP dependent on shop air pressure



### MAXX80 - Best!

- Wheel Handled - Alloy, Steel for Car & Light/Medium Truck
- Rim Diameter - 6-24"
- Max Tire Diameter - 50"
- Max Rim Width - 16"
- Bead Loosening Width - Up to 22" Wide
- Wheel Clamping System - 4 Clamps, Air Cylinder Operated
- Bead Seating Air Volume - 5.4 Gallons in Tower
- Air Drive System - Up to 4 HP\*
- Electric Drive System - 220V 2 HP Electric, 110 Electric Motor
- 220V Electric Requirements - 220V, 10amps, 1PH, NEMA L6-20
- Footprint - 74"w x 86"h x 44" d
- Ship Weight - 850 lbs, Low Center of Gravity for Stability
- Warranty - 3 Years Parts, 6 Months Labor
- Part Numbers -  
Electric 220V: 800MAXX80220  
Electric 110V: 800MAXX80  
Air: 800MAXX80A

\*Max air motor HP dependent on shop air pressure



### 1300

- Direct drive motor with 40mm shaft
- 2D Auto data entry
- 220V 1/3ph
- 8-30" diameter wheel range with max tire diameter of 44"
- Warranty: 3 Year Parts, 6 Months Labor



### 1500

- Direct Drive Motor
- Laser Guided Tape-A-Weight
- Side Shadow Board with Basic Pro Kit
- Auto Start Hood
- Static-On-Screen
- New Display Mounting Bracket
- Automatic Data Entry (Distance/Diameter/Width)
- 12 o'clock Inboard Laser
- Stop, Lock & Index

Extended 3 year warranty



### 525 WHEEL LIFT FOR DIRECT DRIVE BALANCERS

- 160 lb capacity, Air Operated
- Mounts to Direct Drive wheel balancers: 1300 1400 1500 1600
- Hi-Visibility floor ramp for easy roll on/off
- Smooth scissor-lift action
- Sliding work platform for easy operation
- Small footprint, low center of gravity for superior stability
- Simple foot-pedal operation



COATS ALIGNMENT SYSTEMS AVAILABLE;  
CALL FOR DEMO!

Call today for best prices!  
**1-800-525-8888**

## High Grip Jaw Protectors

Polymer jaw covers prevent metal-to-metal contact when performing external clamping. - TCX500 Series Machine



RP11811100358 - 8 ea.  
**\$109.99**

## Slide Cover for Bead Lifting Tool

Protects custom rims.

85000783 - Slide Cover for Top of Bead Coats Lifting Tool - 10 pk - Coats **\$49.99**



RP11811400098 - 4 pk for Hunter tire machines  
Lever sleeve protector, Hunter **\$42.07**

85000783



## Coats Replacement Tire Changer Air Hose - 5 ft.

Coats Replacement Tire Changer Air Hose with Euro Chuck

Part # W44RJ5 **\$13.92**



RP11811400325 Leverless Mount Head Insert Kit TCX V3 **\$58.99**

RP11811100303S Protector Plastic for Old TCX Steel Mount Head **\$1.78**

Plastic Inserts for 182788 Metal Mount/Demount Head (Pkg of 2) 50X, 60X, 70X Model 182961 **\$7.99**



Plastic Inserts for 182788 Metal Mount/Demount Head (Pkg. of 12) Model 182963 444-82963 **\$26.99**

8560716108 Replacement black grip for new style Grip Max Plus **\$66.81** (8 each)



183604 Quilted Clamp Socks (10 pk) for series machine - 50X, 60X, 70X **\$49.99**



## 5500 Low Profile Bead Lever Tool **Now \$49.95**

Designed by technicians to assist with hard to change low profile tires. The easy grip ergonomically designed handle allows the user needed leverage for the toughest of sidewalls while remaining a safe distance from the face of the wheel.



## For All Rim ClampTire Changers

Part # 181354 **\$36.69**  
444-81354



## Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires



99593

## Wooden Handled Wire Brush with Metal Scraper



Ascot No.	McGee No.	Description	Price
395-13124	99593	8" Plastic Handled Brass Sidewall Brush	<b>\$8.99</b>
535-00150	25150	14" Wooden Handled Wire Brush	<b>\$3.38</b>

## Tire Changer Duckhead Specials!

### Hybrid Duckhead Mount/Demount Tool

85608959 **\$233.17**

Replacement tail 85608961



For 50X, 60X, 70X

### Plastic Duckhead Kit

Part #183061  
444-01220



**Special \$27.99**

### Head, Mount/Demount, Polymer Red

Hunter TC3250/3500 (1 ea.) Part #2216752



**\$22.69 ea.**

### Coats Leverless DuckHead®

Coats Leverless DuckHead® hook and tail booties provide the proper rim protection for all leverless DuckHead® systems - Proguard

89233409 6 hooks, 2 tails **\$119.99**

Pictured: PN 89233409



For Coats 50X and 70X Part # 182788



**\$119.95**

Hunter TC500 Series Part #RP118314813



**\$32.99 ea.**

### Grey Plastic High Spoke Mount/Demount Duckhead® Tool

For Coats 50X and 70X machines Part #184432



**\$34.99**

Hunter TCX Series "Wing" Duckhead RP11811400327



**\$37.99**

183606 - Sock Bead Loosener Shoe 2/PKG



**\$38.75**


85607787 Grip Max Plus Laminated Clamps (4) 6"-24"



**\$939.44**

## The Center Isn't What it Used to Be

- Many alloy wheels do not have a simple tapered center any more.
- There are a number of different taper angles being used.
- Plus, after the structural part of the center, the wheel may have a narrow cosmetic front.
- It is critical for accurate balancing that the cone supports the wheel on the structural taper.
- Incorrect contact can allow the wheel to move while on the balancer, giving false readings or chasing weights.



## HUNTER

### 2027651 - BULLSEYE COLLET KIT GEN \$999

Kit includes:

- A. 175-392-1 6 in. clamping cup
- B. 46-653-2 Performance wheel & light truck spacer
- C. 14-1470-005 Cone carrier bracket support
- D. 56-70-2 Front balancer cone carrier
- E. 20-2683-1 Passenger to 3/4 ton dual-taper collet kit
- F. 106-157-2 Protector sleeve



### 2033581 - COLLET KIT ECONOMY MD \$1,199

- Does not handle the large 8 lug/8.7" bore found on some medium duty trucks. 20-3155-1 covers that application and includes 20-3116-1. Includes application chart.



### 2036981 - FLANGE PLATE AND STUD KIT ADJUSTABLE \$1,399

- This durable aluminum design can adjust from 98 to 210mm bolt patterns and covers almost all wheels in this range. It comes with (3) three sets of (5) five pins each to handle any application. These pins are 2, 2.5 and 3.25" long with diameters of 1 to .75" respectively.



## Light Truck Cone Kit

### HW150280091 28mm

Allows balancing truck wheels with center holes from 4<sup>13/16</sup>" to 6<sup>7/8</sup>". Used on rims with an alignment pin on the back. Double-sided cone fits all Coats balancers 40mm - 48340091 (113277) **\$249.99**



**\$399.99**

**\$39.99**

**Model #61123** Balancer Calipers  
**482-89011**

Works on any passenger balancer. Equal to Coats 61123 or 309011 or Cemb 46FC77653



**\$279.99**

**Part #85009998** 08 40mm I.D. - Shaft, Hubnuts, & Press Drum Nut-Slide, 2 Jaw, 40mm w/drum, for use on 700-1250 Coats models or Cemb with 40mm shaft 28mm version 85009996



**\$139.23**

**Model #112103**  
40mm I.D. - Shaft, Hubnuts, & Press Drum  
Hub Nut, Handle, Solid, 45mm for standard thread pitch (not for XR-Series) 28mm - 110543



**\$279.20**

8500920401 Balancer Shaft 40mm Balancer Shaft for 850, 950, 1050, 1055, 1250, XR, & 1150 Models



## COATS

### 85610104 ADJUSTABLE PIN PLATES SET OF 3 FOR LUGS 3,4,& 5 \$2,699.99

- Works on any 40 mm balancer
- Adjustable design provides fast and easy clamping
- Lug clamping and centering prevents damage to alloy wheels
- 85609688-5 lug, 85609689-4 lug, 85609690-3 lug



### 85607503 - SLIDE NUT PREMIUM 2 JAW 40MM \$349.99

- Solid metal body lasts longer and won't shatter, if dropped.
- Binary Thread Engagement stays fully open during installation, eliminating wear from dragging the teeth across the balancer's threaded shaft.
- Fits coats 40mm shafts
- 85608312- No mar ring & 8112106 Pressure cup



### 8111935 - SPACER LT TRK BACK CONE \$329.99

- For use on certain deep offset applications.
- Can be used on any 40mm wheel balancer.



## Steel ProGrip Quick Nut with Handles and Pressure Cup



**HW124408006 - \$299.99**

**Cemb 41FF83148 - \$289.99**

Quick release wingnut with reverse mounting cup & no-mar ring, not for use with HD Truck balancers

Creates pressure necessary for Road Force balancers.

### HUNTER, COATS

All Hunter Models exc 700 and DSP9500 90-92; All Coats Models Quick Nut Only

Coats Models 700, 775, 800, 825, 850, 875, 925, 950, 1000, 1025, 1030, 1035, 1175, 1250, 1255 (40mm shaft upgrade), 6275HS

**\$779.99**



483-40110 (HW150400110) ProCollet Kit 40mm  
9 pc.  
2.07" to 4.76"

The Low-Taper Collets are superior to standard cones because they have more contact area and engage the wheel at a better angle; they are also necessary for Clad Wheels because they are shorter and only contact the metal part of the wheel. They can be used for "standard" wheels as a replacement for the cones.

**In Stock — Call for best price!**

## Why MAHLE?

- MAHLE was first to market with connected equipment that is wifi enabled for remote support
- First to offer Remote Tech Support
- Bluetooth application for Cell Phone mirroring - First and Only in the AC Market!
- All ArcticPRO units come with an industry leading 2 year parts and 1 year labor warranty along with a competitive Service Center Network
- Free Software Updates (do not confuse with vehicle database)
- 2 CFM / 2 Stage Vacuum Pump in All NextGen A/C units beats the competition
- 200LB Extended Life Filter - standard on the 80 series and optional on the 50 series
- Vehicle Database - standard on the 80 series and optional on the 50 series
- Best in Class Serviceability – Ergonomic hinged cabinet door simplifies service.

## ACX2280 - 1234YF

- Fully Automatic
- Best in Class Serviceability w/Remote Diagnostics
- 2-year parts and 1 year Labor
- 7" Capacitive Color Touch Screen
- 2.0 CFM Dual Stage Vacuum Pump
- 30lb DOT Refrigerant Tank
- Hybrid Capable
- Integrated Refrigerant Identifier
- WIFI & Bluetooth
- Remote diagnostics
- Customer report
- Capacities Database
- Extended Life Filter



## ACX2180H - R134A

- Fully Automatic
- Best in Class Serviceability w/ remote diagnostics
- 2-year parts and 1 year Labor
- 7" Capacitive Color Touch Screen
- 2.0CFM High-Performance Vacuum Pump
- 30lb DOT Refrigerant Tank
- Automatic 2 Oil & 1 UV Die inject on (ACX-2180 ONLY)
- Hybrid Capable on ACX-2180H
- WIFI & Bluetooth
- Customer report
- Wireless Updates
- Capacities Database
- Extended Life Filter

## Oil Injector

### Features and benefits:

- Can also be used for fluorescent dyes
- Just fill the barrel with the amount of oil needed (measurements are marked on the barrel body)
- Connect the injector fitting to the low side access port on the vehicle and press the plunger to deliver the oil charge
- Handy for adding dyes to A/C leak detection



**\$157.99**

# MAHLE

	ACX2180H	ACX2280
Services Hybrids	Yes	Yes
Services non hybrid	Yes	
Large and Small shops	Yes	Yes
Compare R134A	34788NIH&34988NI&-9	Compare to AC1234-9
R1234YF	Yes	Yes
Warranty	2 years parts 1 year labor	
Wireless Printing	Yes	Yes
Phone app for Mirroring iOS & Android	Yes	Yes

## 3608326900 OEM Vin Printer Upgrade

- The thermal printer field installation kit allows for the integration of a printer into the front panel of an AC machine for all ACX2XXX series machines that do not have factory-installed printer.



### Accessories



MCGEE NUMBER	BRAND	DESCRIPTION	PRICE
3608325400	MAHLE	Replacement High Capacity Combo Filter. Fits Mahle 134a and 1234yf machines	
3608213300	MAHLE	Filter Maintenance Kit for RHS 980	
13119	ROBINAIR	Vacuum Pump Oil Premium Robinair 16 oz.	<b>\$11.99/ea</b>
13172	ROBINAIR	QC Filter/Drier for R12/R134a and Pump Oil (For Newer Models)	<b>\$84.62</b>
13169	ROBINAIR	QC Filter/Drier for R12/R134a & Pump Oil (For Older Models 17700A, 34700, 34300-2K)	<b>\$93.17</b>
18465	ROBINAIR	R-1234YF PAG Oil Labeled Syringe-Type Injector AC1234-4	<b>\$189.99</b>
34724	ROBINAIR	Filter Drier Spin on Robinair	<b>\$99.99</b>
FX3030X	CPS	FX Series Maintenance Kit - Includes Filter, Vacuum Pump Oil and Coupler O'Rings	<b>\$149.90</b>

\*ONE QC FILTER-DRIER TO BE USED ON BOTH R-12 AND R-134A STATION, AND (1) 16 OZ. BOTTLE OF HIGH VACUUM PUMP OIL



**McGee Company**  
 1140 South Jason Street  
 Denver CO 80223

PRSR STD  
 U.S. POSTAGE  
**PAID**  
 DENVER, CO  
 PERMIT NO 1772



**ATTN: ROUTE TO SERVICE DEPARTMENT**

©2023 McGee Company, Denver, Colorado

**McGeeCompany.com • 1-800-525-8888**

**McGee Power Scrub**

**MPS 2.5L Ind Hand Cleaner.**

This heavy duty, solvent free, walnut shell based cleaner does it all. It cleans the toughest soils, greases, inks, paints, and almost anything else. Fortified with a new generation emollient package that leaves your hands feeling great. The concentrated one soap that does it all.

**Purchase a case of four and get a FREE\* dispenser**

\*Valid for first case \$79.96 purchase

**Only \$19.99 ea**



MPS wall dispenser DSP1JT25

**Oil King Waste Oil Rolling Drain 25 Gal**

- Large 25 gallon capacity with sight gauge
- Convenient tool trays and filter areas
- Large offset collection pan with screen
- Oversized tires to get over hose and rough floors



238866 — **\$739.99\***

Splatter pads available!

**GRACO QUALITY!**

**PORTACOOOL**



	Portacool Apex 500	Portacool Apex 700	Portacool Apex 1200	Portacool Apex 2000	Portacool Apex 4000
MODEL NUMBER	PACA05001A1	PACA07001A1	PACA12001A1	PACA20001A1	PACA40001A1
OPTIMAL COOLING (SQ.FT)	UP TO 500	UP TO 700	UP TO 1200	UP TO 2000	UP TO 4000
VELOCITY	40	37	25	28	25
AIR FLOW REACH	55FT	60FT	40FT	60FT	40FT
NOISE (DB)	53	53	51	58	62
WATER RESERVOIR (GALLONS)	13	22	40	45	55
PRODUCT WEIGHT (WITHOUT WATER)	70	80	134	191	220
CFM's	800	1400	4000	6700	13250
DIMENSIONS (Inches)	46"x19.5"x22"	52"x24"x27"	58"x26"x42"	68"x30"x54"	90"x39"x78"



**Super Tough Hand Scrub**

395-00640 TS64 64 oz. tub **\$17.99**

*"The best hand cleaner available"*

- Leaves hands soft and chap free.
- Removes dirt and grease quickly.

**Split-Beam Click Torque Wrenches**



- Extremely accurate: within 4% of reading from 20% of full scale to full scale
- Setting torque on adjustable wrenches is fast and easy because there is no spring tension on the adjustment knob
- Torque setting locks on adjustable wrenches for repetitive applications
- Wrench length designed to provide the leverage required for maximum torque applications. Also provides the needed reach for those hard to get at places.



EXTREMELY ACCURATE



Ascot No.	Part No.	Description	Ft./Lbs.	Price
168-03250	C3FR250F	1/2" Drive	250	<b>\$269.99</b>
168-05600	C5D600F	1" Drive	600	<b>\$649.99</b>

**Now! Tuff Scrub Cleaner in a liquid**

**TS1GAL (NP No Pump available)**

Easy to use pump style - **\$24.99**

